

strybuc

INDUSTRIES

WINDOW AND DOOR HARDWARE

THE ONE STOP SOURCE FOR ALL YOUR WINDOW & DOOR HARDWARE


Shower Door Hardware





Custom Programs

CUSTOM CATALOG PROGRAM



Strybuc Industries is offering you a risk free opportunity to expand your product line and INCREASE SALES!

Call today and have us customize this catalog specifically for your company. We'll be glad to imprint your company name, logo, address phone number, fax number and e-mail address on the cover. The same wide selection of quality parts will be offered inside.

Minimum quantity 25. Allow 2-3 weeks delivery.
For more details, contact your Account Manager.

ONLINE PARTS STORE PROGRAM



**Sell parts 24 hours a day 7 days a week
Be open when your customers want to buy**

- Your "custom" online partner store comes pre loaded with thousands of products to sell
- Set your own selling prices
- Use your own logo, identity and branding

TOUCH-SCREEN WINDOW AND DOOR PARTS KIOSK FOR RETAIL STORES



The 1st Touch-Screen "Window and Door Parts" Kiosk for Retail Stores!

Store visitors can shop over 36,000+ popular and hard to find and obsolete window and door parts using the touch-screen online store and printed catalog.

BLIND DROP SHIP PROGRAM

We offer a **Blind Drop Ship Program** that allows you to ship an order directly to your customer from our warehouse, without letting your customer know the source is Strybuc.


- We use generic packing slips, bags and boxes to ship your order
- Saves time - from our warehouse to your customer
- Save by reducing double handling
- Eliminate additional delivery costs

Talk to your Account Manager for more details.

SHOWER DOOR HINGES

Standard Duty & Solid Brass



Square Edge



Part #	Finish	PVC Gasket
22-244BCH	Bright Chrome	Clear
22-244BNK	Brushed Nickel	Black

Solid brass shower hinge, stainless steel, standard full back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to glass 90° Suitable for glass 8 - 12 mm


Square Edge



Part #	Finish	PVC Gasket
22-244BCH-H	Bright Chrome	Clear
22-244BNK-H	Brushed Nickel	Black

Solid brass shower hinge, stainless steel, H back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to glass 90° Suitable for glass 8 - 12 mm


Square Edge



Part #	Finish	PVC Gasket
22-249BCH	Bright Chrome	Clear
22-249BNK	Brushed Nickel	Clear

Solid brass shower hinge, stainless steel, PVC gasket. Includes Philips screws, Allen screws and Allen key. Glass to glass 135° Suitable for glass 8 - 12 mm


Square Edge



Part #	Finish	PVC Gasket
22-245BCH	Bright Chrome	Clear
22-245BNK	Brushed Nickel	Clear

Solid Brass Shower hinge, stainless steel, PVC gasket. Includes Philips screws, Allen screws and Allen key. Glass to glass 180° Suitable for glass 8 - 12 mm


Beveled Edge



Part #	Finish	PVC Gasket
22-272BCH	Bright Chrome	Clear
22-272BNK	Brushed Nickel	Black

Standard duty brass shower hinge, stainless steel, full back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to glass 90° Suitable for glass 8 - 12 mm


Beveled Edge



Part #	Finish	PVC Gasket
22-273BCH	Bright Chrome	Clear
22-273BNK	Brushed Nickel	Black

Standard duty brass shower hinge, stainless steel, H back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to glass 90° Suitable for glass 8 - 12 mm


Beveled Edge



Part #	Finish	PVC Gasket
22-260BCH	Bright Chrome	Clear
22-260BNK	Brushed Nickel	Clear

Standard duty brass shower hinge, stainless steel, PVC gasket. Includes Philips screws, Allen screws and Allen key. Glass to glass 135° Suitable for glass 8 - 12 mm

Beveled Edge



Part #	Finish	PVC Gasket
22-261BCH	Bright Chrome	Clear
22-261BNK	Brushed Nickel	Clear

Standard duty brass shower hinge, stainless steel, PVC gasket. Includes Philips screws, Allen screws and Allen key. Glass to glass 180° Suitable for glass 8 - 12 mm

Philadelphia

PHILADELPHIA: 2006 Elmwood Avenue ■ Sharon Hill, PA 19079-1019 ■ 800-352-0800 ■ Sales Fax: 610-534-3202

MIAMI: 4181 West 108th Street, Suite 7 ■ Hialeah, FL 33018 ■ 800-780-5051 ■ Fax: 305-557-5239


STRYBUC.COM | CSERVICE@STRYBUC.COM

Miami

Reno

SHOWER DOOR HINGES

Beveled Edge




Standard duty brass shower hinge, offset back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to Glass 90° Suitable for glass 8 - 12 mm

Part #	Finish	PVC Gasket
22-259BCH	Bright Chrome	Black
22-259BNK	Brushed Nickel	

Heavy Duty & Solid Brass


Square Edge



Solid brass shower hinge, heavy duty, standard full back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to glass 90° Suitable for glass 10 - 12 mm

Part #	Finish	PVC Gasket
22-246BCH	Bright Chrome	Clear
22-246BNK	Brushed Nickel	Clear


Square Edge



Solid brass shower hinge, heavy duty, H back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to glass 90° Suitable for glass 10 - 12 mm

Part #	Finish	PVC Gasket
22-246BCH-H	Bright Chrome	Clear
22-246BNK-H	Brushed Nickel	Clear


Square Edge



Heavy duty brass shower hinge, PVC gasket. Includes Philips screws, Allen screws and Allen key. 135° Glass to Glass Suitable for 10 - 12 mm glass

Part #	Finish	PVC Gasket
22-247BCH	Bright Chrome	Clear
22-247BNK	Brushed Nickel	Clear


Square Edge



Heavy duty brass shower hinge, PVC gasket. Includes Philips screws, Allen screws and Allen key. 180° Glass to Glass Suitable for 10 - 12 mm glass

Part #	Finish	PVC Gasket
22-248BCH	Bright Chrome	Clear
22-248BNK	Brushed Nickel	Black


Beveled Edge



Solid brass shower hinge, heavy duty, full back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to glass 90° Suitable for glass 10 - 12 mm

Part #	Finish	PVC Gasket
22-269BCH	Bright Chrome	Clear
22-269BNK	Brushed Nickel	Clear


Beveled Edge



Solid brass shower hinge, heavy duty, H back plate, PVC gasket. Includes Philips screws, Allen screws and Allen key. Wall to glass 90° Suitable for glass 10 - 12 mm

Part #	Finish	PVC Gasket
22-271BCH	Bright Chrome	Clear
22-271BNK	Brushed Nickel	Black

Beveled Edge



Solid brass shower hinge, heavy duty, PVC gasket. Includes Philips screws, Allen screws and Allen key. 180° Glass to Glass Suitable for 10 - 12 mm glass

Part #	Finish	PVC Gasket
22-270BCH	Bright Chrome	Clear
22-270BNK	Brushed Nickel	Black

Philadelphia

Miami

Reno


PHILADELPHIA: 2006 Elmwood Avenue • Sharon Hill, PA 19079-1019 • 800-352-0800 • Sales Fax: 610-534-3202

MIAMI: 4181 West 108th Street, Suite 7 • Hialeah, FL 33018 • 800-780-5051 • Fax: 305-557-5239


STRYBUC.COM | CSERVICE@STRYBUC.COM

SHOWER DOOR HINGES

Adjustable Hinges




Adjustable Solid Brass Top Pivot Hinge
Solid Brass




Adjustable Bottom Pivot Hinge Solid Brass

Part #	Finish
22-301CH	Bright Chrome
22-301BN	Brushed Nickel

Part #	Finish	PVC Gasket
22-302CH	Bright Chrome	Black
22-302BN	Brushed Nickel	Black



Adjustable Top Pivot Hinge with Radius Corners & Chamfered Edges



Adjustable Bottom Pivot Hinge Radius Corners & Chamfered Edges



Part #	Finish
22-303CH	Bright Chrome
22-303BN	Brushed Nickel

Part #	Finish	PVC Gasket
22-305CH	Bright Chrome	Black
22-305BN	Brushed Nickel	Black

SHOWER DOOR GLASS CLAMPS

Glass Clamps


Rounded Edge



Brass shower glass clamp, clear PVC gasket.
Includes Philips screws, Allen screws and Allen key.
Wall to glass, hole-in-glass style.
Suitable for glass 8 - 12 mm.

Part #	Finish
22-262BCH	Bright Chrome
22-262BNK	Brushed Nickel



Square Edge



Solid brass shower glass clamp, clear PVC gasket.
Includes Philips screws, Allen screws and Allen key.
Wall to glass, hole-in glass style.
Suitable for glass 8 - 12 mm.

Part #	Finish
22-257BCH	Bright Chrome
22-257BNK	Brushed Nickel


Square Edge



Solid brass shower glass clamp, clear PVC gasket.
Includes Philips screws, Allen screws and Allen key.
Glass to glass 90°
Suitable for glass 8 - 12 mm.

Part #	Finish
22-258BCH	Bright Chrome
22-258BNK	Brushed Nickel

Square Edge



Brass shower glass clamp, clear PVC gasket.
Includes Philips screws, Allen screws and Allen key.
Wall to glass 90°, with large leg.
Suitable for glass 8 - 12 mm

Part #	Finish
22-263BCH	Bright Chrome
22-263BNK	Brushed Nickel

Philadelphia

Miami

Reno


PHILADELPHIA: 2006 Elmwood Avenue ■ Sharon Hill, PA 19079-1019 ■ 800-352-0800 ■ Sales Fax: 610-534-3202

MIAMI: 4181 West 108th Street, Suite 7 ■ Hialeah, FL 33018 ■ 800-780-5051 ■ Fax: 305-557-5239

STRYBUC.COM | CSERVICE@STRYBUC.COM

SHOWER DOOR GLASS CLAMPS


Square Edge



Part #	Finish
22-264BCH	Bright Chrome
22-264BNK	Brushed Nickel

Brass shower glass clamp, clear PVC gasket.
Includes Philips screws, Allen screws and Allen key.
Glass to glass 180°
Suitable for glass 8 - 12 mm


Beveled Edge



Part #	Finish
22-256BCH	Bright Chrome
22-256BNK	Brushed Nickel


Solid brass shower glass clamp, clear PVC gasket.
Includes Philips screws, Allen screws and Allen key.
Wall to glass, hole-in glass style.
Suitable for glass 8 - 12 mm

SHOWER DOOR GLASS SLEEVE OVER GLASS CLAMPS



Part #	Finish	Hand
22-265LBCH	Bright Chrome	LH
22-265RBCH	Bright Chrome	RH
22-265LBNK	Brushed Nickel	LH
22-265RBNK	Brushed Nickel	RH

Shower sleeve over wall mount glass clamp
Suitable for glass 8 - 12 mm




Part #	Finish
22-267BCH	Bright Chrome
22-267BNK	Brushed Nickel

Shower sleeve over glass clamp
Glass to glass 90 degree
Suitable for glass 8 - 12 mm



SHOWER DOOR GLASS SEALING STRIPS

Sold by Length - 96" Length, Minimum 12 Lengths



Part #	Glass Thickness	A
22-280	10 mm	3/8"
22-281	12 mm	1/2"

PVC seal strip, glass to glass,
Size: 96"



Part #	Glass Thickness	A
22-282	10 mm	3/8"
22-283	12 mm	1/2"

PVC seal strip, glass to glass,
Size: 96"



Part #	Glass Thickness
22-277	10 mm

PVC bulb seal strip
for 3/8" (10 mm) Glass. Size: 96"

Philadelphia

Miami

Reno


PHILADELPHIA: 2006 Elmwood Avenue • Sharon Hill, PA 19079-1019 • 800-352-0800 • Sales Fax: 610-534-3202

MIAMI: 4181 West 108th Street, Suite 7 • Hialeah, FL 33018 • 800-780-5051 • Fax: 305-557-5239

STRYBUC.COM | CSERVICE@STRYBUC.COM


SHOWER DOOR GLASS SEALING STRIPS

Sold by Length - 96" Length, Minimum 12 Lengths




Part #
22-43

PVC Clear 7/32" 5.5ml



Part #
22-44

PVC Clear 5/32" 4ml Gap, Without Tap



Part #	Glass Thickness
22-208	10 mm

96" Clear Co Extruded Wipe




Part #	Glass Thickness
22-278	10 mm

PVC bulb seal strip
for 3/8" (10 mm) Glass. Size: 96"



Part #	Glass Thickness
22-279	8 mm

PVC double fin seal
for 5/16" (8 mm) glass. Size: 96"




Part #	Glass Thickness
22-276	10 mm

PVC bottom seal strip,
for 3/8" (10mm) glass. Size: 96"

SWEEP\$AVER® GLAZIER TOOL

Created out of a need from a glass company that specializes in high-end complex shower door installations. The SWEEP\$AVER® is designed to take a forty-minute job and cut it down to mere seconds, saving you time and money. The tool is created to efficiently cut vinyl soft-leg water diverters and sweeps precisely to your desired height, thus creating the finishing touch to a custom shower door.

- (6) Different cutting adjustment positions in 1/16" increments
- Designed for both right and left hand users
- Lifetime Warranty
- Made in the USA




59-187

Dims: 12-5/8" x 7/16" x 1-15/16"
Weight: 3.5 oz. Material: ABS Polymer
Note: Razor Blade Not Included

59-187R


Box of 100 Razor Blades



SHOWER DOOR HANDLES AND PULL KNOBS




Part #	Finish
22-254BCH	Bright Chrome
22-254BNK	Brushed Nickel



Solid brass shower door pull set.



Part #	Finish
22-255BCH	Bright Chrome
22-255BNK	Brushed Nickel



Solid brass shower door pull set.

Philadelphia

Miami


Reno

PHILADELPHIA: 2006 Elmwood Avenue • Sharon Hill, PA 19079-1019 • 800-352-0800 • Sales Fax: 610-534-3202

MIAMI: 4181 West 108th Street, Suite 7 • Hialeah, FL 33018 • 800-780-5051 • Fax: 305-557-5239


STRYBUC.COM | CSERVICE@STRYBUC.COM

SHOWER DOOR HANDLES AND PULL KNOBS




Part #	Finish
22-253BCH-8X18	Bright Chrome
22-253BNK-8X18	Brushed Nickel

Stainless steel shower door combo pull handle without stainless steel washers
Size: 3/4" x 8" x 18" (203 x 457 mm) with PVC washer




Part #	Finish
22-250BCH-18	Brushed Chrome
22-250BNK-18	Brushed Nickel

Stainless steel back to back fixing towel bars without metal washers
Size: Dia. 3/4" x 18" (C-C)
Sold in set.




Part #	Finish	A
22-250BCH-6	Bright Chrome	6"
22-250BNK-6	Brushed Nickel	6"
22-250BCH-8	Bright Chrome	8"
22-250BNK-8	Brushed Nickel	8"

Stainless steel shower pull handles, with metal washers
Size: Dia. 3/4" x 6" (C-C)
Back to Back fixing
Sold in set.



Part #	Finish	A
22-252BCH-18	Bright Chrome	18"
22-252BNK-18	Brushed Nickel	18"
22-252BCH-24	Bright Chrome	24"
22-252BNK-24	Brushed Nickel	24"

Stainless steel single side towel bar, without metal washers



Part #	Finish
22-251BCH-8	Bright Chrome
22-251BNK-8	Brushed Nickel

Stainless steel shower pull handles
Size: Dia 3/4" x 8" (C-C) x 12" (total length)
Back to back fixing

WASHER SET



Part #	Finish
22-266BCH	Bright Chrome
22-266BNK	Brushed Nickel

Stainless steel metal washer kit for 19 mm tube
4 piece metal washer and 4 piece PVC washer

MILDEW RESISTANT SILICONE SEALANT



- 100% RTV Silicone
- Mildew Resistant
- General Purpose
- Permanently Elastic
- Watertight & Airtight
- Excellent Adhesion to Glass, Ceramic, Porcelain, Metals, Wood & Many More
- Easy to Apply & Easy Clean-up
- UV Resistant
- VOC Compliant
- Cartridge Colors: Clear, White
- Meets ASTM C-920, Type S, Grade NS, Class 25

Part #	Finish
59-172	White
59-173	Clear

Packed 12 Tubes per Case.

Philadelphia

Miami

Reno

PHILADELPHIA: 2006 Elmwood Avenue • Sharon Hill, PA 19079-1019 • 800-352-0800 • Sales Fax: 610-534-3202

MIAMI: 4181 West 108th Street, Suite 7 • Hialeah, FL 33018 • 800-780-5051 • Fax: 305-557-5239

STRYBUC.COM | CSERVICE@STRYBUC.COM

GLIDING SHOWER DOOR SYSTEM


The Gliding Shower Door System uses top quality stainless steel ball bearing wheels that glide quietly and effortlessly across the sturdy rectangular header. It provides a stylish yet affordable option when installing a sliding shower door.

The minimalistic hardware and sleek design creates a frameless look that is much more aesthetically pleasing than traditional framed sliders.

The Gliding Shower Door System is designed to work with 5/16" to 3/8" thick tempered glass.

Product Features:


- Durable Stainless Steel Construction
- 4 Ball Bearing Wheels Provide Security and Smooth, Quiet Operation
- Minimalistic Styling
- Fixed and Gliding Panel are Reversible for Installation
- Available in Polished or Brushed Finish
- Accommodates Glass Thickness from 5/16" to 3/8"
- Maximum Door Size of 30"
- Maximum Door Weight of 88 lbs.
- Compatible with Glass Return Panel
- All Installation Hardware Included Except Clamps or Channel for Fixed Panel
- Comprehensive Instructions Including Glass Fabrication Cut-Out Available
- Design Assistance Available



Part #	Finish
22-268BCH	Bright Chrome
22-268BNK	Brushed Nickel

Kit Includes:

- Rollers x 2
- Stopper x 1
- L-Seal x 1
- Wall Mount x 2
- Header Tube x 1
- Door Pull x 1
- Adjustable Header Mount x 2
- Fixed Panel Mount x 2
- Door Guide x 1
- Installation Hardware x 1



Philadelphia

Miami

Reno

PHILADELPHIA: 2006 Elmwood Avenue ■ Sharon Hill, PA 19079-1019 ■ 800-352-0800 ■ Sales Fax: 610-534-3202

MIAMI: 4181 West 108th Street, Suite 7 ■ Hialeah, FL 33018 ■ 800-780-5051 ■ Fax: 305-557-5239

STRYBUC.COM | CSERVICE@STRYBUC.COM

CARRYMATE® NON-SLIP PANEL GRIPS

Protects your hands, prevents back strain and improves productivity!

The unloading and transport of sheet materials to their installation sites is not only time-consuming but also very strenuous. Smooth surfaces make it difficult to securely carry the material, especially through narrow passages or across uneven grounds. Carrymate® Safety Grips are used in pairs and each grip is capable of holding up to 220 lbs, which makes them suitable for moving a wide variety of materials.

- The point of contact to the material can be wherever it is most suitable for each user's height
- Both users can walk forward and face the direction they are going in
- The user's lifting arm and back remain straight
- The user's other hand is now free to support the material or to move obstacles to the side (open doors, etc.)

The clamping system self-adjusts to the width of the material and securely holds it in place without damaging its surface. All parts of the Carrymate® Transport Grips that touch the load are covered with a special coating so that even the most polished materials will not be scratched. The ergonomically designed carrying grip provides a secure hold and even during turns and pivots the user can easily hold on to the load.

- Sturdy aluminium construction
- Self-adjusting non-slip Clamps
- Holds up to 220 lbs. per grip - sold in pairs
- Cushioned shaft prevents damage to the carried load



59-177

CARRYMATE® 5 Span width 0-3.15" (Pair)

Suitable for:


Glass/IGUs (double/triple)
Sheet metal
Plywood/Dry Wall
PVC
Solar modules
Natural stone, etc.



59-177X

Carrymate® X-Spanders. Simply slip the X-Spanders over the clamps! No glue is necessary! Sold in packs of 8.

CAULKING APPLICATORS AND SEALANT FINISHERS



59-105

Half Pipe Caulking Applicator FX7-90

- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- For high viscosity dispensing material
- Trigger ratio 17:1
- For cartridges 310ml/10.5 fl oz
- Color: Black/Turquoise



59-163

Except-310 Caulking Applicator

- For heavy-duty applications
- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Anti-corrosive performance
- Integrated tip-cutter
- Activated drippless function
- Trigger ratio 19:1
- 310ml cartridge/10.5 fl oz



59-176

XP-DELTA

- Extremely Durable.
- Rotary Carriage and Ladder Hook.
- Rubber-Coated Handle and Trigger.
- Activated NON-DRIP function.
- NEW Switchable Trigger Ratios 25:1 and 12:1.
- Delta Catch Plate.



59-169

Sealant Finisher

- Made of elastic plastic
- For several different joint sizes
- For inclined or round joints
- Easy to handle
- Four pieces in a box



59-179

Joint Finisher Saddle.

Used on 59-105, 59-106 & 59-110 Guns

Philadelphia

Miami



Reno

PHILADELPHIA: 2006 Elmwood Avenue • Sharon Hill, PA 19079-1019 • 800-352-0800 • Sales Fax: 610-534-3202

MIAMI: 4181 West 108th Street, Suite 7 • Hialeah, FL 33018 • 800-780-5051 • Fax: 305-557-5239

STRYBUC.COM | CSERVICE@STRYBUC.COM

TERMS AND CONDITIONS

TERMS	Net 30 days.
CREDIT	 &  accepted
MINIMUM	\$25.00 Excluding shipping and handling.
PRICING	All pricing subject to change. SBI reserves the right to make price adjustments due to changing market conditions, product discontinuation, manufacturers price changes, and errors in advertisements.
ORDERING	Our catalog has been designed to make ordering as easy as possible. However, if you are not a 100% sure that you have found the part you need - PLEASE SEND A SAMPLE. To help expedite your orders, please use our part numbers and include your account number on all purchase orders. Customers must specify at time of order if back orders should be canceled. Otherwise back orders will be released routinely and not subject to return.
QUOTATIONS	All quotations good for 30 days, unless otherwise specified. If an item is not shown in our catalog, PLEASE SEND A SAMPLE with any available information - such as name of manufacturer or brand name of their window or door, the type of window or door; e.g., sliding or casement. It is also important to know what function the part performs. If you are presently using a substitute item for your original part - please send both parts. We may be able to provide the original. The above information will help us reduce research time for hard to find and obsolete parts.
FINISHING	Standard finishes will be provided. Please specify if you require a particular finish.
HANDING INFORMATION	Strybuc Industries determines whether an item is left handed or right handed - by viewing it from the inside looking out. Items on your right will be right hand - items on your left will be left hand.
SUBSTITUTION	In order to satisfy need and provide our customers with the most economical and highest quality parts, we may replace catalog items with working substitutes from time to time.
CUSTOM MADE SPECIAL ORDER MERCHANDISE	In order to serve you better, we offer our machine shop facilities for items no longer available. A deposit may be required for custom made/special order material. We will not accept any returns or cancellations for custom made parts, therefore a written or faxed Purchase Order is required.
FREIGHT	No freight allowance. Shipping and handling charges are added to invoice. For "drop-ship" orders to residential buildings, higher shipping rates applied.
SHIPPING	Stock items - within 24 hours upon receipt of order. Non-stock items 3 to 8 weeks or as specified. FedEx® Delivery Service - Faster delivery options for all packages up to 20lbs. delivered within the Continental U.S.; (1) Economy Two Day SM Service. (2) Standard Overnight® Service for next day delivery. (3) Priority Overnight® Service delivered by 10:30 a.m. the next morning. Ask your Account Manager for current delivery costs.
DROP SHIP	SBI Express - Order Today, Install Tomorrow! A new program to "drop ship" directly to your customers using any of the above FedEx® Delivery Services
RETURNS	No material will be accepted without a Return Goods Authorization number (RGA# must appear outside of all cartons). Please call Account Manager for RGA#. A 25% Handling/Restocking charge will be assessed to all returns for reasons other than Strybuc errors. All returns must be made within 60 days of invoice date. Custom Made/Special Orders are not subject to return.
CLAIMS	It is your responsibility to inspect all shipments for shortages and damages (concealed or otherwise). If damage has occurred it is your responsibility to file a claim with the carrier, claims for shortages are to be filed with Strybuc Industries. All claims are to be made within 10 days.
DISCLAIMER	Photos and illustrations in this catalog are intended only to give an idea of what a product looks like. It is to identify that products use, and does not imply that the item is a genuine product of the said original manufacturer.
COPYRIGHT	© 2024 PGI. No part of this catalog may be reproduced without the express written consent of Strybuc Industries.

Frameless Shower Door Hardware

Table Top Display

Part #: 500-358
Countertop Display



Now available is our new Counter Display (part#: 500-358).

Our frameless shower door hardware includes a full line of standard duty and heavy duty hinges, glass clamps, door handles, knobs, towel bars, sealing strips, and a gliding shower door system.

Hardware comes in a square edge and bevel edge design in bright chrome and brushed nickel finishes.


Hinges and clamps are made of solid brass with stainless steel screws; handles made of stainless steel; with quality testing performed through-out the manufacturing process.

For more information, visit www.strybuc.com in our catalog section or call (800) 352.0800.

Ask About our "Credit Back" Program!



Strybuc Reno West Coast Distribution Center Now Open!
New "Extended" Office Hours: 8:00 AM (EST) to 7:00 PM (EST)



Philadelphia, PA
1-800-352-0800
2006 Elmwood Avenue - 102C
Sharon Hill, PA 19079-1019
Miami, FL
1-800-780-5051
4181 West 108th Street, Suite 7
Hialeah, FL 33018
Reno, NV
Distribution Center

