



COMMERCIAL



Door Hardware Catalog

Philadelphia:

1-800-352-0800 Local: 610-534-3200 Fax: 610-534-3202

Miami:

1-800-780-5051 Local: 305-558-5051 Fax: 305-557-5239

www.strybuc.com cservice@strybuc.com

VOL. 9.17

We Now Offer 3 Faster Ways To Help You Identify The Parts You Need



Email Photo

- **Email Your Salesman or Account Manager Directly** (You can find their email addresses under the contact tab on our website.)
- Or Email cservice@strybuc.com



Text Photo

1-610-750-9340 (A Confirmation will be sent to you.)



Set Up A Skype Session

To set up a SKYPE session email Pete at ppierangeli@strybuc.com





Some Helpful Tips When Emailing or Messaging Photos to be Identified:

- 1. Include a ruler or measuring tape in each photo next to the part.
- 2. The photo should not be too dark or too light contrast, and in focus.
- 3. Indicate what the part is made of (i.e. aluminum, zinc, steel, plastic, wood, vinyl, etc.).
- 4. Include the brand of the window or door.
- 5. Indicate what it is used on or type of window or door.
- 6. Include any numbers stamped or printed on the parts.
- 7. Indicate how many pieces you need.
- 8. Include your contact information.

TABLE OF CONTENTS 2-54 Screen Door Handles **Swing Door Hardware** Latch Assemblies Hoppe Single Design Theme Handles ____ 2-3 Patio Door Screw Hole Cover ______82 Hoppe Swing Door Handle Sets & Accessories ______4-13 Screen Door Guides ______ 82-83 Hoppe Profile Cylinders and Rekeying Kits_______14-15 Roller Assembly_____ Hoppe Hinges Head Spacer ______83 Hoppe Multi-Point Locking Systems and Accessories ______ 18-19 Bug Flaps 83 Hoppe HLS 9000 Multi-Point Hardware Swing Door Questionnaire 20 Fixed Panel Bracket ______83 Hoppe HLS 7 Multi-Point Hardware Swing Door Questionnaire _____21 Patio Door Bumpers 83 G-U Swing Door Handles _____ 83 G-U Multi-Point Hardware Swing Door Questionnaire 24-25 Anti-Rattle Guides ____ G-U Single Point Mortise Locks_____ Security Hardware and Patio Door Locks 84-86 G-U Swing Door Accessories ____ Key Cylinders _____ AmesburyTruth Multi-Point Hardware Swing Door Questionnaire_____28 Mortise Locks ______ 86-88 AmesburyTruth Single Point Mortise Gear Box & Accessories 29 AmesburyTruth Tru-Lock Multi-Point Conversion Kit for Entry Doors AmesburyTruth Sentry Multi-Point Handle Sets & Accessories_____ 31-32 Corner Brackets______90 AmesburyTruth Sentry Multi-Point Swing Door Questionnaire _____33 Lock Bars_____90 AmesburyTruth Sentry Multi-Point Strikes____ Andersen Multi-Point System & Accessories ______ 35-36 Charley-Bar Sliding Glass Door Lock & Accessories ______90 Ashland Swing Door Handle Sets ______ 37-38 Ashland Adjustable Hinges ______39 General Door and Builders Hardware 91-92 Ashland Sentinel Multipoint Swing Door Lock System ______ 40-41 Ashland Concealed Multipoint Lock Systems & Accessories _____42 Entrance Door Closers Ashland Single & Multipoint Point Mortise Locks ______43 Door Stops and Bumpers ______91-92 Ashland Swing Door Handles 43 Door Silencer 92 Roto Swing Door Handle Sets____ Wall Protectors 92 Milton 2-Point Locksets ____ Door Lock Channels ______92 Eurogroove Stepped Router Bits 43 _____ 44-45 Hinges Chain Locks 92 _____45-46 Miscellaneous Mortise Locks Door Viewer Miscellaneous Swing Door Locksets & Accessories 46 Storm Door Handle Set ____ Commercial Door/Storefront Hardware 93-102 Zinc Bushing Replacement Kit _____ 46 Mortise Locks ___ Miscellaneous Handle Sets____ ____47 Storm Door Knob/Push Pull Latch Sets______48 Faceplates____ Storm Door Push Button Latch Set ______48-50 Push/Pull Paddles ______94 Storm Door VP Pull Handle Set_____50 Lever Handle _____94 Storm Door Locking Handle Set _____50 Storm Door Lever Latch Sets ______50-51 Cylinders/Trim Rings/Collars ______95 Storm Door Trailer Latch Sets 51 Offset Pivots ______ 96-97 Storm Door Closers Hinges ______98 Storm Door Inside Latches _____53 Door Closers ______99 Storm Door Key Locks____ Panel Clips and Thumb Screws _____54 Door Stops & Silencers Strikes ____ _____54 Exit Devices ______ 100-101 Shims 54 Door Pulls _____ 54 Push Button____ Adhesives, Lubricants and Cleaners _____ 103 Door Chain _____54 Foaming Glass Cleaner_____ Screen Spline 54 Soudal Adhesives and Gun Foams ______103 Soudal Cleaning Wipes ______103 Sliding Door Hardware Precision Bearing Roller Assemblies Terms & Conditions ______104 Glass Door Roller Assemblies ______ 57-64 Screen Door Roller Assemblies 64-68

____ 70-79

Patio Door Handles _____

Sliding Glass and Screen Door Keepers _____



Strybuc Industries is the largest National Stocking Distributor for HOPPE® North America. We have over 500 SKU's available for immediate shipment. HOPPE® North America is one of the leading manufacturers of door hardware.

These pages are designed to give you a sampling of the various products and finishes HOPPE® has to offer. HOPPE's® Single Design Theme is unique to the door industry and has changed and upgraded the look of American households across the country.

Strybuc Industries is dedicated to assisting and servicing you on acquiring the quality products from HOPPE® North America.

Do you want the hardware on your entry door, interior doors, patio door and windows to match? Who wouldn't? HOPPE[®] North America, Inc. carries the full range of products so you can continue the single design theme throughout your entire home, for all your residential doors and windows.



The HOPPE® North America, Inc. hardware program also includes a wide range of products such as multipoint locks and handle sets with cylinders, plus adjustable hinges for doors and turn & tilt hardware for windows. Why hasn't anyone thought of this before? Bet you are glad we did.





Styles and Finishes Contact your Account Manager for part numbers and prices.



Athinai Series in Polished Chrome with Brushed Stainless Steel

Reminiscent of a strong heritage, the classic sleek curves of the Athinai Series will accent the dicor of any room.



Mżnchen Series in Polished Chrome
Curves and flair distinguish the Mżnchen Series handles.
Reminiscent of hearty European design, your traditional handles will stand the test of time throughout your home.



Verona Series in Polished Brass
Soft, sleek lines add to the contemporary design of your
home. Available in interior and entry functions, Verona
Series handles will compliment every room in your home.




Rúdos Series in Satin Nickel
Majestic and regal, Rúdos Series handles represent the
ultimate in decorative, European styling and decoration
throughout your home.



New Orleans Series in Matte Black
Time honored traditional design will complement the style
of your home. With slim, lustrous form, New Orleans series
handles are the right fit for every member of the family.



Toronto Series in Antique Brass
With a touch of provincial and a touch of cosmopolitan,
Toronto Series handles complement a wide range of
interior designs.



Rúdos Series shown with Antique Nickel Finish



New Orleans Series with Brushed Chrome Finish



Toronto Series shown with Oil Rubbed Brass Finish



























Finishes



































Back Plates, Handles, Cylinders, etc. are available separately. All HOPPE® Swing Door Handles are available in Active, Inactive and Dummy sets. Multipoint/Single Point Locking Systems sold separately. Contact your Account Manager for pricing.










München Series M112PL/216N






Туре	Material	Brass Resista®	Antique Brass	Brushed Chrome Resista®	Oil Rubbed Brass	Matte Black	Satin Nickel	Rustic Umber
Active Door Set - 90° Cylinder	Solid Brass	850-2131135	850-2131143	850-2131160	850-2131581	850-2131178	850-2106263	850-2205739
Active Door Set - Cylinder Not Included	Solid Brass	850-2106474	850-8762947	850-8765471	850-8765603	850-8771091	850-2105113	850-2205704
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2131590	850-2131602	850-2131629	850-2131670	850-2131637	850-2106301	850-2205747
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2106491	850-8765347	850-8765475	850-8765607	850-8771095	850-2105156	850-2205721
Pair Fixed Dummy	Solid Brass	850-2119187	850-8787963	850-8787975	850-8788031	850-8788019	850-2087891	850-2199519





München Series M112PL/374N






Interior Backplate Exterior Backplate

Туре	Material	Brass Resista®	Antique Brass	Brushed Chrome Resista®	Polished Chrome Resista®	Oil Rubbed Brass	Pure White	Matte Black	Satin Nickel	Rustic Umber	Dark Bronze Metallic
Active Door Set - 90° Cylinder	Solid Brass	850-2116331	850-8763123	850-8763167	850-8763135	850-8773267	850-8763187	850-8773711	850-2094813	850-2214651	850-3366366
Active Door Set - Cyl- inder Not Included	Solid Brass	850-2106765	850-8764955	850-8764979	850-8765007	850-8765035	850-8765059	850-8771139	850-2105666	850-2214571	850-3880648
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2133579	850-8763127	850-8766019	850-8763147	850-8766015	850-8763191	850-8773715	850-2106280	850-2214660	850-3366374
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2106781	850-8764963	850-8764983	850-8765001	850-8765039	850-8765063	850-8771143	850-2105703	850-2214598	850-3880656
Pair Fixed Dummy	Solid Brass	850-2076682	850-8788051	850-8788059	850-8788067	850-8788091	850-8788075	850-8788083	850-2088149	850-2214601	850-3366382

All handle sets are for 1-3/4" thick doors. Fixed dummy sets do not operate.

München Series M112PL/3965N






Interior Backplate Exterior Backplate

Туре	Material	Brass Resista®	Antique Brass	Brushed Chrome Resista®	Matte Black	Satin Nickel	Rustic Umber
Active Door Set - 90° Cylinder	Solid Brass	850-2422063	850-2421976	850-2421992	850-2422039	850-2422047	850-2422071
Active Door Set - Cylinder Not Included	Solid Brass	850-2422194	850-2422098	850-2422119	850-2422160	850-2422178	850-2422207
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2422338	850-2422215	850-2422223	850-2422282	850-2422303	850-2422354
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2422477	850-2422371	850-2422389	850-2422426	850-2422434	850-2422485
Pair Fixed Dummy	Solid Brass	850-2422725	850-2422645	850-2422653	850-2422696	850-2422709	850-2422733




Verona Series M151/216N



Туре	Material	Brass Resista®	Antique Brass	Brushed Chrome Resista®	Polished Chrome Resista®	Oil Rubbed Brass	Pure White	Matte Black	Satin Nickel	Rustic Umber	Dark Bronze Metallic
Active Door Set - 90° Cylinder	Solid Brass	850-2131021	850-2131039	850-2131055	850-2131047	850-2131080	850-2131071	850-2131063	850-2094805	850-2207558	850-3873376
Active Door Set - Cyl- inder Not Included	Solid Brass	850-2093482	850-8773331	850-8773339	850-8773335	850-8773351	850-8773347	850-8773343	850-2087074	850-2207531	850-3880701
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2131098	850-2131101	850-2039726	850-2131119	850-2203477	850-2131127	850-2039742	850-2095752	850-2207566	850-3873384
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2093503	850-8773359	850-8773367	850-873363	850-8773379	850-8773375	850-8773371	850-2087111	850-2209254	850-3880710
Pair Fixed Dummy	Solid Brass	850-2093511	850-8787971	850-8787983	850-8787999	850-8788039	850-8788015	850-8788027	850-2087138	850-2153211	850-3845720

All handle sets are for 1-3/4" thick doors. Fixed dummy sets do not operate.

Verona Series M151/3955N




Туре	Material	Brushed Chrome Resista®	Rustic Umber
Active Door Set - 90° Cylinder	Solid Brass	850-2414418	850-2414493
Active Door Set - Cylinder Not Included	Solid Brass	850-2414514	850-2414590
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2414611	850-2414696
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2414717	850-2414792
Pair Fixed Dummy	Solid Brass	850-2414813	850-2414899






Verona Series E1800/353



Туре	Material	Brushed Stainless Steel
Active Door Set - 90° Cylinder	Solid Brass	850-3953835
Active Door Set - Cylinder Not Included	Solid Brass	850-8773459
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-3954301
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-8773455

All handle sets are for 1-3/4" thick doors.

New Orleans Series M1610/216N




Туре	Material	Brushed Chrome Resista®	Oil Rubbed Brass	Matte Black	Satin Nickel	Rustic Umber
Active Door Set - 90° Cylinder	Solid Brass	850-2131952	850-2132007	850-2131987	850-2131961	850-2207507
Active Door Set - Cylinder Not Included	Solid Brass	850-2110748	850-2110781	850-2110801	850-2110756	850-2207478
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2132373	850-2132429	850-2132402	850-2132381	850-2207515
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2111345	850-2111388	850-2111409	850-2111353	850-2207494
Pair Fixed Dummy	Solid Brass	850-2098742	850-2109122	850-2098793	850-2098751	850-2201885



New Orleans Series M1610/374N






Туре	Material	Brass Resista®	Brushed Chrome Resista®	Matte Black	Satin Nickel	Rustic Umber
Active Door Set - 90° Cylinder	Solid Brass	850-2338232	850-2338267	850-2338275	850-2338304	850-2217342
Active Door Set - Cylinder Not Included	Solid Brass	850-2112461	850-2112487	850-2112874	850-2112495	850-2217262
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2338321	850-2338355	850-2338363	850-2338793	850-2217351
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2113068	850-2113092	850-2113156	850-2113105	850-2217289
Pair Fixed Dummy	Solid Brass	850-2113869	850-2103661	850-2103716	850-2103679	850-2217297

All handle sets are for 1-3/4" thick doors. Fixed dummy sets do not operate.

New Orleans Series M1610/3965N






Туре	Material	Oil Rubbed Brass	Matte Black	Satin Nickel	Rustic Umber
Active Door Set - 90° Cylinder	Solid Brass	850-2431736	850-2431752	850-2431779	850-2431795
Active Door Set - Cylinder Not Included	Solid Brass	850-2431832	850-2431859	850-2431875	850-2431891
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2431939	850-2431955	850-2431971	850-2432000
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2432042	850-2432069	850-2432085	850-2432106
Pair Fixed Dummy	Solid Brass	850-2432149	850-2432165	850-2432181	850-2432202



Ròdos Series M1603/216N





Interior Backplate


Exterior Backplate

Туре	Material	Antique Brass	Brushed Chrome Resista®	Oil Rubbed Brass	Pure White	Matte Black	Satin Nickel	Rustic Umber
Active Door Set - 90° Cylinder	Solid Brass	850-2131725	850-2111118	850-2131813	850-2131792	850-2111126	850-2131750	850-2207443
Active Door Set - Cylinder Not Included	Solid Brass	850-2115750	850-2115768	850-2116015	850-2115805	850-2115813	850-2115776	850-2207419
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2131848	850-2111185	850-2131910	850-2131901	850-2111193	850-2131872	850-2207451
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-2116251	850-2116269	850-2116306	850-2116314	850-2116322	850-2116277	850-2207435
Pair Fixed Dummy	Solid Brass	850-2117181	850-2117190	850-2117237	850-2117245	850-2117253	850-2117202	850-2201834

All handle sets are for 1-3/4" thick doors. Fixed dummy sets do not operate.

Toronto Series M1020/374N





Interior Backplate

Exterior Backplate


Туре	Material	Brass Resista®	Brushed Chrome Resista®	Oil Rubbed Brass	Matte Black	Satin Nickel	Antique Nickel	Rustic Umber	Dark Bronze Metallic
Active Door Set - 90° Cylinder	Solid Brass	850-2133641	850-2134192	850-2134301	850-2134328	850-2134205	850-2134213	850-2214504	850-3873341
Active Door Set - Cylinder Not Included	Solid Brass	850-8789339	850-8788447	850-8788463	850-8788479	850-2074290	850-2074556	850-2214416	850-3880664
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-2134336	850-2134352	850-2134395	850-2134416	850-2134361	850-2134379	850-2214555	850-3873350
Inactive Door Set - Thumb Turn Insert Not Included	Solid Brass	850-8789347	850-8788495	850-8788511	850-8788527	850-2074329	850-2074732	850-2214432	850-3880672
Pair Fixed Dummy	Solid Brass	850-2081545	850-2081561	850-2088739	850-2081617	850-2081570	850-2081588	850-2214441	850-3722113





Toronto Series M1020/3965N






Brushed Chrome Resista® Type Material **Rustic Umber** Active Door Set - 90° Cylinder Solid Brass 850-2427235 850-2427340 Active Door Set - Cylinder Not Included Solid Brass 850-2427382 850-2427489 Inactive Door Set - 90° Thumb Turn Insert Solid Brass 850-2427500 850-2427585 Inactive Door Set - Thumb Turn Insert Not Included Solid Brass 850-2427614 850-2427729 Pair Fixed Dummy Solid Brass 850-2427745 850-2427825

All handle sets are for 1-3/4" thick doors. Fixed dummy sets do not operate.

Atlanta Series M1530/216N






Brushed Chrome Dark Bronze Type Material Brass Resista® **Matte Black** Satin Nickel Metallic **Resista®** Active Door Set - 90° Cylinder 850-3873448 Solid Brass 850-3983381 850-3144149 850-3144157 Active Door Set - Cylinder Not Included Solid Brass 850-3144131 850-3560388 Inactive Door Set - 90° Thumb Turn Insert Solid Brass 850-3873456 Inactive Door Set - Thumb Turn Insert Not Included Solid Brass 850-3144190 850-3560396 850-3983399 850-3144202 850-3144211

All handle sets are for 1-3/4" thick doors.




Dallas Series M1643/2161N



Туре	Material	Brass Resista®	Matte Black	Satin Nickel	Rustic Umber	Dark Bronze Metallic
Active Door Set - 90° Cylinder	Solid Brass	850-3870415	850-3870407	850-3870394	850-11503208	850-3870386
Inactive Door Set - 90° Thumb Turn Insert	Solid Brass	850-3870378	850-3870360	850-3870351	850-11503215	850-3870343
Pair Fixed Dummy	Solid Brass	850-3755661	850-3764866	850-3745163	850-11501996	850-3745155

All handle sets are for 1-3/4" thick doors. Fixed dummy sets do not operate.

London Series 113L/2246




Туре	Material	Silver
Active Door Set - 90° Cylinder	Aluminum	850-2445839
Inactive Door Set - 90° Thumb Turn Insert	Aluminum	850-2445847
Pair Fixed Dummy	Aluminum	850-3908313

All handle sets are for 1-3/4" thick doors. Fixed dummy sets do not operate.




Frankfurt Series 117L/2246



Туре	Material	Silver	Chestnut	Pure White
Active Door Set - 90° Cylinder	Aluminum	850-2439164	850-2437652	850-2437791
Inactive Door Set - 90° Thumb Turn Insert	Aluminum	850-2439199	850-2437767	850-2437839
Pair Fixed Dummy	Aluminum	850-3671361	850-3743571	850-3646181

All handle sets are for 1-3/4" thick doors. Fixed dummy sets do not operate.

Missoula Series B1023/B2161



Туре	Door Thickness	Material	Antique Bronze	Dark Bronze
	1-3/4"	Solid Bronze	850-2923298	850-2923301
Active Door Set - 90° Cylinder	2-1/4"	Solid Bronze	850-2923378	850-2923394
Inactive Door Set - 90° Thumb Turn Insert	1-3/4"	Solid Bronze	850-2923319	850-29233327
inactive Door Set - 90 Thumb Turn Insert	2-1/4"	Solid Bronze	850-2923407	850-2923415
Drie Fire d December	1-3/4"	Solid Bronze	850-2923466	850-2923474
Pair Fixed Dummy	2-1/4"	Solid Bronze	850-2939521	850-2939548


Inactive Door Sets have only the thumbturn on the interior plate. Pair Fixed Dummy Sets do not operate.





Missoula Series B1023/B3741





Туре	Door Thickness	Material	Antique Bronze	Dark Bronze
Antico Doon Cat. 00% Cultinden	1-3/4"	Solid Bronze	850-2923132	850-2923141
Active Door Set - 90° Cylinder	2-1/4"	Solid Bronze	850-2923212	850-2923221
Inactive Door Set - 90° Thumb Turn Insert	1-3/4"	Solid Bronze	850-2923159	850-2923167
mactive Door Set - 90 Thumb full insert	2-1/4"	Solid Bronze	850-2923239	850-2923247
Daia Fire d Directory	1-3/4"	Solid Bronze	850-2923271	850-2923280
Pair Fixed Dummy	2-1/4"	Solid Bronze	850-2939505	850-2939513

Inactive Door Sets have only the thumbturn on the interior plate. Pair Fixed Dummy Sets do not operate.

Handle Extension for Active and Inactive Sets



Part #	Finish
850-2076412	Brass Resista®
850-550593	Antique Brass
850-1704528	Brushed Chrome Resista®
850-606344	Polished Chrome Resista®
850-8777939	Oil Rubbed Brass
850-638185	Pure White
850-1704536	Matte Black
850-2903991	Satin Nickel Resista®
850-2904071	Antique Nickel Resista®
850-2190258	Rustic Umber
850-3885561	Dark Bronze Metallic

Handle Set Screw



850-2294874 Stainless Steel

Cylinder Screw



Description	Size	Part #
35mm & 45mm Backset	M5 x 50	850-2294874
60mm & 70mm Backset	M5 x 75	850-2406936

Stainless Steel

Screw Packs for Backplates

Size	Brass	Antique Brass	Brushed Chrome	Polished Chrome	Oil Rubbed Brass	Pure White	Matte Black	Satin Nickel	Antique Nickel	Rustic Umber	Dark Bronze Metallic
M5 x 50mm	850-2204867	850-8751919	850-2109827	850-8751907	850-8751927	850-8751903	850-8752183	850-2109827	850-2109691	850-8751927	850-2109691
M5 x 55mm	850-2231443	850-8751943	850-2231460	850-8751931	850-8751959	850-8751947	850-8752187	850-2231460	850-2231451	850-8751959	850-2231451
M5 x 60mm	850-2303208	850-8752167	850-2109763	850-8752171	850-8752175	850-8752179	850-8752191	850-2109763	850-2445919	850-8752175	850-2445919
M5 x 65mm	850-2253511	850-8751967	850-2253503		850-8751983	850-8751971	850-2253600	850-2253503	850-2260640	850-8751983	850-2260640
M5 x 70mm	850-2445871		850-2445898	850-8751999	850-8752007	850-8751995	850-8752003	850-2445898	850-2445927	850-8752007	850-2445927
M5 x 75mm	850-3377786	850-3377794	850-3377807	850-3377815	850-3377840	850-3377823	850-3377831	850-3377807	850-3648603	850-3377840	850-3648603
M5 x 80mm		850-8752563	850-8752567	850-2445901	850-8752579	850-8752575	850-8752571	850-8752567		850-8752579	

3 Screws per Pack





Profile Cylinder Accessories Rekeying Instructions


- · Rekeying should be done by a qualified locksmith.
- Cylinder designs vary, HOPPE supplies CES brand cylinders and non-logo cylinders.
- Cylinders feature Schlage® SC1 keyways and may be rekeyed using Schlage® rekey kits.
- Cylinders should be rekeyed to an existing Schlage® key whenever possible.
- The HOPPE key gauge measures key cuts 1 through 9 the same as a Schlage® key gauge.


- When rekeying a CES cylinder using CES pins, use the CES pin number that corresponds with the measured key cut.
- When rekeying a CES cylinder using Schlage® pins, use the Schlage® pin number that is one less than the measured key cut. A key cut measuring 4 uses a #3 Schlage® pin.
- When rekeying a non-logo cylinder using CES pins, use the CES pin number that is one higher than the measured key cut. A key cut measuring 4 uses a #5 CES pin.
- When rekeying a non-logo cylinder using Schlage® pins, use the Schlage® pin number that corresponds with the measured key cut.





850-8785231





850-2667482 Construction Key Short Version (Black)




850-2426890 8mm Square Construction Key

Part #	Description
850-8773863	50mm
850-2406936	60mm
Stainless Stool Cylinder Scrows	

Key Blanks - Schlage® 5-Pin

850-8750635 Construction Key with Cylinder Gauge, Long Version (Blue)

Steps to Rekey CES Cylinder with Plastic Insert





850-2000899 Removal Tool



850-8771719 Plastic Insert



Part #	Description
850-8785239	Standard - 100 cylinder capacity
850-8785243	Mini-Kit - 10 cylinder capacity

Contains CES Pins

Steps to Rekey HOPPE Cylinder with Set Screws

1. Remove one SET SCREW at a time using 2 mm HEX WRENCH as shown and tap out PINS and SPRINGS



850-3475773 Set Screw



850-8762427 2mm Hex Wrench



30 cylinder capacity Key Kit Contains Schlage® Pins

2.

850-2070820 HOPPE Key Gauge





Determine CORE PIN size with KEYING GAUGE

OR

- 1. Insert desired CORE PIN into the appropriate 3. cylinder pin hole. Note: For cylinder designs featuring six pin holes, the innermost hole (furthest from the key face) is left blank.
 - 2. Insert HOUSING PIN
 - 3. Insert SPRING
 - 4. Repeat until all PINS have been replaced and install PLASTIC INSERT OR install SET SCREW and repeat until all PINS have been replaced.

PLASTIC PLUG



PINS

SET **SCREWS**

SPRINGS

HOUSING (TOP) PINS CORE (BOTTOM)

PINS





PROFILE CYLINDERS

Profile Cylinder 90° to 360° Conversion Instructions*

Recommended Tools and Accessories



90° Release Tool (provided)



2 mm or 1/4" Hex Wrench (provided)

1. Remove the set screw as shown using the hex wrench



2. Dump out the spring and pin after removing the set screw



3. Use the 90 degree release tool if the pin does not fall freely from the cylinder body in step 2 as shown.



4. Recycle the set screw, spring, pin and 90 degree release tool. $\label{eq:condition}$






* For the new non-logo cylinders. Does not work on CES cylinders.

All HOPPE® Cylinders are available in Full and Thumbturn Insert Sizes. For instructions on converting cylinders from 90° to 360° go to: www.strybuc.com/public/Installation_guides/Profile-Cylinder-90-to-60-Conv.pdf



90° Full Cylinder with Crescent Knob

For 1-3/4" Doors




Part #	Finish
850-3142637	Resista® Polished Brass
850-3141933	Antique Brass
850-3141925	Resista® Polished Chrome
850-3141909	Resista® Brushed Chrome
850-3141984	Matte Black
850-3141941	Oil Rubbed Brass
850-3141917	Resista® Satin Nickel
850-3142629	Resista® Antique Nickel
850-3141968	Rustic Umber
850-3141976	White



90° Thumbturn Insert Cylinder w/Crescent Knob

For 1-3/4" Doors



Part #	Finish
850-3142611	Resista® Polished Brass
850-3141853	Antique Brass
850-3141845	Resista® Polished Chrome
850-3141829	Resista® Brushed Chrome
850-3141861	Oil Rubbed Brass
850-3141837	Resista® Satin Nickel
850-3141870	Rustic Umber




HTL ULTIMATE 2-D HINGE

Steel Reinforcements - Makes this new hinge the "Ultimate" with door systems.

- Corrosion Resistant Specially coated components for improved durability and strength.
- Easy Adjustment Set hinge has a vertical adjustment feature (+/- 2.5mm) Guide hinge has a horizontal adjustment feature (+/- 2mm).
- · Maintenance Free Bearings No oiling required.
- Security Non-removable pin (NRP) available for increased security.



Set Hinge



Steel Set Hinges with Non-Removable Pin

Part #	Finish
850-8762439	Polished Brass
850-8762455	Polished Chrome
850-8762703	Brushed Chrome
850-8762439	KTL Brass Alternative
850-2307831	Rustic Umber
850-8762535	Matte Black

Brass Set Hinges with Non-Removable Pin


Part #	Finish	
850-8762655	Polished Brass	
850-8762671	Antique Brass	

Stainless Steel Set Hinges with Non-Removable Pin

Part #	
850-8762567	

- Simple Door Preparation Quick and easy one pass routing.
 Variety of Finishes Available in finishes to match your HOPPE® handle sets.
- Designed to carry up to 165 lbs. per door.
- Not to be used in commercial applications, especially not in conjunction with a door closer.

Guide Hinge



Steel Guide Hinges with Removable Pin

Part #	Finish	
850-8762435	Polished Brass	
850-8762451	Polished Chrome	
850-8762699	Brushed Chrome	
850-8762435	KTL Brass Alternative	
850-2307823	Rustic Umber	
850-8762531	Matte Black	

Brass Guide Hinges with Removable Pin

Part #	Finish	
850-8762651	Polished Brass	
850-8762667	Antique Brass	


Stainless Steel Guide Hinges with Removable Pin

Part #	
850-8762563	

COLUMBUS 2-D HINGE FOR WOOD AND VINYL PRODUCTS




850-8755047 Set Hinge KTL Brass Alternative





850-8755099 Guide Hinge KTL Brass Alternative



For Additional Finishes, See Part Numbers 56-224 and 56-223 on Page 45.

Settling of walls and floors can make door panels hard to open and close. The 2-D Adjustable Hinge allows easy adjustment of the door both horizontally (+/-2 mm) and vertically (+/-3 mm) with just the turn of a screw. Each hinge is reversible and has maintenance free bearings.

There are two types of adjustable hinges for each door panel.

- A. Set Hinge: One per panel. This has vertical adjustment (± 3mm).
- B. Guide Hinge: Minimum of two per panel. These hinges only have the horizontal adjustment (± 2mm.)

The guide hinges float up and down with the adjustment of the set hinge to prevent hinge binding.

Normal hinge replacement has the set hinge. Using a Phillips screwdriver, first adjust the panel up or down by turning the screw marked "V" on the set hinge. When turning the screw in the direction of the arrow. Automatic screwdrivers are not recommended. The speed of the gun may strip the heads if the screws are over adjusted.

When the vertical adjustment is turned clockwise, the non-adjustable leaf will move in the direction of the arrow. The vertical adjustment has 32 turns from its extremes, and the horizontal has 7 turns.


Adjust the horizontal by turning clockwise to increase the margins. Turn counter clockwise to decrease the margins.



Satin Nickel

Rustic Umber

HOPPE ADJUSTABLE HINGE





Designed for a Greater Advantage

- Adjusts both vertically (Set Hinge) and horizontally (Guide Hinge) by 1/8" for a perfect swing.
- Brass hinges feature finial caps as shown
- · Aluminum hinges feature flush caps.
- Large 3/16" hex head screws make adjustments effortless. Remove the finial in the set hinge to access the hex screw.
- Single pass routing for quick and easy installation.
- All Set and Guide Hinges are equipped with non-removable pins for security, making HOPPE Adjustable Hinges the ideal solution for both inswing and outswing doors.
- Especially designed for larger doors, with a panel weight capacity of up to 330 lbs.
- Tested to a Higher Standard
- Brass hinges are tested beyond an impressive 2.5 million cycles, in accordance with ANSI A156.1 Grade 1 - Commercial test procedures.
- · Backed by HOPPE's Limited Lifetime Mechanical Warranty.

Finished with Superior Quality

HOPPE's Brass and Aluminum Hinges are outstanding corrosion resistant materials HOPPE uses their Resista® Limited Lifetime Finish Warranty on four of their select premium finishes. The Aluminum Hinges have a high quality powder coating finish.









Brass Guide Hinges

F41-R Brushed Chrome Resista®	F42-R Satin Nickel Resista®	F49-R Polished Chrome Resista®	F77-R Polished Brass Resista®	F73 Antique Brass	F79 Oil Rubbed Brass
850-2664581	850-2664572	850-2664556	850-2664601	850-2659562	850-2664599

F41-R Brushed Chrome Resista®	F42-R Satin Nickel Resista®	F49-R Polished Chrome Resista®	F77-R Polished Brass Resista®	F73 Antique Brass	F79 Oil Rubbed Brass
850-2972364	850-2972410	850-2972372	850-3113431	850-2972399	850-2972401

Brass RH Set Hinges

F41-R Brushed Chrome Resista®	F42-R Satin Nickel Resista®	F49-R Polished Chrome Resista®	F77-R Polished Brass Resista®	F73 Antique Brass	F79 Oil Rubbed Brass
850-2972655	850-2972743	850-2972680	850-3113529	850-2972701	850-2972719

Aluminum Guide Hinges

F1713 Gold	F8709 Rustic Umber	F 9010 Pure White	F7914 Matte Black
850-3033852	850-3052105	850-3033861	850-3033879


Aluminum LH Set Hinges

	F1713 Gold	F8709 Rustic Umber	F 9010 Pure White	F7914 Matte Black
	850-3033924	850-3052201	850-3033941	850-3033967

Aluminum RH Set Hinges

F1713 Gold	F8709 Rustic Umber	F 9010 Pure White	F7914 Matte Black
850-3033916	850-3052156	850-3033932	850-3033959


MILLENNIUM HINGES



2-D Guide Hinge with Removable Pin

Part #	Finish
850-8754731	Brushed Chrome
850-2388854	Antique Brass
850-8754727	Brass Alternative (KTL Finish)
850-8754743	Stainless Steel

WEATHERSHIELD/PEACHTREE



2-D Set Hinge with Non-Removable Pin

Part #	Finish
850-2388803	Antique Brass
850-8754803	Brass Alternative (KTL Finish)
850-8754819	Stainless Steel
850-8754815	Oil Rubbed Bronze

WEATHERSHIELD/PEACHTREE

Automatic Four

Roller Version

Manual Tongue/

Shootbolt Version



HLS 9000 MULTIPOINT HARDWARE SWING DOOR QUESTIONNAIRE

This form is for a HOPPE or FUHR **Swing** Door Multipoint System with the key cylinder **below** the lever handle.


The HLS9000 Stainless Steel Multipoint Locking System provides more than safety and security. It prevents the unwelcome intrusion of rust and corrosion. It can also keep your reputation from being tarnished by eliminating expensive service calls and any resulting loss of revenue.


Corrosion occurs for a variety of reasons. With other materials or finishes, such as yellow zinc dichromate, it can result from pollution in the air, a scratched surface or from the presence of moisture or salt -particularly in coastal regions. Stainless Steel provides excellent corrosion resistance from these in natural atmospheric conditions. It also provides an extra measure of protection from pitting and staining in more demanding locations such as industrial sites, areas of urban pollution and coastal regions. To protect the quality of your product as well as your image, insist upon HLS9000.







All Screws are Stainless Steel. 25 per Bag





Reversing hole as





Reversing Latch

- 1. Push small screwdriver or punch into reversing hole and push latch up until latch clears lockcase
- 2. Rotate latch 180° and release back into lockcase.

Reversing Mishandling Device

1. Rotate latch 180° with hand and release back into lockcase.



2. There are various sizes and combinations of these Multipoint locking systems. Please fill out the questionnaire and fax it to our sales office to obtain part numbers, pricing and availability.

General Information

0

A) If you have a HOPPE or FUHR Sliding Door Multipoint System, fill out the Old FUHR Sliding Door Multipoint Questionnaire (see page 78).

TONGUE

VERSION

- B) If you have a HOPPE Swing Door Multipoint System with the key cylinder above the lever handle, fill out form for the HLS 7 Series (see page 21).
- C) If you have a HOPPE or FUHR Swing Door Multipoint System with the key cylinder below the lever handle, fill out the form for the HLS 9000 Series (see page 20).






3/4" Long	1-1/2" Long	Finish
850-2100785	850-2104381	Polished Brass/ Brushed Brass
850-2100793	850-2104399	Antique Brass
850-2100831	850-2104436	Brushed Chrome/ Satin Nickel


#8 Mounting Screws 2 Per Pack					
		3/4" Long	1-1/2" Long	Finish	
hed Brass		850-2100814	850-2104410	Polished Chrome/ Brushed Stainless Steel	
SS		850-2100822	850-2104428	Oil Rubbed Brass/ Matte Black	
atin Nickel		850-2100849	850-2104444	Antique Nickel	


HLS 9000 Single Point Locks

Latch & Deadbolt Strike

Dust Cap











Curved Lip with Cylinder Hole and Non-Handed Other Configurations Available








Tongue Strikes
















Raw, Unplated


Shootbolt Strikes


Auto-Release Strike & Plates for Automatic Systems

850-8784995













HLS 9000 MULTIPOINT HARDWARE SWING DOOR QUESTIONNAIRE

This form is for a HOPPE or FUHR **Swing** Door Multipoint System with the key cylinder **below** the lever handle.

For video on completing form go to: https://www.youtube.com/watch?v=OvglgK93CBY Customer Name: ____ Account Number _____ Phone Number Contact: __ 1. Which do you see stamped on the thin edge of the metal face plate running up the entire door edge: "FUHR" or "HOPPE®"? (This can be found in between the door latch and deadbolt area) 2. What is the **finish** of the faceplate? □ Brass looking □ Stainless Steel 3. Do you know who manufactured the door? How about the windows in your home? If so, please list the company: 4. Is this for a single door or a pair of doors (french doors)? 5. What is the door thickness: □ 1-3/4" (45mm) □ 2-1/4" (57.15mm) □ Other: 6. Is this a "manual" or "automatic" system? Manual: Pull up on handle to engage the multipoint locks. Automatic: Where the multi point locks engage on their own when you close the door. □ Manual □ Automatic* *NOTE: Automatic version will have a small roller-like piece located 6-1/2" above the latch. See pictures on page 18. 6A. If you have a FUHR Automatic System what finish is your auto-release strike 7. Based on the accompanying pictures, please put an "x" by the multipoint system you have: ☐ Automatic Tongue* (3-Point System) ☐ Manual Roundbolt (3-Point System) ☐ Manual Tongue (3-Point System) ☐ Manual Roundbolt with Shootbolt (5-Point System) ☐ Automatic Roller* (3-Point System) ☐ Manual Swing Hook (3-Point System) ☐ Manual Roller (3-Point System) ☐ Manual Swing Hook (4-Point System) ☐ Manual Swing Hook with Shootbolt (5-Point System) ☐ Automatic 4-Roller (5-Point System) ☐ Manual 4-Roller (5-Point System) ☐ Manual Shootbolt (3-Point System for Active Door) ☐ Manual Tongue with Shootbolt (5-Point System) ☐ Manual Shootbolt (2-Point System for Inactive Door) ☐ Manual Roller with Shootbolt (5-Point System) Other *NOTE: When replacing old FUHR automatic systems, the Hoppe automatic release roller will be in a different location. Please contact your account manager for re-routing instructions or go to: www.strybuc.com/public/Forms/Hoppe-FUHR-re-routing.pdf 8. **FACE PLATE WIDTH:** The metal plate that runs the length of the door: □ 5/8" (16mm) □ 25/32" (20mm) 9. What is the total height of the door?: 10. If you have a tongue, roundbolt or roller version, what is the distance from the center of the handle to the top position of tongue, roundbolt or roller? (Note: All measurements shown are taken when system is in the locked position) **Tongue:** □ 23-5/8" (600mm) □ 29-1/4" (743mm) □ 37-13/64" (945mm) □ 41-11/32" (1050mm) □ 46-31/32" (1193mm) □ 62-3/4" (1594mm) **Roundbolt:** □ 23-5/8" (600mm) □ 32-1/8" (816mm) □ 40" (1016mm) □ 41-11/32" (1050mm) □ 47-7/8" (1216mm) □ 59-1/16" (1500mm) □ 63" (1600mm) □ Other Two Roller: □ 13" (330mm) □ 23-5/8" (600mm) □ 25-5/8" (651mm) □ 28-3/4" (730mm) □ 32-5/8" (829mm) □ 36-5/8" (930mm) □ 41-11/32" (1050mm) □ 44-11/16" (1135mm) □ 50-19/32" (1285mm) □ 59" (1500mm) □ 63" (1600mm) □ Other Four Roller - Position #1: ☐ 15-3/4" (400mm) ☐ 23-5/8" (600mm) ☐ 31-1/2" (800mm) ☐ 39-3/8" (1000mm) ☐ Other Four Roller - Position #2: ☐ 31-1/2" (800mm) ☐ 45-1/4" (1150mm) ☐ 59" (1500mm) ☐ 72-53/64" (1850mm) ☐ Other Swing Hook - Position #1: ☐ 19-11/16" (500mm) ☐ 23-5/8" (620mm) ☐ 35-7/16" (900mm) ☐ Other _ 11. **SHOOTBOLT THROW:** Full extension of shootbolt: \square 25/32" (20mm - Standard) \square 1" (25mm - Available on inactive systems only) 12. HANDLE HEIGHT: The distance from the center of the door handle down to the bottom horizontal edge of the door (36" Standard)? 13. What is the distance from the center of the handle to the center of the thumbturn piece? □ 2-7/32" (56mm) □ 2-53/64" (72mm) □ 3-5/8" (92mm - Standard) □ Other: 14. BACKSET: What is the distance from the center of the handle to the door edge (edge with the latch and deadbolt on it)? □ 1-3/8" (35mm) □ 1-3/4" (45mm) □ 2-3/8" (60mm) □ 2-3/4" (70mm) 15. **DEADBOLT THROW:** With the door ajar, measure how far out the deadbolt extends from the edge of the door: □ 1/2" □ 1" 16. If you have a tongue, roundbolt or roller version, what is the distance from the center of the handle down to the bottom position of tongue, roundbolt or roller? (Note: All measurements shown are taken when system is in the locked position) **Tongue:** □ 24-13/32" (620mm) □ 26-27/64" (671mm) □ 29-21/32" (753mm) □ Other: **Roundbolt:** □ 24-13/32" (620mm) □ 26-19/64" (668mm) □ Other: **Two Roller:** □ 24-13/32" (620mm) □ 29-1/2" (750mm) □ Other Four Roller - Position #1: ☐ 15-3/4" ☐ Other Four Roller - Position #2: ☐ 29-1/2" (750mm) ☐ Other Swing Hook: ☐ 29-21/32" (753mm) ☐ Other

FAX THIS QUESTIONNAIRE TO: 610-534-3202 or 305-557-5239 (Florida)





HLS 7 SERIES MULTIPOINT HARDWARE SWING DOOR QUESTIONNAIRE

This form is for a HOPPE **Swing** Door Multipoint System with the key cylinder **above** the lever handle.

Customer Name: _______ Account Number _______

Contact: ______ Phone Number _______

1. HOPPE will be stamped below the latch on the thin metal faceplate that runs along the edge of the door


2. Do you know who manufactured the door? How about the windows in your home? If so, please list the company: _______


3. Is this for a single door or a pair of doors (french doors)?


If pair of doors, what is the thickness of the astragal on the inactive door? 🗆 Flush 🗀 19/32" to 3/4" to 29/32" 🗅 29/32" to 1" 🗀 1" to 1-9/64"


4. What is the door thickness: ☐ 1-3/4" (45mm) ☐ 2-1/4" (57.15mm) ☐ Other:

5. Based on the pictures shown below, please put and "X" by your HLS7 Manual Multipoint System
















6. The metal face plate for all HLS 7 Systems is 5/8" (16mm) wide and is made of stainless steel.

7. The shootbolt throw for all HLS 7 Systems is 1" (25mm).

What is the total height of the door panel?:_____

9. Is your door right hand or left hand? □ RH □ LH

NOTE: Door handing is determined from the exterior. When hinges are on the left, the door is LH. When hinges are on the right, the door is RH.

(Inswing or Outswing does not determine handing)

10. If you have a tongue or swinghook version, what is the distance from the center of the handle up to the top tongue or swinghook position?

□ 15-3/4" (400mm) □ 23-5/8" (600mm) □ 29-1/4" (743mm) □ 37-13/64" (945mm) □ 40-7/16" (1026.8mm) □ 46-31/32" (1193mm) □ 59" (1500mm)

11. The handle height for all HLS 7 Systems is 36".

12. The distance from the center of the handle to the center of the thumbturn piece for all HOPPE systems is 3-5/8" (92mm).

13. Backset for all HLS 7 Systems is 1-3/4" (45mm).

14. The deadbolt throw for all HLS 7 Systems is 1" (25mm).

15. If you have a tongue or swinghook version, what is the distance from the center of the handle down to the bottom tongue or swinghook position?

24-13/32" (620mm)


29-21/32" (753mm)

FAX THIS QUESTIONNAIRE TO: 610-534-3202 or 305-557-5239 (Florida)




SWING DOOR HANDLES


Solid Brass Trim Sets



Handle Above Style



Handle Below Style



- · Solid brass trim sets
- Stainless Steel set screw on levers to secure spindle
- US cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Unassembled kit for 1 3/4" and 2 1/4" thick doors
- Self-centering spindle
- Use with mortise lock, SECURY S2, SH2 and SECURY Automatic door gears
- · Patented handle clipping system



	SOLID BRASS TRIM SETS (PART NUMBERS)										
Style	Plate Size	Handle Position	Function	Satin Chrome	Polished Brass	<u> </u>	Oil Rubbed Bronze	Satin Nickel	Dark Bronze	Pewter	Black Powder Coat
Allegro	30mm	Above Cylinder	Active	854-15704	854-15854	854-15855	854-15856	854-15857	854-15858	854-15859	
Allegro		Below Cylinder	Active	854-15860	854-15861	854-15862	854-15863	854-15864	854-15865	854-15866	
Allegro	30mm	Above or Below	Semi-Active	854-15741	854-15849	854-15850	854-15851	854-15833	854-15852	854-15853	
Allegro	30mm	Above or Below	Fixed	854-15705	854-15844	854-15845	854-15846	854-15592	854-15847	854-15848	
Torino	30mm	Above Cylinder	Active	854-15878	854-15879	854-15880		854-15881	854-15882	854-15883	
Torino	30mm	Below Cylinder	Active	854-15884	854-15885	854-15886		854-15887	854-15888	854-15889	
Torino	30mm	Above or Below	Semi-Active	854-15873	854-15874	854-15875		854-15678	854-15876	854-15877	
Torino	30mm	Above or Below	Fixed	854-15867	854-15868	854-15869		854-15870	854-15871	854-15872	
Venice	30mm	Above Cylinder	Active	854-15901	854-15902	854-15903	854-16153	854-15809	854-15597	854-15904	
Venice	30mm	Below Cylinder	Active	854-15905	854-15814	854-15906		854-15907	854-15908	854-15909	
Venice	30mm	Above or Below	Semi-Active	854-15896	854-15897	854-15898		854-15899	854-15598	854-15900	
Venice	30mm	Above or Below	Fixed	854-15890	854-15891	854-15892		854-15893	854-15894	854-15895	
Torino	45mm	Above Cylinder	Active	854-16035	854-16036	854-16037	854-16038	854-16039	854-16040	854-16041	854-16042
Torino	45mm	Below Cylinder	Active	854-16043	854-16044	854-16045	854-16046	854-16047	854-16048	854-16049	
Torino	45mm	Above or Below	Semi-Active	854-16028	854-16029	854-16030	854-16031	854-15706	854-16032	854-16033	854-16034
Torino	45mm	Above or Below	Fixed	854-16020	854-16021	854-16022	854-16023	854-16024	854-16025	854-16026	854-16027
Venice	45mm	Above Cylinder	Active	854-16067	854-15535	854-16068	854-16069	854-16070	854-15594	854-16071	854-16073
Venice	45mm	Below Cylinder	Active	854-16074	854-16076	854-16077	854-16078	854-16079	854-16080	854-16081	
Venice	45mm	Above or Below	Semi-Active	854-16059	854-15536	854-16061	854-16062	854-15677	854-16063	854-16064	854-16066
Venice	45mm	Above or Below	Fixed	854-15827	854-16051	854-16052	854-16053	854-16054	854-16055	854-16056	854-16058
Capri	45mm	Above Cylinder	Active	854-15763	854-15554	854-16011	854-15596	854-15764	854-15737	854-16012	854-15734
Capri	45mm	Below Cylinder	Active	854-16014	854-15708	854-16015	854-15788	854-16016	854-16017	854-16018	854-16019
Capri	45mm	Above or Below	Semi-Active	854-16005	854-15556	854-16007	854-15580	854-15826	854-15606	854-16008	854-15843
Capri	45mm	Above or Below	Fixed	854-15998	854-16000	854-16001	854-16002	854-15825	854-15815	854-16003	854-15735




SWING DOOR HANDLES


Zamac Trim Sets



Handle Above Style



Handle Below Style



- Zamac trim sets
- Stainless Steel set screw on levers to secure spindle
- US cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Unassembled kit for 1 3/4" and 2 1/4" thick doors
- Self-centering spindle
- Use with mortise lock, SECURY S2, SH2 and SECURY Automatic door gears
- Patented handle clipping system



	TAMAG TRIM OFTO (DADT NUMBERO)										
	ZAMAC TRIM SETS (PART NUMBERS) Satin Polished Antique Dark Bronze Black Powder										
Style	Plate Size	Handle Position	Function	Satin		Antique	Dark Bronze		Pewter	White Powder	Dark Bronze
Allama	20	Albarra Cultandan	A =45 =	Chrome	Brass	Brass	Powder Coat	Coat	054.45000	Coat	
Allegro		Above Cylinder	Active	854-15924	054 45740	854-15925	854-15927	854-15928	854-15926	854-15929	
Allegro		Below Cylinder	Active	854-15930	854-15748	854-15932	854-15934	854-15935	854-15933	854-15936	
Allegro		Above or Below	Semi-Active	854-15917	854-15918	854-15919	854-15921	854-15922	854-15920	854-15923	
Allegro		Above or Below	Fixed	854-15910	854-15911	854-15912	854-15914	854-15915	854-15913	854-15916	
Torino	30mm	Above Cylinder	Active	854-15954	854-15955	854-15956	854-15958	854-15959	854-15957	854-15960	
Torino	30mm	Below Cylinder	Active	854-15961	854-15962	854-15963	854-15965	854-15966	854-15964	854-15967	
Torino	30mm	Above or Below	Semi-Active	854-15947	854-15948	854-15949	854-15951	854-15952	854-15950	854-15953	
Torino	30mm	Above or Below	Fixed	854-15940	854-15941	854-15942	854-15944	854-15945	854-15943	854-15946	
Venice		Above Cylinder	Active	854-15982	854-15983	854-15984	854-15987	854-15988	854-15986	854-15989	
Venice	30mm	Below Cylinder	Active	854-15990	854-15991	854-15992	854-15994	854-15995	854-15993	854-15996	
Venice	30mm	Above or Below	Semi-Active	854-15975	854-15976	854-15977	854-15979	854-15980	854-15978	854-15981	
Venice		Above or Below	Fixed	854-15968	854-15969	854-15970	854-15972	854-15973	854-15971	854-15974	
Torino	45mm	Above Cylinder	Active	854-15758			854-16107	854-16108	854-16106	854-16109	
Torino	45mm	Below Cylinder	Active	854-16110	854-15747	854-16111	854-16113	854-16114	854-16112	854-16115	
Torino	45mm	Above or Below	Semi-Active	854-16099	854-16100	854-16101	854-16103	854-16104	854-16102	854-16105	
Torino	45mm	Above or Below	Fixed	854-15759	854-16093	854-16094	854-16096	854-16097	854-16095	854-16098	
Venice	45mm	Above Cylinder	Active		854-15757		854-15721	854-16131	854-16130	854-16132	854-15571
Venice	45mm	Below Cylinder	Active	854-16133	854-15755	854-16134	854-16136	854-16137	854-16135	854-16138	
Venice	45mm	Above or Below	Semi-Active	854-16123	854-16124	854-16125	854-16127	854-16128	854-16126	854-16129	
Venice	45mm	Above or Below	Fixed	854-16116	854-16117	854-16118	854-16120	854-16121	854-16119	854-16122	
Capri	45mm	Above Cylinder	Active				854-15824	854-16089		854-15586	
Capri	45mm	Below Cylinder	Active				854-16090	854-16091		854-16092	
Capri	45mm	Above or Below	Semi-Active				854-16086	854-16087		854-16088	
Capri	45mm	Above or Below	Fixed				854-16083	854-16084		854-16085	



MULTIPOINT HARDWARE SWING DOOR QUESTIONNAIRE

Acct. #:	Date:					
Customer Name:	Phone:					
Address:	Fax:					
1. Is the faceplate stamped with G-U or Ferco ? □ G-U □ Fe	erco 🗖 Other:					
2. Is this for a single door, or a pair of doors (french doors)?	s this for a single door, or a pair of doors (french doors)?					
3. What is the door thickness? \Box 1-3/4" (45mm) \Box 2-1/4" (5	What is the door thickness? ☐ 1-3/4" (45mm) ☐ 2-1/4" (57mm) ☐ Other:					
4. Do you know who manufactured your door? Do you know	the age of your door?					
5. What is the finish/color of your Multipoint system?						
☐ Silver ☐ Stainless Steel ☐ Yellow Dichromate (Brass	looking) □ Black Matte □ White					
6. What is the distance from the center of the handle to the	center of the key cylinder?					
□ 2-7/32" (56mm) □ 2-53/64" (72mm) □ 3-5/8" (92mm -	Standard) 🗖 Other:					
7. Is this a "Manual" (locks are engaged by lifting lever upwa	ards) or "Automatic" (locks engage automatically when you					
close the door) system? ☐ Manual ☐ Automatic						
8. What is the width across of this metal face plate? $\hfill\Box$ 5/8" ((16mm) 🗖 25/32" (20mm)					
9. Is the key cylinder located above (American Version) or b	elow (European Version) the handle?					
10. Based on the locking options on page 25, please put an "X	X" by the name of your G-U Multipoint System:					
American Version (Key Above Handle)	European Version (Key Below Handle)					
 Wolverine: Manual 3-point locking system (Active Door). Top & Bottom Shootbolt and Deadbolt. Wolverine: Manual 2-point locking system (Inactive Door). Top & Bottom Shootbolt. Eagle: Automatic 3-point locking system. 2 Additional Latches and Deadbolt. Hawk: Semi-Automatic 3-point locking system. 2 Additional Latches and Deadbolt. Other: 	□ Cremona: Manual 3-point locking system (Active Door). Top & Bottom Shootbolt with Latch and Deadbolt. □ Cremona/Europa: Manual 2-point locking system (Inactive Door). Top & Bottom Shootbolt without Latch and Deadbolt. □ Rhino: Manual 3-point locking system. 2 Horn Type Bolts and Deadbolt. □ Rhino: Manual 5-point locking system. 2 Horn Type Bolts, Top & Bottom Shootbolt and Deadbolt. □ Tripact: Manual 3-point locking system. 2 Hook/Tongue bolts and Deadbolt. □ Tripact/Cremona: Manual 5-point locking system.					
	2 Hook/Tongue Bolts, Top & Bottom Shootbolt and Deadbolt. ☐ Europa R2: Manual 5-point locking system.					
	2 Rollers, Top & Bottom Shootbolt and Deadbolt.					
	Other:					
	on page 25 to answer questions below andle to the door edge (edge with the latch and deadbolt on it)?					
□ 1-3/16" (30mm) □ 1-3/8" (35mm) □ 1-9/16" (40mm) □ 1-	-3/4" (45mm) 🗖 2" (50mm) 🗖 2-3/16" (55mm) 🗖 2-3/8" (60mm)					
12. Does the teardrop on your mortise gear box take a full cylind	ler or is there an insert in the round part of the teardrop that accepts a					
tailpiece to engage the deadbolt? \square Full Cylinder \square Insert the	nat accepts a tailpiece (See picture of single point locks on page 25)					
13. DEADBOLT THROW: The throw on the deadbolt is 1" (25)	ōmm)					
14. HANDLE HEIGHT: The distance from the center of the door	handle down to the bottom edge of the door (35" Standard)?					
15. BOTTOM LOCK POSITION: What is the distance of the bottom lock to the bottom edge of the door?						
16. What is door panel height (The door panel is the part that opens and closes)?						
	17. TOP LOCK POSITION: What is the distance of the top lock to the Lever Handle?					
•						


FAX THIS QUESTIONNAIRE TO: 610-534-3202 or 305-557-5239 (Florida)








LOCKING OPTIONS FOR MULTIPOINT QUESTIONNAIRE


Locking Options














SINGLE POINT MORTISE LOCKS









SWING DOOR ACCESSORIES

Plastic Cup



Part Number	Color
854-15515	Black

Plastic Cup. Use for Latch and 2 Automatic Latches (Optional).



Part Number	Color		
854-15595	Black		

Plastic Cup. Use for Latch and 2 Automatic Latches (Optional).

Screws



Part Number	Color
854-15711	Polished Brass
854-15712	Antique Brass
854-15579	Dark Bronze PC
854-15716	Black
854-15713	Stainless Steel
854-15714	Pewter

Bag of 6 Screws for Keepers 8 x 5/8" Flat Head, Philips.

Keepers



Part Number	Color		
854-15787	Antique Brass		
854-15709	Stainless Steel		

Top and Bottom Keeper. Reversible. 2 #8 x 5/8" Flat Head, Philips Screws Included.



Part Number	Color
854-15725	Antique Brass
854-15599	Dark Bronze PC
854-16173	Polished Brass

Top and Bottom Keeper for 45 mm (1-3/4") Thick Doors. Non Handed. Clear Protective Film. Available in Handle Matching Finishes. 2 #8 x 5/8" Flat Head, Philips Screws Included.



Part Number	Color
854-15745	Dark Bronze PC

Top and Bottom Keeper for 57 mm (2-1/4") Thick Doors. Non Handed. Clear Protective Film. Available in Handle Matching Finishes. 2 #8 x 5/8" Flat Head, Philips Screws Included.



Part Number	Color	
854-15524	Polished Brass	
854-15841	Dark Bronze PC	
854-15549	Stainless Steel	

Middle Keeper for 45 mm (1-3/4") Thick Doors. Non Handed. Clear Protective Film. #8 x 5/8" Flat Head, Philips Screws Included.



Part Number	Color
854-15771	Polished Brass
854-15585	Dark Bronze PC
854-15553	Black PC
854-15544	Stainless Steel

Middle Keeper for 57 mm (2-1/4") Thick Doors. Non Handed. Clear Protective Film. #8 x 5/8" Flat Head, Philips Screws Included.



Part Number	Color
854-15694	Polished Brass
854-15695	Antique Brass
854-15578	Dark Bronze PC
854-15696	Black PC
854-15697	Stainless Steel
854-15798	Pewter

For 45 mm (1-3/4") Thick Doors. For Use with SECURY S2 and SH2 Door Lock. Bag of 1 Middle Keeper, 2 Top & Bottom Keepers & 6 Screws. Non Handed with Clear Protective Film



Part Number	Color
854-15699	Polished Brass
854-15700	Antique Brass
854-15701	Dark Bronze PC
854-15702	Black PC
854-15538	Stainless Steel
854-15703	Pewter

For 57 mm (2-1/4") Thick Doors. For Use with SECURY S2 and SH2 Door Lock. Bag of 1 Middle Keeper, 2 Top & Bottom Keepers & 6 Screws. Non Handed with Clear Protective Film



Part Number	Color
854-15683	Polished Brass
854-15684	Antique Brass
854-15532	Dark Bronze PC
854-15685	Black PC
854-15686	Stainless Steel
854-15687	Pewter

For 45 mm (1-3/4") Thick Doors. For Use with SECURY Automatic Door Lock. Bag of 1 Middle Keeper, 2 Top & Bottom Keepers & 6 Screws. Non Handed with Clear Protective Film



Part Number	Color
854-15689	Polished Brass
854-15690	Antique Brass
854-15688	Dark Bronze PC
854-15691	Black PC
854-15692	Stainless Steel
854-15693	Pewter

For 57 mm (2-1/4") Thick Doors. For Use with SECURY Automatic Door Lock. Bag of 1 Middle Keeper, 2 Top & Bottom Keepers & 6 Screws. Non Handed with Clear Protective Film





SWING DOOR ACCESSORIES

Construction Handle

Construction Key

Handle Extenders



- · Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4, 2 x 50mm screws included
- For 1 3/4" thick doors
- · Locking/Unlocking from inside only



Part Number	Color
854-13109	Black

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged. The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).



Part Number	Color
854-15736	Polished Brass
854-15817	Satin Nickel
854-16140	Oil Rubbed Bronze

- · Made of solid brass
- Use with our solid brass handle sets

Shoot Bolt Sleeve



Part Number	Color	Α	В
854-12933	Brass	11/16"	7/8"
854-12798	Brass	5/8"	7/8"



Part Number	Color
854-16175	Black

Plastic striker



Strikers

Part Number	Color
854-16176	Black

Short striker cup. 22.6 mm for shoot bolts



Part Number	Color
854-16177	Black

Long striker cup. 30 mm for shoot bolts

Screws for Lever Handle Sets

M5 X 65mm

Finish Satin Chrome Polished Brass Antique Brass Oil Rubbed Bronze Dark Bronze Pewter



Part Number	Finish	
854-13710	Satin Chrome	
854-13711 Polished Brass		
854-13713	Antique Brass	
854-13714	Oil Rubbed Bronze	
854-13721 Dark Bronze		
854-13722	Pewter	

M5 X 55mm

t Number Finish			Part Number
4-13710	Satin Chrome		854-13726
64-13711 Polished Brass			854-13728
4-13713	Antique Brass		854-13729
4-13714	Oil Rubbed Bronze 854-137		854-13730
4-13721	Dark Bronze		854-13735
4-13722	Pewter		854-13736

M5 X 70mm

Part Number	Finish	
854-13739	Satin Chrome	
854-13741	Polished Brass	
854-13742	Antique Brass	
854-13743	Oil Rubbed Bronze	
854-13747	Dark Bronze	
854-13748	Pewter	

M5 X 80mm


Part Number	Finish	
854-13750	Satin Chrome	
854-13752	Polished Brass	
854-13753	Antique Brass	
854-13754	Oil Rubbed Bronz	
854-13758	Dark Bronze	
854-13759	Pewter	

Set Screw Spindle Cylinders



	Part Number	Color	
	854-14048	Zinc	

M5 x 6 Set Screw



Part Number	Color
854-14112	Zinc

8 x 8 x 1300 mm Spindle



Part Number	Color
854-15765	Zinc
854-15766	Brass
854-15767	Dark Bronze

Cylinder with 52 mm tail




Part Number	Color	
854-15768	Zinc	
854-15769	Brass	
854-15770	Dark Bronze	

Cylinder with 64 mm tail



AMESBURY MULTIPOINT HARDWARE SWING DOOR QUESTIONNAIRE Acct. #: Customer Name: Phone: ___ Address: E-mail: 1. Door Type: ☐ Wood ☐ PVC ☐ Fiberglass ☐ Aluminum 2. Door Style: ☐ Single ☐ Double/ French* (Fill out separate form for each door) *If door has Astragal, what is the thickness? 3. Door Thickness: Hole spacing between handle and key cylinder: □ 3-5/8" (92mm) Standard □ Other 5. The mortise gear box has an insert to accept a tailpiece. HANDLE HEIGHT: What is the distance from the center of the handle down to the horizontal edge of the door (36" Standard)? 7. BACKSET: What is the distance from the center of the handle to the door edge (edge with the latch and deadbolt on it)? □ 1-3/8" (35mm) □ 1-3/4" (45mm) □ 2-3/8" (60mm) 8. Faceplate Width: □ 5/8" (16mm) □ 25/32" (20mm) 9. Door Panel Height: 10. Based on the pictures shown below, please put an "X" by your Amesbury Multipoint System: ☐ American Version (Key Above Handle) ☐ European Version (Key Below Handle)











(2) Rhino Hooks

☐ Active:





(2) Tongues

■ Active:



(2) Rhino Hooks

☐ Active:




- 11. Top Tongue Position (measured from the center of the handle to the center of the top tongue):
 - □ 18-59/64" (480.5mm) □ 26-25/64" (670.4mm) □ 32-57/64" (835.55mm)
- 12. Bottom Tongue Position (measured from the center of the handle to the center of the bottom tongue):
 - □ 26-27/64" (671mm)
- 13. Top Rhino Hook Position (measured from the center of the handle to the center of the top hook):
 - □ 14-15/32" (367.5mm) □ 27-15/32" (697.7mm) □ 40-15/32" (1028mm)
- 14. Bottom Rhino Hook Position (measured from the center of the handle to the center of the bottom hook):
 - □ 24-7/8" (631.7mm)

FAX THIS QUESTIONNAIRE TO: 610-534-3202 or 305-557-5239 (Florida)




SINGLE POINT MORTISE GEAR BOX AND ACCESSORIES




Part Number	Backset
56-243	35mm
56-207	45mm

5/8" Case Width & 1" Deadbolt Throw





Part Number	Backset
56-244	35mm
56-245	45mm


5/8" Case Width & 1" Deadbolt Throw




Shootbolt Strikes










56-235SS Single Shootbolt. Stainless Steel

56-236SS Double Shootbolt. Stainless Steel

56-237SS Corner Shootbolt. Brushed Stainless Steel

Spring Cassette

Tongue Strike



Brushed Stainless Steel


2018 PGI©



Adjustable Strikes





56-241SS Flat Style. Stainless Steel



56-242SS Formed Style. Stainless Steel

Dust Cap





<u>56-221</u> Stainless Steel

0

0


0

HINGES


FEATURES AND BENEFITS

- Non-Handed Design Reduces Inventory
- · Both Vertically and Horizontally Adjustable Horizontal Adjustment ± .156 Vertical Adjustment ± .200
- Vertical Adjustment in Each Hinge Allows for Heavier Panels
- · Adjusts with a Standard #2 Square Drive.
- Square Drive Prevents Stripping Over Phillips or Slotted
- Secure Out-Swing Non-Removable Pin Hinges Available
- Fits Common Fabrication within the Industry
- Screws Sold Separately (#20-801-Color)

Part Number	Finish	Material	Pin
56-155B	Black	Steel	Removable
56-155CRBZ	56-155CRBZ Craftsman Bronze		Removable
56-155DOBZ	56-155DOBZ Dark Oil Rubbed Bronze		Removable
56-155SNK	Satin Nickel PVD	Steel	Removable
56-440SNK	56-440SNK Satin Nickel PVD		Removable
56-440PB	Solid Brass PVD	Brass	Removable
56-156B	56-156B Black		Non-Removable
56-156CRBZ	Craftsman Bronze	Steel	Non-Removable
56-156DOBZ Dark Oil Rubbed Bronze		Steel	Non-Removable
56-440SNK-NRP	Satin Nickel PVD	Brass	Non-Removable
56-440PB-NRP	Solid Brass PVD	Brass	Non-Removable









MULTIPOINT LOCK

TRU-LOCK Multipoint LOCK SOLUTION FOR ENTRY DOORS

Convert Your Single Point Dead Bolt into a Multipoint Locking System



- Excellent Retro Fit for Schlage, Kwikset, Wiser
- Increased Home Security Capable of Grade 40 per ASTM F476
- Compatible with top brand handle hardware allowing consumer wide selection of decorative handle choices
- Very intuitive function for homeowner operates the same as standard deadbolts today
- Constructed from stainless steel and composite materials
- · Works on steel, fiberglass, aluminum and wood doors
- Works with both standard 2-3/8" and 2-3/4" double bore backsets
- · Easy installation, instructions included

Kit Plate Cover

Kit Plate Cover Comes with 2 Strikes, Multipoint Plate and all necessary Screws

Part #	Finish
56-162	Brass
56-163	Oil Rubbed Bronze

TRU - LOCK FABRICATION TEMPLATE























56-153

Tools provided in Amesbury installation kit:

(A) Door router fixture #56-153-1, (B) Door frame router fixture #56-153-2, (C) 1/2" Router bit with top guide bearing, (D) 1/4" Router bit,


(E) Centering clamp, (F) 1/4" X 2-1/2" Flathead bolt and 1/4" Wing Nut, (G) Assorted deadbolt strike plugs, (H) Door stops,

(I) # 6 x 1-1/4" Flathead screws, (J) # 8 x 1-5/8" Sheetrock screws (K) Wood cover plates



TRUTH'S SENTRY™ MULTIPOINT HANDLE SETS FOR 1-3/4" THICK DOORS





Handle Type	Α
Transitional	2.26"
Traditional	2.45"
Contemporary	2.05"
Modern	2.33"
Classic	2.16"

Finishes




Style	Function	Antique Brass	PVD Brushed Chrome	PVD Chrome	PVD Brass	PVD Bronze	PVD Nickel	Faux Bronze	Black	White	Beige
	Active	857-10183	857-10213	857-10207	857-10204	857-10210	857-10192	857-10201	857-10198	857-10189	857-10186
Transitional	Inactive	857-10182	857-10212	857-10206	857-10203	857-10209	857-10191	857-10200	857-10197	857-10188	857-10185
	Dummy	857-10184	857-10214	857-10208	857-10205	857-10211	857-10193	857-10202	857-10199	857-10190	857-10187
	Active	857-10216	857-10249	857-10243	857-10240	857-10246	857-10225	857-10235	857-10231	857-10222	857-10219
Traditional	Inactive	857-10215	857-10248	857-10242	857-10239	857-10245	857-10224	857-10233	857-10230	857-10221	857-10218
	Dummy	857-10217	857-10250	857-10244	857-10241	857-10247	857-10226	857-10237	857-10232	857-10223	857-10220
	Active	857-10252	857-10279	857-10273	857-10270	857-10276	857-10259	857-10016	857-10265	857-10018	857-10255
Contemporary	Inactive	857-10251	857-10278	857-10272	857-10269	857-10275	857-10258	857-10015	857-10264	857-10017	857-10254
	Dummy	857-10253	857-10280	857-10274	857-10271	857-10277	857-10260	857-10268	857-10266	857-10257	857-10256
	Active	857-10282	857-10314	857-10308	857-10305	857-10311	857-10291	857-10298	857-10020	857-10288	857-10285
Classic	Inactive	857-10281	857-10313	857-10307	857-10304	857-10310	857-10290	857-10296	857-10021	857-10287	857-10284
	Dummy	857-10283	857-10315	857-10309	857-10306	857-10312	857-10292	857-10301	857-10019	857-10289	857-10286
	Active	857-10317	857-10350	857-10344	857-10341	857-10347	857-10326	857-10336	857-10332	857-10323	857-10320
Modern	Inactive	857-10316	857-10349	857-10343	857-10340	857-10346	857-10325	857-10334	857-10331	857-10322	857-10319
	Dummy	857-10318	857-10351	857-10345	857-10342	857-10348	857-10327	857-10339	857-10333	857-10324	857-10321



MULTIPOINT LOCKING SYSTEM ACCESSORIES & HINGES


TRUTH'S SENTRY™ MULTIPOINT HANDLE SETS ACCESSORIES



	•
Part Number	Finish
857-10145	Antique Brass
857-10146	Beige
857-10147	White
857-10148	PVD Nickel
857-10150	Black
857-10151 Faux Bronze	
857-10152	PVD Brass
857-10153	PVD Chrome
857-10154	PVD Bronze
857-10155	PVD Brushed Chrome

2-1/4" Door Conversion Kit

Door Handle Extension Kit



For 1-3/4" Door Thickness

Part Number	Finish
857-10123	Antique Brass
857-10124	Beige
857-10125	White
857-10126	PVD Nickel
857-10128	Black
857-10129	Faux Bronze
857-10130	PVD Brass
857-10131	PVD Chrome
857-10132	PVD Bronze
857-10133	PVD Brushed Chrome

For 2-1/4" Door Thickness


Part Number	Finish		
857-10134	Antique Brass		
857-10135	Beige		
857-10136	White		
857-10137	PVD Nickel		
857-10139	Black		
857-10140	Faux Bronze		
857-10141	PVD Brass		
857-10142	PVD Chrome		
857-10143	PVD Bronze		
857-10144	PVD Brushed Chrome		

TRUTH'S SENTRY™ ADJUSTABLE HINGES



Engineered for maximum strength and security, Sentry Hinges exceed ANSI grade 3 requirements for doors weighing up to 220 lbs. Sentry Hinges exceed ANSI grade 1 impact specifications. Sentry Hinges are made of extruded brass and extruded aluminum that provides superior strength and corrosion resistance. Sentry Hinges provided with non-removable pins for maximum security.

- · Robust, Reliable and Attractive
- Industry standard 4" x 4" with 5/8" radius corner
- Both Guide and Set Hinges take a 5/32" hex wrench
- Guide Hinge has a 11/64" adjustment and Set Hinge has a 1/4" adjustment
- Extruded brass hinges are provided in decorative finishes including PVD
- Extruded aluminum hinges are available in powder coated painted finishes
- Composite bushings provide noise-free operation




Extruded Brass Guide Hinges - Plated

Hand	Antique Brass	PVD Brushed Chrome	PVD Chrome	PVD Brass	PVD Bronze	PVD Nickel
LH	857-10352	857-10390	857-10382	857-10378	857-10386	857-10364
RH	857-10353	857-10391	857-10384	857-10379	857-10387	857-10365

Extruded Aluminum Guide Hinges - Painted

Hand	White	Snow White	Beige	Faux Bronze	Black
LH	857-10360	857-10368	857-10356	857-10002	857-10372
RH	857-10361	857-10369	857-10357	857-10001	857-10373





Extruded Brass Set Hinges - Plated

Hand	Antique Brass	PVD Brushed Chrome	PVD Chrome	PVD Brass	PVD Bronze	PVD Nickel
LH	857-10394	857-10432	857-10424	857-10420	857-10428	857-10406
RH	857-10395	857-10433	857-10425	857-10421	857-10429	857-10407

Extruded Aluminum Set Hinges - Painted

Hand	White	Snow White	Beige	Faux Bronze	Black
LH	857-10402	857-10410	857-10398	857-10004	857-10414
RH	857-10403	857-10411	857-10399	857-10003	857-10415

32



TRUTH'S SENTRY™ MULTIPOINT SWING DOOR SYSTEM QUESTIONNAIRE

Acct. #:			Date:		
Customer Name:			Phone:		
Address:		 	Fax:		
Contact:			E-mail:		
1. Choose Between 5 Active and	2 Inactive Multipoint Systems				
☐ 3 Point Tongue	☐ 3 Point Hook	☐ 3 Point Shootbolt	☐ 5 Point Tongue/ Shootbolt	☐ 5 Point Hook/ Shootbolt	☐ 2 Point Shootbolt
Door A (753mm) 71"-81" 29-7/32" (742mm) 81"-89" 39-7/32" (996mm) 89"-97" 47-7/32" (1199mm) 97"-105" 53-7/32" (1352mm)	29-9/16" (751mm) 29-9/16" (751mm) 71"-81" 29-5/32" (740mm) 81"-89" 39-5/32" (994mm) 89"-97" 47-5/32" (1198mm) 97"-105" 53-5/32" (1350mm)		Door A 71"-81" 16-1/2" (343mm) 81"-97" 24-1/2" (546mm) 97"-113" 40-1/4" (1022mm) 113"-121" 48-1/4" (1225mm)	Door A 71"-81" 16-5/32" (410mm) 81"-97" 24-5/32" (614mm) 97"-113" 40-5/32" (1020mm) 113"-121" 48-5/32" (1223mm)	

All of the above locking systems have the following features:

• 36" Handle Height

105"-113" 63-7/32" (1606mm)

113"-121" 71-7/32" (1809mm)

A= Top Tongue Position

- 92mm Spacing
- Latch bolts are reversible by pulling out and rotating 180°
- 1" Deadbolt & Shootbolt throw
- Thumbturn above the lever North American design
- Independent dead bolt secure door without engaging other locking points
- · Anti slam device preventing damage to door

A= Top Hook Position

- Available with 16mm or 20mm face plate
- Multipoint systems are made of 300 series stainless steel

☐ 2 Point Lever Activated Flush bolt

105"-113" 63-5/32" (1604mm)

113"-121" 71" (1807mm)

A= Upper Hook Position

CHOOSE BACKSET: ☐ 24mm ☐ 26mm ☐ 30mm	FINISH: ☐ Stainless Steel ☐ Faux Bronze

2.	FACE PLATE WIDTH: The metal plate that runs the length of the	doo
	□ 5/8" (16mm) □ 25/32" (20mm)	

- 3. BACKSET: □ 1-3/8" (35mm) □ 1-3/4" (45mm) □ 2-3/8" (60mm)
- 4. DOOR PANEL HEIGHT: (Do not include sweeps):
- 5. DOOR THICKNESS:

When Ordering Hinges:

- 1. Handing of Door: ☐ Left Hand ☐ Right Hand
- 2. Number of Hinges on Door: ___

A= Top Tongue Position


3. Weight of Door:

FAX THIS QUESTIONNAIRE TO: 610-534-3202 or 305-557-5239 (Florida)




TRUTH'S SENTRY™ MULTIPOINT STRIKES

Latch/Deadbolt Strikes



Part #	Material	Finish
857-10116	Stainless Steel	Brushed
857-10173	Stainless Steel	Black
857-10175	Stainless Steel	Faux Bronze
857-10171	Stainless Steel	Beige
857-10172	Stainless Steel	White
857-10117	Solid Brass	Antique Brass
857-10177	Solid Brass	PVD Brass
857-10179	Solid Brass	PVD Bronze


For 1-3/4" Doors



Part #	Material	Finish
857-10107	Stainless Steel	Brushed
857-10156	Solid Brass	Antique Brass
857-10158	Solid Brass	PVD Brass

For 2-1/4" Doors

Tongue Strikes




Part #	Material	Finish
857-10111	Stainless Steel	Brushed
857-10165	Stainless Steel	Black
857-10167	Stainless Steel	Faux Bronze
857-10113	Stainless Steel	Beige
857-10114	Stainless Steel	White
857-10112	Solid Brass	Antique Brass
857-10169	Solid Brass	PVD Brass
857-10170	Solid Brass	PVD Bronze


Hookbolt Strikes

Shootbolt Cover Plate


Shootbolt Strikes



Part #	Material	Finish
857-10118	Stainless Steel	Brushed
857-10119	Solid Brass	Antique Brass
857-10180	Solid Brass	PVD Brass
857-10181	Solid Brass	PVD Bronze




Part #	Material	Finish
857-10005	Stainless Steel	Brushed




Part #	Material	Finish
857-10110	Stainless Steel	Brushed
857-10163	Stainless Steel	Faux Bronze


Shootbolt Strikes



Part #	Material	Finish
857-10000	Stainless Steel	Brushed
857-10161	Stainless Steel	Faux Bronze



Part #	Material	Finish
857-10109	Stainless Steel	Brushed
857-10159	Stainless Steel	Faux Bronze



Part #	Material	Finish
857-10115	Stainless Steel	Brushed





FRENCHWOOD HINGED DOORS (1988 TO PRESENT) - 2 PANEL, 3 PANEL AND STATIONARY

Multipoint Locking Mechanisms / Current

Note: Lock mechanisms for custom sized doors are made to order. Product ID label is located on top edge of operating panel. To order, state: Description of part (Lock Mechanism, Active or Passive), Quantity and Product ID

Hook Bolt Lock Mechanism - 3-Point / Stainless Steel / Active (March 2003 to Present)






Note: Stainless steel active lock mechanism replaces all previous vintage active lock mechanisms.

Part Number	Length	Door Size
56-351	76-13/32"	6' 8"
56-352	79-9/32"	6' 11"
56-363	86-13/32"	7' 6"
56-353	92-13/32"	8'

Flush Bolt Locking Mechanism - 2-Point / Stainless Steel / Passive (March 2003 to Present)



Note: Replace a stainless steel passive lock with a stainless steel passive replacement lock. This replaces all previous vintage stainless steel passive locks. Zinc dichromate lock no longer available; use stainless steel lock kit as replacement (see below).

Part Number	Length	Door Size
56-354	76-7/16"	6' 8"
56-355	79-11/32"	6' 11"
56-364	86-7/16"	7' 6"
56-356	92-7/16"	8'


Replacement Stainless Steel Lock Kit for Passive/Zinc Dichromate Lock Mechanism (1993 to March 2003)

Note: The zinc dichromate (gold finish appearance) passive lock is no longer available. Replace with stainless steel lock kit.

Kit Includes: (1) Instruction Guide, (1) Stainless Steel Passive Lock Mechanism, (2) Hook Bolt Receivers, (2) Flush Bolt Receivers, (1) Latch Receiver Blocker

Part Number	Length	Door Size
56-360	76-7/16"	6' 8"
56-361	79-11/32"	6' 11"
56-362	86-7/16"	8'

Lock Mechanism - 5-Point / Stainless Steel (Impact Resistant) / Active




The 5-point active lock mechanism is used on double active Stormwatch™ (AP/PA) units.

Part Number	Length
56-491	76-27/64"
56-492	79-19/64"
56-493	92-27/64"


HOOK BOLT PARTS


Hook Bolt Receiver with Screws





Single SA/AS. 3-Panel





56-366

March 2003 to Present AP/PA


56-367

March 2003 to Present Use with Stainless Steel Lock Mechanism


FLUSH BOLT PARTS

Flush Bolt Receiver

Flush Bolt Screw



<u>56-368</u> March 2003 to Present. Use with Stainless Steel Lock Mechanism. Head PA/Sill AP



March 2003 to Present. Use with Stainless Steel Lock Mechanism. Head AP/Sill PA



56-370

March 2003 to Present. Use with Stainless Steel Lock Mechanism. #10-12 x 3" Type 17

LATCH BOLT PARTS


Latch Bolt Receiver





56-371

March 1990 to Present. Replaces All Previous Vintage Latch Receivers. Used on Patio Doors without a Passive Panel: AL, AR, SAR, SAL, SASL, SASR



56-372

March 2003 to Present. Replaces All Previous Vintage AP/PA Latch Receivers. Use 2003 to Present on Patio Doors with a Passive Panel: PALR, APLR.



56-373

March 2003 to Present. Replaces All Previous Vintage AP/PA Latch Receivers. Use 2003 to Present on Patio Doors with Stainless Steel Lock Mechanism. Used on AP/PA Latch Bolt Receiver.


LATCH BOLT PARTS

U Clip

Lock Limiting Plate with Tab

HARDWARE Lock Actuator

Lock Mechanism Screw




56-374

March 2003 to Present. Use with Stainless Steel Lock Mechanism. Used on AP/PA Latch Bolt Receiver.



56-358



56-359



56-375

8-18 x 2" Type AB. Stainless Steel



COLOR SUFFIX GUIDE

Oil Rubbed Bronze	ORBZ	Antique Brass	AB
Polished Chrome	PC	Polished Brass	PB
Brushed Chrome	BC	PVD Brass	BRS
Pewter	Р	PVD Satin Nickel	SNK
Dark Bronze	DBZ	Distressed Satin Nickel	DSNK
Black	В	Distressed ORB	DORBZ
White	W	Antique Nickel	ΔN

FUNCTION GUIDE


Keyed: Door sets have a cylinder on the outside backplate and a thumbturn on the interior backplate. **Non-Keyed:** Door sets have only the thumbturn on the interior plate.

Passive: Door sets do not operate.

ORDERING INSTRUCTIONS: Select the proper part number from the charts below. Use the chart to the left to select your desired finish. Add the suffix at the end of the part number.

EXAMPLE: Part number 55-185 in a polished chrome finish, use part number 55-185PC

EXPRESSIONS SERIES



Expressions

Expressions

12" Arch

12" Arch


1-3/4" - 2/14" 1-3/4" - 2/14"

55-185

Keyed


55-186 Passive

Expressions series trim sets are available in Oil Rubbed Bronze, Polished Chrome, Black, Antique Brass, PVD Brass, PVD Satin Nickel




Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-147	Keyed	Expressions	12" Square	1-3/4" - 2/14"
55-142	Passive	Expressions	12" Square	1-3/4" - 2/14"

TRUE ELEGANCE SERIES




True Elegance series trim sets are available in Oil Rubbed Bronze, Polished Chrome, Brushed Chrome, Pewter, Dark Bronze, Black, White, Antique Brass, Polished Brass, PVD Brass, PVD Satin Nickel, Antique Nickel




Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-149	Keyed	True Elegance	10" Square	1-3/4"
55-150	Passive	True Elegance	10" Square	1-3/4"

to be the second of the second	r Size
	3/4"
55-204 Passive True Elegance 10" Half Round 1-	3/4"



Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-211	Keyed	True Elegance	10" Arch	1-3/4"
55-212	Passive	True Elegance	10" Arch	1-3/4"
55-213	Non-Keved	True Elegance	10" Arch	2"




Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-101	Keyed	True Elegance	8" Arch	1-3/4"
55-160	Non-Keyed	True Elegance	8" Arch	1-3/4"
55-102	Passive	True Elegance	8" Arch	1-3/4"
55-159	Keyed	True Elegance	8" Arch	2"
55-197	Passive	True Elegance	8" Arch	2"



55-201 Keyed 55-202 Passive

SWING DOOR HANDLE SETS

FORGINGS SERIES



Forgings Forgings Forgings series trim sets are available in Oil Rubbed Bronze, Distressed Satin Nickel, Distressed Oil Rubbed Bronze, Antique Nickel


Door Size

1-3/4"


1-3/4"

10" Half Round


10" Half Round



Par	rt#	Function	Trim Set Series	Plate Size & Style	Door Size
55-2	209	Keyed	Forgings	10" Arch	1-3/4"
55-2	210	Passive	Forgings	10" Arch	1-3/4"




Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-207	Keyed	Forgings	10" Round	2"
55-208	Passive	Forgings	10" Round	2"
55-205	Keyed	Forgings	10" Round	1-3/4"
55-206	Non-Keyed	Forgings	10" Round	1-3/4"
55-187	Passive	Forgings	10" Round	1-3/4"




Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-214	Keyed	Forgings	10" Square	2"
55-215	Passive	Forgings	10" Square	2"
55-216	Keyed	Forgings	10" Square	1-3/4"
55-217	Passive	Forgings	10" Square	1-3/4"

EVOLUTIONS SERIES




Evolutions series trim sets are available in Polished Chrome, Brushed Chrome, Pewter, Black, White



Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-154	Keyed	Evolutions	10" Square	1-3/4"
55-155	Passive	Evolutions	10" Square	1-3/4"

Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-189	Keyed	Evolutions	10" Round	1-3/4"
55-190	Passive	Evolutions	10" Round	1-3/4"



Part #	Function	Trim Set Series	Plate Size & Style	Door Size
55-198	Keyed	Evolutions	10" Half Round	2"
55-199	Passive	Evolutions	10" Half Round	2"
55-122	Keyed	Evolutions	10" Half Round	1-3/4"
55-200	Non-Keyed	Evolutions	10" Half Round	1-3/4"
55-123	Passive	Evolutions	10" Half Round	1-3/4"



PIVOT TRUE V200 TWO WAY ADJUSTABLE DOOR HINGES



RH Shown

Set Hinge

KEY FEATURES

- · All hinges adjust both horizontally and vertically
- · A solid brass extruded jamb wing allows for higher hinge carry capacity
- Hex head adjustment screws, not Phillips or Slotted, to provide secure tool engagement and prevent stripping during adjustment
- Stainless steel adjustment screws provide superior corrosion resistance
- An integrated hinge pin to provide security for outswing and inswing doors, and will not lift up during normal door operation

PERFORMANCE AND OPERATION

- Horizontally adjusts 1/16" further than most hinges on the market. Hinge system adjusts 1/4" vertically and horizontally
- Extremely low adjustment force by vertically adjusting the door from below, not laterally like other hinge designs
- Provides an easy-to-see indicator line for accurate vertical adjustment
- A "maintenance and noise-free" operation, even after a million cycles, by incorporating an internal polymer bushing to eliminate any metal to metal contact
- Exceeds BHMA-Grade 3 standards for wood, vinyl, aluminum and steel doors

Part Number	Hand	Finish
56-114LH	LH	Gold Powder Painted
56-114RH	RH	Gold Powder Painted
56-114LORB	LH	Oil Rubbed Bronze
56-114RORB	RH	Oil Rubbed Bronze
56-114LPB	LH	Polished Brass
56-114RPB	RH	Polished Brass
56-114LSCH	LH	Satin Chrome
56-114RSCH	RH	Satin Chrome
56-114LAB	LH	Antique Brass
56-114RAB	RH	Antique Brass
56-114LFORB	LH	Faux Oil Rubbed Bronze
56-114RFORB	RH	Faux Oil Rubbed Bronze
56-114LSNK	LH	Satin Nickel
56-114RSNK	RH	Satin Nickel

PIVOT TRUE V400 4" ADJUSTABLE DOOR HINGES

KEY FEATURES

- Seamlessly retrofits a 4" X 4" one-step pocket route with 5/8" corner radius
- Hex head adjustment screws, not Phillips or Slotted, to provide secure tool engagement and prevent stripping during adjustment
- · Screw hole locations optimized away from panel edge to prevent accidental wood splitting
- Panel leaf incorporates a unique shield to keep out debris and provide a premium appearance in the closed position
- Incorporates Teflon filled bushings for increased wear resistance
- Non-removable pin (NRP) option available for secure out-swing applications


PERFORMANCE AND OPERATION


- Adjusts 1/4" vertically and 3/16" horizontally
- Easily reversible for either left or right-hand hinge applications
- Innovative, patent-pending adjustment mechanism achieves extremely low adjustment torque with a standard 3/32" hex wrench
- Exceeds BHMA grade 3 standards for wood, vinyl, aluminum and steel doors.



Guide Hinge

.1 🔻 .55






Part Number	Hinge Type	Material	Finish
56-125PB	Guide (Horizontal)	Brass	Bright Brass
56-125P	Guide (Horizontal)	Brass	Pewter
56-125ORBZ	Guide (Horizontal)	Brass	Oil Rubbed Bronze
56-125SCH	Guide (Horizontal)	Brass	Brushed Chrome
56-126PB	Set (Vertical)	Brass	Bright Brass
56-126P	Set (Vertical)	Brass	Pewter
56-126ORBZ	Set (Vertical)	Brass	Oil Rubbed Bronze
56-126SCH	Set (Vertical)	Brass	Brushed Chrome
56-125SS	Guide (Horizontal)	Stainless Steel	Stainless Steel
56-126SS	Set (Vertical)	Stainless Steel	Stainless Steel

SENTINEL MULTIPOINT SWING DOOR LOCK SYSTEM

Facemount Active Lock Versions





Welded Steel Deadbolt

56-185 Powdered Metal Deadbolt

KFY FFATURES

- Made from the finest 300 series stainless steel for superior corrosion resistance
- Incorporates the "Baby-Sitter Effect" that allows the consumer to operate the dead bolt and
 extension bolts independently of each other, eliminating the necessity for the consumer to
 lift the lever handle and engage the shoot bolts before activating the dead bolt
- Incorporates an "Anti-Slam" device that prevents the lock bolts from extending until the door
 is in the closed position, eliminating the potential for door frame damage by the consumer
- The shoot and dead bolts extend a full one-inch to meet the highest levels of structural testing, and meets most local building codes

PERFORMANCE AND SECURITY


- Mechanism has anti-backdrive provisions on the deadbolt and shoot bolts to help prevent tampering
- The extension bolt incorporates the necessary lead-in to provide significant pull-in of the door (Concealed Lock has .290" of pull-in/Face mounted has .136" of pull-in)
- More consumer friendly to lock the shoot bolts and open the door, requiring only 35° of handle rotation
- Robust and durable handle return spring design to prevent handle sag over time
- The handle is locked out when multipoint is in its locked position
- Withstands abusive torques of over 500 lbs
- Lab tested to over 50,000 cycles

MANUFACTURING FLEXIBILITY AND EASE

- The lock unit is one of the easiest and quickest to reverse the direction of the latch
- The very modular design gives flexibility to accommodate a variety of door sizes and options
- Lock has 2 3/8" backset
- Spacer standoffs are utilized to prevent the lock system from binding when mounting screws are accidentally over tightened
- A simple one step route profile for easier fabrication
- · Easy peg-hole connection for quick installation

Facemount Passive Locks

56-100P



- Mortise type (no astragal)
- · Has deadbolt communication with the active panel lock

40.93

Center


Lock

Faceplate

Dim


- When shoot bolts are extended and the active deadbolt is fully extended, the passive lock shoot bolts cannot be retracted. This prevents the homeowner from opening the passive panel with active deadbolt extended, which might damage the panel. Prevents active lock deadbolt from extending unless the passive shoot bolts are extended. Tells the homeowner to lock the passive panel first.
- · Has latch communication with the active panel lock
 - If the active deadbolt has not been engaged, when passive lock shoot bolts are extended and the active lock latch is fully extended, the passive lock shoot bolts cannot be retracted. This prevents the homeowner from opening the passive panel first, which might damage the panel.

Blocks active lock latch from full engagement into passive lock unless the passive shoot bolts are extended. Prevents damage to panels should passive panel be opened first and tells the homeowner to lock the passive panel first.



<u>56-480</u>

- After shoot bolt extension, it has a thumb turn mechanism to manually lock the passive shoot bolts in the extended position.
- Requires a passive trimset that has a thumb turn.
- Has deadbolt communication like above if the astragal is thin enough to allow the deadbolt to engage the blocker. However, this is typically used for thicker astragal applications with no communication with the active lock.




<u>56-481</u>

- Communication with active lock deadbolt through a 5/8" thick astragal.
- No latch communication.




SENTINEL MULTIPOINT SWING DOOR LOCK SYSTEM




Item Number	Series	Description	A
56-103-2	350/450	Lower Extension for Handle at 36"	17.595"
56-485-2B	350	Upper Extension	18.393"
56-485-2D	350	Upper Extension	18.674"
56-485-2F	350	Upper Extension	19.786"
56-485-2G	350	Upper Extension	20.454"
56-485-2K	350	Upper Extension	24.767"
56-485-20	350	Upper Extension	34.392"
56-485-2R	350	Upper Extension	36.767"
56-485-2C	350	Upper Extension	18.455"
56-485-21	350	Upper Extension	21.455"
56-485-2P	350	Upper Extension	34.454"
56-485-2A	350	Upper Extension	17.768"
56-485-2N	350	Upper Extension	33.768"
56-485-2H	350	Upper Extension	21.390"
56-485-2L	350	Upper Extension	25.390"
56-485-2S	350	Upper Extension	37.390"
56-485-2	350	Upper Extension	17.039"
56-485-2E	350	Upper Extension	19.039"
56-485-2J	350	Upper Extension	23.038"
56-485-2M	350	Upper Extension	33.042"
56-485-2Q	350	Upper Extension	35.041"
56-485-1B	450	Upper Extension	18.393"
56-485-1D	450	Upper Extension	18.674"
56-485-1F	450	Upper Extension	19.786"
56-485-1G	450	Upper Extension	20.454"
56-485-1K	450	Upper Extension	24.767"
56-485-10	450	Upper Extension	34.392"
56-485-1R	450	Upper Extension	36.767"
56-485-1C	450	Upper Extension	18.455"
56-485-11	450	Upper Extension	21.455"
56-485-1P	450	Upper Extension	34.454"
56-485-1A	450	Upper Extension	17.768"
56-485-1N	450	Upper Extension	33.768"
56-485-1H	450	Upper Extension	21.390"
56-485-1L	450	Upper Extension	25.39"
56-485-1S	450	Upper Extension	37.39"
56-485-1	450	Upper Extension	17.039"
56-485-1E	450	Upper Extension	19.039"
56-485-1J	450	Upper Extension	23.038"
56-485-1M	450	Upper Extension	33.042"
56-485-1Q	450	Upper Extension	35.041"

60MM CONCEALED MULTIPOINT SWING DOOR LOCK SYSTEM









Part #	Version	Backset	Coupling Thread	Standoff	Faceplate Attached
56-121	Active	60mm	1/4-20	Long	Yes
56-151	Active	60mm	1/4-20	Short	No
56-175*	Active	60mm	5/16-18	Short	No
56-170	Passive	60mm	1/4-20	Short	No
56-122	Passive	60mm	1/4-20	Long	Yes

^{*} Used Exclusively by PGT


70MM CONCEALED MULTIPOINT SWING DOOR LOCK SYSTEM WITH FACEPLATE






Part Number	Version	Backset	Coupling Thread	Faceplate Attached			
56-127	Active	70mm	1/4-20	Yes			
56-479RH	Passive, RH	70mm	1/4-20	Yes			
56-479LH	Passive, LH	70mm	1/4-20	Yes			


LOCK OPTIONS FOR FACE MOUNT AND CONCEALED MULTIPOINT LOCKS




Part #	Finish	Hand		
56-116	Stainless Steel	LH		
56-117	Stainless Steel	RH		
56-116PB	Polished Brass	LH		
56-117PB	Polished Brass	RH		
56-116ORB Oil Rubbed Bronze LH				
Strike				




<u>56-138</u> Jamb Basket



Part #	Hand			
56-192RH	RH (shown)			
56-192LH	LH			
Strike				




Part #	Hand		
56-450SS-RH	RH (shown)		
56-450SS-LH LH			
Striko			




Part # Hand			
56-450SS-RH RH (shown)			
56-450SS-LH LH			
Strike			

SINGLE & MULTIPOINT MORTISE LOCKS

A SHLAND®





Mortise Locks for 59-110 Face Plate

11"

10-1/8"

SWING DOOR HANDLE




Part #	Description	"A" Dim
56-197S-ORBZ	Short ORB	1-63/64"
56-197S-CH	Short Chrome	1-63/64"
56-197S-B	Short Black	1-63/64"
56-197S-AB	Short Antique	1-63/64"
56-197S-BRS	Short PVD Brass	1-63/64"
56-197S-SNK	Short PVD Satin Nickel	1-63/64"
56-197T-ORBZ	Tall ORB	2-33/64"
56-197T-CH	Tall Chrome	2-33/64"
56-197T-B	Tall Black	2-33/64"
56-197T-AB	Tall Antique	2-33/64"
56-197T-BRS	Tall PVD Brass	2-33/64"
56-197T-SNK	Tall PVD Satin Nickel	2-33/64"

SWING DOOR HANDLE SETS

56-110 Face Plate for 56-109 & 56-377 Mortise Locks

7/8"




Active Lever Handle Set (Shown) Thumb Turn w/Key

Part #	Finish	
55-111BC	Brushed Chrome	
55-111CP	Chrome Plated	
55-111W	White	

Dummy Lever Handle Set No Thumb Turn, No Key

Part #	Finish	
55-157AB	Antique Brass	
55-157BC	Brushed Chrome	
55-157CP	Chrome Plated	
55-157W	White	

MILLTON 2-POINT LOCKSETS



Through innovative design, combined with rigorous testing, comes the comprehensive range of Interlock Millton narrow stile, mortise lever locks. Attractive, durable, easy to install and operate, Millton fits a wide range of applications, and is the perfect complement to today's architecture.


Features:

- Standard 2-Point
- · Complete lockset without striker, and 30mm backset
- Stylish Verona handle
- C4 keyway (standard 5-pin)
- Concealed fixing on external escutcheon plate.
- · Latch is deadlocked by key

Part #	Description	
55-100W	White (Inside & Out)	
55-100SCH	Satin Chrome (Inside & Out)	
55-100WSCH	White (Inside) & Satin Chrome (Outside)	

EUROGROOVE STEPPED ROUTER BITS







SBI#	MFG.	Α	В	С	D
59-69S	Schlegel	1/8"	1/4"	3/4"	1"
59-69T	Truth	1/8"	13/32"	9/16"	51/64"
59-69GU	GU	3/32"	3/8"	31/64"	21/32"
59-69R	Roto-Frank	3/32"	23/64"	31/64"	5/8"
59-69	Hoppe (16mm)	1/8"	23/64"	1/2"	5/8"
59-69W	Winkhaus/Hoppe (20mm)	3/32"	23/64"	31/64"	25/32"
59-69W-1	Winkhaus	3/32"	23/64"	31/64"	41/64"

STEEL PLAIN BEARING BUTT HINGES WITH NON-RISING REMOVABLE PIN

Steel Plain Bearing Butt Hinges with Removable Pin (Non-Rising).

These hinges are packed and sold by the pairs. All hinges supplied with flat head phillips screws.







Part Number	Finish	Thickness
56-260SBRS	Satin Brass	2.0 mm

Square Corner. 3" x 3"

Part Number	Finish	Thickness
56-263SBRS	Satin Brass	2.2 mm
56-263SNK	Satin Nickel	2.2 mm

Square Corner. 3-1/2" x 3-1/2"







Part Number	Finish	Thickness
56-264SBRS	Satin Brass	2.5 mm
56-264SNK	Satin Nickel	2.5 mm

Square Corner. 4" x 4"

Part Number	Finish	Thickness
56-261SBRS	Satin Brass	2.2 mm


1/4" Radius. 3-1/2" x 3-1/2"





Part Number	Finish	Thickness
56-262SBRS	Satin Brass	2.2 mm
56-262SNK	Satin Nickel	2.2 mm
56-262SCH	Satin Chrome	2.2 mm

5/8" Radius. 3-1/2" x 3-1/2"




Part Number	Finish	Thickness
56-179SBRS	Satin Brass	2.5 mm
56-179SNK	Satin Nickel	2.5 mm
56-179SCH	Satin Chrome	2.5 mm

5/8" Radius. 4" x 4"


Steel Plain Bearing Butt Hinges with Non-Removable Pin (Riveted)

This hinge is packed and sold by the pairs. All hinges are supplied with flat head phillips wood screws.



Steel Plain Bearing Butt Hinges with Non-Removable Pin


These hinges are packed and sold in sets of three. All hinges are supplied with flat head phillips wood




Part Number	Finish	Thickness
	Satin Chrome	3.4 mm
56-402USP	Gray Prime Coat 3.4 mm	
Square Corner 4-1/2" v 4-1/2"		


Steel Spring Hinges Single Action, UL Listed

These spring hinges are packed and sold individually. All spring hinges supplied with flat head phillips wood and machine screws, hex wrench and instructions.





Square Corner. 4" x 4"





Part Number	Finish	Thickness
56-316SBRS	Satin Brass	3.4 mm
56-316SCH	Satin Chrome	3.4 mm
56-316USP	Gray Prime Coat	3.4 mm

Square Corner. 4-1/2" x 4-1/2"


Steel 2 Ball Bearing Butt Hinges

These ball bearing hinges are packed and sold in sets of three. All hinges are supplied with flat head phillips wood and machine screws.






Square Corner. 4-1/2" x 4-1/2" Non-Removable Pin




56-413SCH Satin Chrome Square Corner. 4-1/2" x 4-1/2"

Removable Pin (Non-Rising)

HINGES






Adjustable Set Hinge With Non-Removable Pin

Part #	Finish
56-224AB	Antique Brass
56-224BC	Brushed Chrome
56-224ORBZ	Oil Rubbed Bronze
56-224PB	Polished Brass
56-224PC	Polished Chrome
56-224TN	Tan
56-224W	White


Steel. Includes Screws WINDSOR/ SUPERIOR



Adjustable Guide Hinge

Part #	Finish
56-223AB	Antique Brass
56-223BC	Brushed Chrome
56-223ORBZ	Oil Rubbed Bronze
56-223PB	Polished Brass
56-223PC	Polished Chrome
56-223TN	Tan
56-223W	White


Steel. Includes Screws WINDSOR/ SUPERIOR



Residential Door Hinge

Part #	Description	
56-272SNK	With Removable Pin	
56-273SNK	With Non-Removable Pin	

- Steel Base Metal
- Square corner x 5/8" radius
- Plain bearing, five knuckle
- 4.0' material gauge= .099" (2.5mm) 4" X 4" Square Corner x 5/8" Radius Satin Nickel



Residential Door Hinge


Part #	Description
56-270SSS	With Removable Pin
56-271SSS	With Non-Removable Pin

- · Stainless Steel Base Metal
- 5/8" Radius corner on all corners
- · Plain bearing, five knuckle

INTERLOCK

• 4.0' material gauge= .099" (2.5mm) 4" X 4" Square Corner x 5/8" Radius **Brushed Stainless Steel**


MORTISE LOCKS




4" Square & Radius Corner Hinges

Part #	Hand
56-330RPB	RH Shown
56-330LPB	LH Opposite


Polished Brass Finish Sold in Pairs



<u>56-325</u> Converted Chromate Five Knuckle Butt Hinge Ready For Paint




19-1042W Storm Door Gravity Hinge. White




56-169 30mm Lock Body 2pt. Stainless Steel

. 1-11/16'



56-329SS Stainless Steel




Part #	"A" Backset
56-180	30mm
56-276	35mm
56-277	40mm
56-278	45mm

Non-handed due to reversible latch, ball lock with lubricant, bright nickel-plated and deadbolt, deadbolt secured against sawing through inserted steel pins, deadbolt throw 25mm, zinc-plated casing.

Stainless Steel Face Plate

KFV/ INTERLOCK




Part #	"A"	Faceplate
56-254	25/32"	20mm
56-255	45/64"	18mm

Non- Handed Magnetic Mortise Lock




MORTISE LOCKS




Reversible **PEACHTREE IPD/CITADEL**

For Installation Instructions go to www.strybuc.com/56/56-101-Installation.html



56-329SS Stainless Steel

MISCELLANEOUS SWING DOOR LOCKSETS




- Fits 2-1/8" Cross Bore on 6-3/32" Centers.
- Fits All Peachtree Prado Patio Doors
- Fits Right or Left Hand Doors

Part #	Finish
55-146PB	Polished Brass

This lockset also can be used on older Prado doors with a 1-3/4" cross bore. PEACHTREE/PRADO


MISCELLANEOUS SWING DOOR HARDWARE



Part #	Finish
55-126PB	Polished Brass
55-126PC	Polished Chrome
55-126SNK	Satin Nickel


An Exact Replacement For Atrium Door

FRONT VIEW



Part #	Description
55-196ABK	Active- With key (Shown)
55-196AB	Privacy- No key

Privacy Handle Set . Antique Brass Finish Solid Brass Handle



3/4

Ŏ

0

Finish

Shown

Inactive Door

PEACHTREE


Part #

56-102LH

This Construction Hardware is designed specifically to be used with the W & F Trilennium™ multipoint locking system. It saves the finish handle sets from damage and acts as a paint shield during the construction phrase. Although not intended as a security device, the Construction Hardware prevents direct access to the locking mechanism from the exterior. It's sturdy all metal construction also makes it reusable for multiple phases or different job sites.

<u>55-117</u> Construction Handle **W&F TRILENNIUM**

STORM DOOR **HANDLE SET**




56-269 Euro to American Profile Cylinder. Tru-Lock Dust Cap. Black PVC Adapter Converts Euro Profile Cylinder **AMESBURY**

Part #	Finish
19-466	Polished Brass
19-466B	Black
19-466SNK	Satin Nickel
19-466W	White

Complete Handle Set

ZINC BUSHING REPLACEMENT KIT



56-115B Black. For Eclipse, French, Single Island and Double Island Handle. See Page 47.

w/ Mortise Lock, Single Deadbolt & Strike

SIDE VIEW ASSEMBLED)

CYLINDER SCREW HOLE

EXPLODED

56-344

Mechanisms to Accept American Type Key

Cylinders Having Flat Tab Cylinder Tails


MISCELLANEOUS HANDLE SETS

Eclipse Series Handle Set- Keyed

Eclipse Series Handle Set- Keyless


French Series Handle Set- Keyed






Part #	Finish
55-220BRS	Brass Plated
55-220SNK	Satin Nickel (Shown)

Includes: Key Cylinder (Weiser keyway), Latch & Deadbolt set with 2-3/8" Backset, Radius Strike Plates, Spindle 9/32" SQ X 1-1/2", Mounting Screws 10-32 TH X 2-1/8"



Part #	Finish
55-236ANK-X	Antique Nickel (Shown)
55-236VBZ-X	Victorian Bronze

Note: Does Not Include Anything Else (NO HARDWARE, SCREWS, NOTHING)




<u></u>	
Part #	Finish
55-226AB	Antique Brass


₹_{7/32"} †

2-1/8" Crossbore


Includes: Key Cylinder (Weiser keyway), Latch & Deadbolt set with 2-3/8" Backset, Radius Strike Plates, Spindle 9/32" SQ X 2-9/16", Mounting Screws 10-32 TH X 2-7/16"

Single Island Escutcheons/ Versailles Handles (Patio Door Trimset w/ Key)










Includes: Key Cylinder (Weiser keyway), Latch & Deadbolt set with 2-3/8" Backset and Radius Strike Plates




STORM DOOR KNOB/PUSH PULL LATCH SETS



Tulip Knob Latch, Single Hole

Part #	Color
17-52	Aluminum


- Fits doors 1" 1-1/4" thick
- · Resilient strike
- Installs in single hole bore 1-1/4" diameter



Tulip Knob Latch

Part #	Color
17-59	Black
17-60	Aluminum


- Resilient strike
- 1-3/4" installation hole spacing
- Fits doors 1" 1-1/4" thick



Tulip Knob Latch "No Lock Out" Feature

Part #	Color
17-61	Aluminum

- · Solid strike
- 1-3/4" installation hole spacing
- "No Lock Out" feature prevents accidental lock out
- Fits doors 7/8" 1-1/4" thick




Tulip Knob Latch

Part #	Color
17-50	Aluminum
17-51	Black

- · Resilient strike
- 3" installation hole spacing
- Fits doors 1" 1-1/4" thick


STORM DOOR PUSH BUTTON LATCH SET



Tulip Key-In-Knob Lock (3")

Part #	Color
900-7320	Aluminum


- Resilient strike
- 3" installation hole spacing
- · Key lock for extra security
- Fits doors 7/8" 1-3/8" thick



Push Pull Latch

Part #	Color
17-67	Aluminum

- Popular for wood door applications.
- · Resilient strike
- Installs in 1" diameter single hole bore
- Fits Doors 1" 1-1/4" Thick




Part #	Color
17-65	Aluminum
17-66	Black

- Resilient strike
- 1-1/2" mounting hole spacing
- Fits doors 1" 1-1/4" thick
- Tie down type
- No Key Lock



Part #	Color
17-66K	Black


- · Resilient strike
- 1-1/2" mounting hole spacing
- Fits doors 1" 1-1/4" thick
- Tie down type
- With Key Lock



Part #	Color
17-58B	Black
17-58W	White

- Resilient strike
- 1-3/4" installation hole spacing
- Fits doors 1" 1-1/4" thick
- Tie down type

48



Part #	Color
17-82A	Aluminum
17-82	Black
17-82W	White

- Resilient strike
- 1-3/4" mounting hole spacing
- Fits doors 5/8" 1-1/4" thick
- Tie down type
- No Key Lock



Part #	Color
17-82KB	Black

- Resilient strike
- 1-3/4" mounting hole spacing
- Fits doors 5/8" 1-1/4" thick
- Tie down type
- With Key Lock



Part #	Color
17-73	Aluminum
17-72	Black

- Solid strike
- 1-3/4" installation hole spacing
- "No Lock Out" feature prevents accidental lock out
- Fits doors 5/8" 1-1/4" thick

STORM DOOR PUSH BUTTON LATCH SET



Part #	Color
17-83KB	Black


- · Heavy duty, solid strike with resilient inside handle
- · Button pin handle

- 1-3/4" mounting hole spacing
 Fits doors 7/8" 1-1/4" thick
 Push button unit furnished w/calibrated metal spindle & spring
- · Anti-lockout feature




Part #	Color
17-83	Black

- · Heavy duty, solid strike with resilient inside handle
- Button pin handle
- 1-3/4" mounting hole spacing Fits doors 7/8" 1-1/4" thick
- Push button unit furnished w/calibrated metal spindle & spring



Part #	Color
17-53	Aluminum
17-54	Black


- Resilient strike
- 1-3/4" installation hole spacing
- Fits doors 1" 1-1/4" thick



Part #	Color
900-7339	Aluminum
900-7339BL	Black
900-7339W	White

Heavy Duty Push Button Latch

- Solid strike
- 1-3/4" installation hole spacing
- "No Lock Out" feature prevents accidental lock out
- Fits doors 1" 1-1/4" thick




Push Button Set with Deadbolt

Part #	Color
900-13554K	Black
Deadholt Only	


	•
Part #	Color
900-13554DB	Black

- Mounting hole center 1-3/4"
- Fits doors 1" 1-1/4" Thick




Push Button Set Only

Part #	Color
900-13554	Black
900-13554BR	Brass with Black Internal Latch




Part #	Color
17-181	Black

- Colonial Tie Down Push Button
- No Key Lock



Part #	Color
17-181K	Black


- Colonial Tie Down Push Button
- With Key Lock



Part #	Color
900-7339KBL	Black

Heavy Duty Push Button Latch


- Solid strike
- 1-3/4" installation hole spacing
- "No Lock Out" feature prevents accidental lock out
- · Furnished with 2 Brass Keys
- Fits Doors 1" 1-1/4" Thick



Part #	Color
900-14570	Black

Colonial Heavy Duty Push Button Latch

- Solid strike
- 1-3/4" installation hole spacing
- "No Lock Out" feature prevents accidental lock out
- Fits Doors 1" 1-1/4" Thick




Part #	Color
19-709B	Black
19-709AL	Aluminum

Storm Door Hardware Kit. Does Not Include Chain




	Color	Part #
19-199B Black	Black	19-199B

Storm Door Hardware Kit with Chain Steel Tube




STORM DOOR PUSH BUTTON LATCH SET




Dout #	Color
Part #	Color
19-376W	White
19-376BR	Bronze

Corrosion Resistant. Ideal for Coastal Applications. Includes Pneumatic Door Closer, Heavy Duty Plastic Jamb Bracket, Push-Button Latch with 1-3/4" Installation Hole Spacing, Screws, and Instructions




Part #	Color
17-301-3	White
17-301-10	Black

Touch Bar Latch. Fits up to 36"




Part #	Color
17-70	Aluminum
17-70W	White
17-71	Black

- Solid strike
- 1-3/4" installation hole spacing
- "No Lock Out" feature prevents
- accidental lock out
 Fits doors 5/8" 1-1/4" thick
- No Key Lock




Part #	Color
17-70K	Aluminum
17-71K	Black

- · Solid strike
- 1-3/4" installation hole spacing
- "No Lock Out" feature prevents accidental lock out
- Fits doors 5/8" 1-1/4" thick
- With Key Lock



Part #	Color
17-56	Black
17-55	Aluminum

- Resilient strike
- 1-3/4" installation hole spacing
- Fits doors 1" 1-1/4" thick




Part #	Color
17-127	Brass Finish
17-127AB	Antique Brass
17-127B	Black

Quincy Push Button Latch Set

- Elegant Styled Handle with Interior Deadbolt
- "No Lock Out" Feature
- 1-3/4" Hole Spacing
- Installs in six 5/16" Diameter Holes
- Handle: 8"
- Reversible

VP PULL HANDLE SET


LOCKING HANDLE SET



Part #	Color
17-191-1	Black
17-191-3	White


1-3/4" Hole Spacing. Operates with a single natural smooth action.

IDEAL



Part Number	Exterior Finish	Interior Finish
900-22536	Black	White
900-22536PB	Polished Brass	White
900-22536PB/AD	Polished Brass	Almond


LEVER LATCH SETS



Part #	Finish
19-466	Polished Brass
19-466B	Black
19-466SNK	Satin Nickel
19-466W	White

Complete Handle Set with Mortise Lock, Single Deadbolt & Strike

LARSON



Part #	Interior	Exterior
17-128SCH	Satin Chrome	Satin Chrome
Storm Door Lever Set w/ Key & Deadbolt 1-3/4" Hole Centers		
	TEMO	

LEVER LATCH SETS

Beautifully Designed, Classically Styled Lever Handle with an Elegantly Sculptured Escutcheon





Lever Latch Set with **Keved Deadbolt**

,	
Part #	Color
17-25BK	Black
17-25WK	White
17-25BRSK	Brass



Lever Latch Only

Part #	Color
17-25B	Black
17-25W	White
17-25BRS	Brass
17-25SV	Silver

• Positive Key Locking Deadbolt for Security • Strong Leveling Return Spring Eliminates Lever Droop • Fits Doors 1" to 2-1/4" Thick

• 1-3/4" Hole Spacing - Upper and Lower Trims • Install in 5/16" Diameter Holes • For Doors with a Stile Greater Than 2" • Escutcheon Width 1-5/8" • Escutcheon Length: Upper 2-3/4", Lower 4-7/16" • Lever Projection 2-1/8" (From Door) • Backset - Variable with Several Strike Options Included • Lever Length from Center of Hub: 4" • Non-Handed, Designed to Complement Both Right and Left Hand Doors • Escutcheon Plate Included for Use with Inside Latch





The newly redesigned Model 17-155 is a solid brass screen or storm door latch set. The lock case, escutcheon plate and strike are hot-forged and precision machined for smooth operation. The spring mechanism is stainless steel. The lever and threaded spindle are hot-forged in one piece for added strength, and the knob is turned from brass bar stock. The latch set is supplied with an angle strike and a rim strike. Backset is 1-9/16". The threaded spindle allows easy adjustment for door thicknesses of 1-1/8" to 1-3/4". Thinner doors can be accommodated by cutting the spindle.

Dimensions: Case 2-1/4" X 2"

Back Plate 1-1/4" X 4" Knob 1-5/8" diameter Overall Depth: Lever side 1-7/16" Knob side 1-1/2"

Part #	Finish
17-155	Polished Lacquered
17-155SNK	Satin Nickel





19-319

The Model 19-319 cam fastener is a solid brass assembly designed to fasten wood storm or screen inserts into a combination door or other frame. The standard finish is unlacquered.

TRAILER LATCH SETS



Inswing Door Latch Set

monning Book Eaton oot	
Part #	Color
900-7323	Aluminum
900-7323B	Black
900-7323W	White

- Combination Doors 5/8" to 1-3/8" Thick
- Nylon Bearings Provide Lifetime Lubrication
- Features a Night Lock and an Easy Latching Resilient Strike
- · Reversible for Right and Left Hand Doors and Fits Stiles as Narrow as 1-3/8"
- Installs in Three 1/4" Holes
- Inside Lever Projection is 3"
- Outside Lever Projection is 3-3/4"
- Mounts 1-3/4" Center to Center

IDFAL



D (!!	0.1
Part #	Color
17-21KA	Aluminum

Low Profile Trailer Lock Set with Key (Entrance)

- · For Outswinging Wood or Metal Doors
- Fits 3/4" to 1-1/4" Doors
- Installation Hole Spacing 1-3/4"
- Installs in Two 5/16" Holes and One 7/8" Hole
- · Use Wherever a Keyed Locking Unit is Required
- "No Lock Out" Feature




Part #	Color
17-21B	Black

Low Profile Trailer Lock Set with Push Button (Privacy)

- For Outswinging Wood or Metal Doors
- Fits 1/2" to 1-1/4" Doors
- Installation Hole Spacing 1-3/4"
- Installs in Three 5/16" Holes
- Emergency Entrance can be Made from the Outside by Using a Coin or Screwdriver
- "No Lock Out" Feature


STORM DOOR CLOSERS



Part #	Color
18-52	Aluminum
18-53	Black
18-52W	White

Pneumatic Door Closer


- For Light Weight Screen Doors
- For Wood or Metal Doors
- For Outswinging Doors
- Full 90° Opening
- Adjustable Closing Speed
- Factory Lubricated



Part #	Color
18-63	Aluminum
18-62	Black
18-62W	White

Economy Air Closer


- For Doors up to 1-1/4" Thick
- Adjustable Closing Power



Color
Aluminum
Black
White


Silent Action Door Closer

- For Doors up to 1-1/4" Thick
- Permanently Lubricated
- · Adjustable Latching Power
- Adapter Plates to Cover Old Holes



Part #	Color
18-71	Aluminum
18-71B	Black


- **Pneumatic Door Closer**
- For Doors up to 1-1/4" Thick
- Temperature Changes Do Not Affect Closing Action
- Permanently Lubricated
- Automatic Hold Open/Easy Close Feature



Part #	Color
18-58	Aluminum
18-57	Black

"Smooth Air" Heavy Duty Door Closer

- · For Storm and Screen, Jalousie
- or Interior Doors up to 1-3/4" Thick · Has Two Times the Power of Standard
- Closers at Latching Position
- Permanently Lubricated
- Adjustable Speed Control



Part #	Color
18-103	Aluminum
18-102	Black
18-102W	White

820 Pneumatic Door Closer


- For Light Storm Doors of Wood or Metal
- Full 90° Opening
- Two-Hole End Plug for Summer and Winter Adjustment
- · Adjustable Closing Speed
- Total Length when Mounted Per Instructions: 11-1/16"



Part #	Color
18-61	Aluminum
18-60	Black
18-60W	White

Pneumatic Door Closer

- For Wood or Metal Doors
- Full 90° Opening
- Two-Hole End Plug for Summer and Winter Adjustment
- Adjustable Closing Speed
- External Spring to Prevent Rod Bending • Packaged with Narrow and Wide Bracket
- Total Length when Mounted Per
- Instructions: 13-7/16"




Part #	Color
18-114	Aluminum
18-112	Black
18-113	White

920 Pneumatic Door Closer

- For Wood or Metal Doors
- Full 90° Opening
- Two-Hole End Plug for Summer and Winter Adjustable Latching Power
- · Adjustable Closing Speed
- Total Length when Mounted Per Instructions: 12-11/16"




STORM DOOR CLOSERS



18-146 Black


Hydraulic Door Closer



Part #	Color
18-97	Aluminum
18-97B	Black
18-97W	White
18-97G	Gold

150 Heavy Duty Torsion Pneumatic Door Closer

- For Wood or Metal Doors
- Full 90° Opening
- Two-Hole End Plug for Summer and Winter Adjustment
- Adjustable Closing Speed
- Internal Bumper for Prevention of Rod Bending
- Total Length when Mounted Per Instructions: 12-3/4"



Color
Aluminum
Black

H440 Hydraulic Door Closer

- Hydraulic Mechanism Provides Smooth "No Bounce" Action
- For Wood or Metal Doors
- Full 90° Opening
- Two-Hole End Plug for Summer and Winter Adjustment
- · Adjustable Closing Speed by Rotating the Tube
- · Aluminum Tube Assembly
- Total Length when Mounted Per Instructions: 12-11/16"




Part #	Color
18-143	Black
18-143AL	Aluminum
18-143W	White

Standard Pneumatic Door Closer

- Internal spring for shock absorption
- Provides 90° opening for outswinging doors
- Adjustable closing speed control valve
- Permanent internal lubrication
- · All necessary hardware included

STORM DOOR INSIDE LATCHES




Inside Latch and Deadbolt

Part #	Color
17-135	Black

Deadlock Only


Part #	Color
17-160	Black
17-160W	White

- Durable, Heavy-Duty Design
- 1-3/4" Installation Hole Spacing
- Installs in Three 5/16" Holes
- · Spring Loaded Nose for use with Z-Bar or Solid Strike
- · Latch Assembly and Deadbolt are Reversible
- Can Replace Lever, Knob or Push **Button Latch Designs**




Inside Latch Only

Part #	Color
17-140	Black




2-3/4" →	
Part #	Color
17-1	Black
17-2	Aluminum


- For all Outswinging Doors 5/8" to 1-1/4" thick
- "No Lock Out" Feature
- 1-3/4" Mounting Hole Spacing
- Installs in Three 5/16" Holes
- Has a Spring Loaded Nose so a Solid Strike is Required




- Installs in Three 5/16" Holes
- Has a Spring Loaded Nose so
- Z-Bar or Solid Strike is Required
- "No Lock Out" Feature



Part #	Color
17-174	Black






17-3	Diack
1-3/4" Mountin	g Hole Spacing.
Standard Latch	

LOCKS



Part #	Color	Converts Handles
19-125	Black	17-65, 17-66


Converts Latches to Key Locking Sets



Part #	Color	Converts Handles
19-127	Dlook	17-56, 17-71, 17-96,
19-121	DIACK	900-7339B. 900-7340


Converts Latches to Key Locking Sets

STORM DOOR PANEL CLIPS AND THUMB SCREWS



Part #	Color
19-465	White
19-465B	Black

Storm/Screen Door Panel Clip Kits. Includes 4 Each, 2 Styles (Deep and Shallow Reach) of Nylon Clips and 4 Aluminum Screws 8/32" x 1/4" (12pcs. Total)




Part #	Color
19-122	Aluminum
19-112 White	

1/4" Offset. Metal



Part #	Color
19-129	White
Nylon	



Part #	Color
900-8004BK	Black
Metal	




Part #	Color
19-116	Aluminum
19-123	White
19-123B	Brown

8-32 x 9/16". Aluminum

STRIKES


Part #	Color
19-100	Aluminum
19-108	White
19-109	Brown
19-109BZ	Bronze

1/4" Offset. Metal




Part #	Color
19-102	Aluminum
19-110	White

3/8" Offset. Metal




Part #	Color
900-14558	White
900-14558AL	Aluminum

1/4" Offset. Metal



900-6759 Storm Door Clip. White




Part #	Color	Α
19-185A	Silver	1/4"
19-185B	Black	1/4"
19-197	Steel	1/2"
19-197B	Black	1/2"


No Lock Out. Zinc Solid

SHIMS

HINGE




19-227 Black Nylon



Part #	Color
19-194B	Black
0/4# LE-1- D	Clar Described

3/4" High Profile. Resilient



Part #	Color
19-300B	Black
19-300AL	Silver
19-300W	White

9/16" High Profile. Resilient




Gray



1/8" Shim (plastic) Gray

BRACKET



Part #	Color
19-708	Aluminum
19-708BZ	Bronze
19-708W	White

Offset Screen Door Hinge

PUSH BUTTON

DOOR CHAIN



<u>19-131</u> Black Plastic. Used with 17-56 & 17-58



Includes Hold-Up Spring to Prevent Chain from Hitting Door and Scratching Glass. Includes All Necessary Hardware




<u>19-313</u> Inswinging Jamb Bracket for Heavy Duty Pneumatic Door Closer. Includes Pin, Screws and Instructions.



Part #	Color
19-332W	White
19-332B	Black
19-332FBN	Florida Brown

Florida Jamb Bracket. Plastic.



66-61X Vinyl Screen Spline. Black, 100' Roll **FOREVER DOOR**

with Spring **54**


<u>19-128</u>

Metal Breakaway Spindle

PRECISION BEARING ROLLER ASSEMBLY FOR PATIO SLIDING GLASS DOOR



Part #	D	С	d	В	R	L
11-212	1-1/2"	1-1/4"	1/4"	5/16"	1/8"	3/8"
11-214	1-1/4"	1"	1/4"	5/16"	1/8"	3/8"



- 1. Outer Ring Stainless Steel
- 2. Reinforced Nylon
- 3. Precision Bearing


ABB Series Precision Bearing Stainless Steel Wheels

Completely new design that establishes a new level of quality for Patio Door Rollers. Design Highlights:

- · Ideal for coastal applications
- · Extremely smooth rolling
- Less operating force (motion to open/close)
- · Less noise and vibrations
- · Better corrosion resistance
- The Precision Bearing is factory greased and completely sealed
- The outer ring, that is the rolling surface of the wheel, is made of Stainless Steel to avoid any rust formation between the wheel and the track
- Using composite nylon, the Precision Bearing is assembled with the outer ring by an injection molding process



Part #	Wheel
11-227	1-1/2"
11-237	1-1/4"




- 1. Outer Ring Nylon
- 2. Reinforced Nylon
- 3. Precision Bearing

MBB Series Precision Bearing Nylon Wheels


This is an upgraded Nylon wheel that is assembled with a precision bearing as in the ABB Series. The Nylon tire is injected with fiber glass reinforced Nylon. The competitive advantages of this wheel are similar to those for the ABB Series.

- · Extremely smooth rolling
- Less operating force (motion to open/close)
- Less noise and vibrations
- Higher Load capacity of 65 Lbs. per wheel (compared to 45 Lbs. per wheel on a regular Nylon wheel)
- The Precision Bearing is factory greased and completely sealed




Part #	Wheel Type
900-10106NPB	Nylon
900-10106SPB	Stainless Steel

NU-AIR




Part #	Size	Outer Ring
9-252SPB	1-1/4"	Stainless Steel
9-252NPB	1-1/4"	Nylon

MILLER




Part #	Size	Outer Ring
9-257SPB	1-1/2"	Stainless Steel
9-257NPB	1-1/2"	Nylon

PAN AM




Part #	Size	Outer Ring
9-457SPB	1-1/2"	Stainless Steel
9-457NPB	1-1/2"	Nylon

PAN AM/AAA




Part #	Α	Outer Ring
9-247-1.25SPB	1-1/4"	Stainless Steel
9-247SPB	1-1/2"	Stainless Steel
9-247NPB	1-1/2"	Nylon

YALE OGRON




Part #	Size	Outer Ring		
9-249SPB	1-1/2"	Stainless Steel		
9-249NPB 1-1/2" Nylon				
WEATHERTITE/LAWSON				



Part #	Size	Outer Ring
9-406SPB	1-1/2"	Stainless Steel
9-406NPB	1-1/2"	Nylon

PGT




Part #	Size	Outer Ring
9-364SPB	1-1/2"	Stainless Steel
9-364NPB	1-1/2"	Nylon

Max. Width at Locking Tangs 31/32"


LAWSON/WALLACE



PRECISION BEARING ROLLER ASSEMBLY FOR PATIO SLIDING GLASS DOOR




Part #	Size	Outer Ring	
9-392SPB	1-1/2"	Stainless Steel	
Max. Housing Thickness 3/4"			




Part #	Size	Outer Ring
9-330SPB	1-1/2"	Stainless Steel

SECURITY




Part #	Size	Outer Ring
9-366SPB	1-1/2"	Stainless Steel

Max. Dimple Width 29/32" Max. Width at Locking Tangs 1"
BINNINGS/PAN AM




Part #	Size	Outer Ring
9-338SPB	1-1/2"	Stainless Steel

Maximum Width at Locking Tangs 7/8" HARCAR/KELLER/PAN AM




		·
Part #	Α	Outer Ring
9-453SPB	1-1/2"	Stainless Steel
9-453NPB	1-1/2"	Nylon

LAWSON




Part #	Size	Outer Ring
9-364SS-SPB	1-1/2"	Stainless Steel
9-364SS-NPB	1-1/2"	Nylon

LAWSON/WALLACE




Part #	Size	Outer Ring
9-237SPB	1-1/2"	Stainless Steel
9-937NPB	1-1/2"	Nylon

WALLACE




Part #	Size	Outer Ring
900-11287SPB	1-1/2"	Stainless Steel
900-11287NPB	1-1/2"	Nylon

CROWN/LAWSON




Part #	Size	Outer Ring
900-22583NPB	1-21/32"	Nylon




Part #	Size	Outer Ring
9-368SS-SPB	1-1/4"	Stainless Steel
9-368SS-NPB	1-1/4"	Nylon

THERMALUME




Part #	Α	Outer Ring
		Stainless Steel
9-443SS-1.25SPB*	1-1/4"	Stainless Steel
9-443SPB	1-1/2"	Stainless Steel
9-443NPB	1-1/2"	Nylon

NU-AIR *All Stainless Steel




Part #	Wheel Type
9-312SPB	Stainless Steel
9-312NPB	Nylon

Stainless Steel Housing



Part #	Size	9
900-22693-SPB	1-1/2"	Stainless Steel
900-22693-NPB	1-1/2"	Nylon


	1-1/2" [/KING	
NDD	1-1/2"	Mylon
-SPB	1-1/2"	Stainless Steel



Part #	Wheel Type	Wheel Size
9-403SPB	Stainless Steel	1-1/2"
9-403NPB	Nylon	1-1/2"
Maximum Housing Width 3/4"		



Part #	Size	Outer Ring
9-309SPB	1-1/2" Stainless Stee	
9-309NPB 1-1/2" Nylon		
PAN AM		



Part #	Size	Outer Ring
9-502SPB	1-21/32"	Stainless Steel
9-502NPB	1-21/32"	Nylon


Your Roller Assembly Not Listed?

Call your sales representative and find out if we can furnish your particular patio door roller assembly with our Precision Bearing Roller. We have machine shop capabilities where we can supply many patio door roller assemblies equipped with our new Precision Bearing Roller.






In Order by Wheel Diameter




Part #	Wheel Type
9-291	Concave
9-291F	Flat


USED BY TRACO



ACORN








CAPITOL


1-1/16"

1-1/8"





Part #	Wheel Type
900-10138	Flat
9-333	Concave

CAPITOL/REMINGTON




9-306 CAPITOL/REMINGTON












9-325 No Longer Available. Use 900-14295C




900-14295C




900-16155 **SUGAR CREEK**




900-16711







9-324 Max. Dimple Width 7/8"



9-293



2-5/8 7/8" 1-1/8" Steel 9-279 Top Hole CAPITOL




TOLL FREE: 800-352-0800



STAMPED GLASS DOOR ROLLER ASSEMBLIES


In Order by Wheel Diameter

1-1/4"




Part #	Wheel Type
900-10106	Steel
900-10106N	Nylon
900-10106SS	Stainless Steel


NU-AIR




<u>900-15153</u> Dimple Width 3/4" Tang Width 7/8"




900-10095 Max. Dimple Width 13/16" **BETTER-BILT**




Part # Wheel Type Steel 9-230



900-18187 BLOMBERG




9-238




Part #	Wheel Type
9-258	Steel
9-258N	Nylon

DARYL




CROSSLY




Part #	Wheel Type	
900-7662	Steel	
900-7662SS	Stainless Steel	
Max. Dimple Width 3/4"		

ACORN/ARUNDEL




900-13579 Max. Dimple Width 23/32" ARUNDEL




9-215


ACORN









ADOR HI-LITE









Part #	Wheel Type
900-13138	Steel
LOOK	



Part #	Wheel Type
9-266	Steel
9-266SS	Stainless Steel
PEACHTREE	










9-286




Part #	Wheel Type
9-216	Steel
9-216P	Nylon


STAMPED GLASS DOOR ROLLER ASSEMBLIES

In Order by Wheel Diameter


1-1/4"




900-13399 Roller Mark II. Max. Dimple Width 7/8". Steel Ball Bearing Roller NORANDEX



Part #	Wheel Type
9-294	Steel
9-294N	Nylon




900-10098A




Part #	Wheel Type	
9-262M	Steel	
9-262	Nylon	


Top Hole




Part #	Wheel Type
9-263M	Steel
9-263	Nylon

Bottom Hole












ACORN






1-1/2"




Part #	Α
900-18770	1-1/4"
900-18770-1.5	1-1/2"


Supplied With Screw




Part #	Wheel Type
9-217M	Steel
9-217P	Nylon




9-225 **MARSHALL**




Part #	Wheel Type
9-350	Steel




LENAHAN/DARYL




Part #	Wheel Type
9-260M	Steel
9-260	Nylon




Part #	Wheel Type
9-261	Steel
9-261N	Nylon
9-261SS	Stainless Steel
AIR CONTROL/KELLER	






Part #	Wheel Type	
9-392	Steel	
9-392SS	Stainless Steel	
Max. Housing Thickness 3/4"		



TOLL FREE: 800-352-0800


STAMPED GLASS DOOR ROLLER ASSEMBLIES In Order by Wheel Diameter

1-1/2"




Part #	Wheel Type
900-10116	Steel
900-10116SS	Stainless Steel

BINNINGS




900-10107



Part #	Wheel Type
9-304	Steel
Maximum Width at Locking	


Tangs 57/64" KINCO/HARCAR



Part #	Wheel Type
900-11287	Steel
900-11287N	Nylon
900-11287SS	Stainless Steel


Maximum Width at Locking Tangs 7/8"

CROWN/LAWSON




Part #	Wheel Type
9-338N	Nylon
9-338	Steel
9-338SS	Stainless Steel

Maximum Width at Locking Tangs 7/8" HARCAR




Part #	Wheel Type
9-366	Steel
9-366N	Nylon
9-366SS	Stainless Steel

Max. Dimple Width 29/32" Max. Width at Locking Tangs 1" **BINNINGS/PAN AM**




Part #	Wheel Type
9-327	Nylon
9-327S	Steel


Max. Dimple Width 27/32". Max. Width at Locking Tangs 59/64"




9-235 KELLER




Part #	Wheel Type
9-220	Nylon
9-229	Steel




Part #	Wheel Type
9-201	Steel
Dimple Width 25/32"	




Steel Outer & Inner Housing with 1-1/2" Steel Wheel PGT




Part #	Wheel Type
9-255	Nylon
9-255M	Steel
LUMIDOR	



Part #	Wheel Type
9-233	Steel
9-233N	Nylon
STANLEY	





<u>9-211</u> **HARCAR**



<u>9-377</u> Dimple Width 7/8" **CROWN INDUSTRIES**

DIE CAST ROLLER ASSEMBLIES











9-202 Flat Roller



9-277 ATLAS/PORTALUME



9-303 Flat Roller


DIE CAST ROLLER ASSEMBLIES



Part # Hand 9-241RH Shown 9-241LH Opposite


MILLER

In Order by Wheel Diameter




1-1/4"


9-214 **BINNINGS**



9-276



Part #	Wheel Type
9-248	Steel
9-248SS	Stainless Steel




9-275

EXTRUDED GLASS DOOR ROLLER ASSEMBLIES


In Order by Wheel Diameter

1-1/2"






900-11663A with Corner Housing and Screw SILVER LINE




1-1/4"

900-11663 **SILVER LINE**



PEACHTREE



Part #	Wheel Type
9-205	Steel
9-205P	Nylon

PEACHTREE


1-5/16"

9-268

KELLER/AIR CONTROL


	1
Part #	Wheel Type
9-252	Steel
9-252N	Nylon
9-252SS	Stainless Steel

MILLER




Part #	Wheel Type
9-371	Steel
9-371N	Nylon
9-371SS	Stainless Steel






9-236 **PEACHTREE**




9-247-1.25S YALE




900-9582


CROSSLY




Part #	Wheel Type
9-406	Steel
9-406N	Nylon
9-406SS	Stainless Steel
DCT	




Part #	Wheel Type
9-330	Steel
9-330N	Nylon
9-330SS	Stainless Steel



9-336 1-1/2" Steel Wheel PGT/ONECO



9-361




Part #	Wheel Type
9-247	Steel
9-247N	Nylon
9-247SS	Stainless Steel

YALE

EXTRUDED GLASS DOOR ROLLER ASSEMBLIES


In Order by Wheel Diameter






Part #	Wheel Type
9-237	Nylon
9-237S	Steel

WALLACE




Part #	Wheel Type
9-257	Steel
9-257N	Nylon
9-257SS	Stainless Steel

PAN AM




Part #	Wheel Type
9-249	Steel
9-249SS	Stainless Steel

LAWSON




900-22072-OS

Old Style, Pre 1992. Fits Pella




900-22072-NS

New Style




Part #	Wheel Type
9-364	Nylon
9-364S	Steel
9-364SS	Stainless Steel


Max. Width at Locking Tangs 31/32"



9-240 **PLAMETRON**




Part #	Wheel Type
9-453	Steel
9-453SS	Stainless Steel



9-370 WALLACE/LAWSON


TANDEM ROLLERS In Order by Wheel Diameter



Part #	Wheel Type	
9-457	Steel	
9-457N	Nylon	


Tab to Tab 1-1/2"

1-21/32"




900-22583 ALCAN/NORANDEX

1-11/16"




Part #	Wheel Type	
9-254SS	Nylon Wheel with Stainless Steel Inner Race	
9-254SS-M	Stainless Steel Ball Bearing Wheel	

DARYL/PLAZA




Part #	Wheel Type	
9-267	Nylon	
9-267S	Steel	



900-9978 Steel Wheel. Dimple Width 3/4" LOOK/RUSCO

1-1/4"




Part #	Wheel Type	Α
9-405A	Steel	1-1/8"
9-405SS	Stainless Steel (Housing, Wheels & Screw	1-1/8"
9-405	Steel	1"


ACORN

900-19383SS-1 1/8 Stainless Steel 1-1/8" Wheels


62




900-12579 Maximum Width at Tangs is .795



900-20897 D=1-1/8" Steel Rollers Max Width at Tangs .810 **FLEETWOOD**



Part #	Wheel Type	
900-19383 Steel		
900-19383N	Nylon	
900-19383SS	Stainless Steel	




Part #	Α	Wheel Type
900-19536	1-1/4"	Steel
900-19536A	1-1/8"	Steel
900-19536SS	1-1/4"	Stainless Steel

WELLS 2000


TANDEM ROLLERS

In Order by Wheel Diameter




Part #	Wheel Type	
9-368S	Steel	
9-368SS	Stainless Steel	


Max. Housing Width at Locking Tangs = 7/8". Inner Housing Stainless Steel THERMALUME




Part #	Wheel Type	
9-239	Steel	
9-312	Stainless Steel (Housing and Wheels)	
9-317	"Flat" Nylon Rollers	



Part #	Wheel Type	
9-239T	Steel	
9-310T	Nylon	
9-312T	Stainless Steel	



9-449 Steel Housing with Nylon Ball Bearing Wheel
PH TECH/AMERIMAX




900-20799

D=1-1/4" Steel Rollers Max Width at Tangs .710 PLY-GEM

1-3/16"





Part #	Wheel Type	Housing Type	
9-313T	9-313T Steel St		
9-316T	Stainless Steel	Steel	
9-316	Stainless Steel	Stainless Steel	
9-346T	Nylon	Stainless Steel	


Stainless Steel Housing

Part #


9-455

9-455C

9-455A



750-1273704 No Longer Available. Use: 9-239T



750-1997061

1-1/2"

9-367 Maximum housing width at flares 1-3/16"

Stainless Steel

Stainless Steel











9-274SS

Stainless Steel Housing with (2) 1-7/16" Stainless Steel Wheels



900-20545 1-1/2" Metal Wheel




Part #	Wheel Type	
9-234	Steel	

FLEETWOOD



Part #	Wheel Type	Α
9-397N	Nylon	1-1/4"
9-397	Steel	1-1/4"
9-397SS	Stainless Steel	1-1/4"
9-441	Steel	1-1/2"



Type

Domestic

Imported


Imported

1-1/4"


1-1/4"

1-1/8"


Part #	Wheel Type
900-22357	Steel
Hook Mounting	




Part #	Wheel Type
900-22693	Steel
900-22693N	Nylon
900-22693SS	Stainless Steel



Part #	Wheel Type
9-309	Steel
9-309SS	Stainless Steel
1 1/2" Whool	



Part #	Wheel Type
9-443	Steel
9-443SS	Stainless Steel




ı	Part #	Wheel Type	
	900-22358	Steel	
	900-22358SS	Stainless Steel	
	Top Hole Mounting		




TANDEM ROLLERS

In Order by Wheel Diameter




Part #	Wheel Type
9-280	Steel
9-280SS	Stainless Steel


Max. Housing Width 1-7/32" ARCADIA/KAWNEER




Part #	Wheel Type
9-280D	Steel
Max. Housing Width 1-7/32"	
Domestic Version	




9-473SS Stainless Steel Wheels PGT




900-12198 KAWNEER




9-507SS Stainless Steel **FLEETWOOD**



9-280MT-SS Stainless Steel ARCADIA




Part #	Wheel Type
9-448	Steel
9-448SS	Stainless Steel



Part #	Wheel Type
9-456	Black Nylon
9-456NB	Nylon Ball Bearing

TM PRODUCTS




Part #	Wheel Type	Wheel Size
9-403A	Steel	1-1/8"
9-403B	Steel	1-1/4"
9-403	Steel	1-1/2"
9-403BN	Nylon	1-1/4"
9-403A-SS	Stainless Steel	1-1/8"
9-403BSS	Stainless Steel	1-1/4"
9-403SS	Stainless Steel	1-1/2"


Maximum Housing Width 3/4" **PGT/SILVERLINE/ATRIUM**

1-5/8"

1-11/16"




9-474SS Stainless Steel PGT/ KAWNEER




Part #	Wheel Type
9-375	Steel
9-375SS	Stainless Steel

GUARANTEED PRODUCTS/ JORDAN COMPANY



Part #	Wheel Type
9-454	Steel
9-454SS	Stainless Steel
Housing Matches Wheel	




PDR238-DD Stainless Steel Housing w/ 1-5/8" Precision Bearing Nylon Wheels KELEGENT




9-254T 1-11/16" Nylon Wheels Aluminum Housing w/Stainless Steel Inner

SCREEN DOOR ROLLER ASSEMBLIES




9-378


1-11/16" Nylon Wheels w/ Stainless Steel Ball Bearings. 1" Width Aluminum Outer Housing Stainless Steel Inner Housing ALCAN/ NORANDEX




Part #	Wheel Type
10-356	Nylon
10-392	Steel




10-436 Nylon Wheel



Part # Wheel Type		
10-407	Nylon	
10-407M Steel		
COLUMBIA		




Part #	Wheel Type
10-323	Nylon
10-323M	Steel




750-1997063 Upper





Part # Wheel Type		
10-312	Nylon	
10-372 Steel		
METAL INDUSTRIES		





Part #	Wheel Type
10-396	Nylon
10-396M	Steel



















16-301 Corner for 10-414




Part #	"A"	Wheel Type
10-358	7/8"	Nylon
10-371	1"	Steel




Part #	"A"	"B"	Wheel Groove
10-314	17/64"	2-1/2"	
10-314R	15/64"	2-5/16"	
Nylon Wheel			




Part #	Wheel Type
10-306	Nylon
10-306M	Steel




10-300 KELLER




10-391 Nylon Wheel




Part #	Wheel Type
10-348	Nylon
10-348M	Steel



Part #	Wheel Type	Wheel Width
10-360	Nylon	1/4"
10-360M	Steel	3/16"




10-368 ACORN




Part #	Wheel Type
10-343	Nylon
10-343M	Steel

Mounting Holes 1-11/16" **COLUMBIA**




Part #	Wheel Type
10-403	Nylon
10-403M	Steel


COLUMBIA









10-406 Nylon 10-406M Steel **COLUMBIA**



750-1274104




750-1997310 Lower












10-365 **ADOR HI-LITE**




<u>10-387</u> **ADOR HI-LITE**



<u>10-326</u> **ADOR HI-LITE**




10-401 **WEATHER SHIELD**




Hand
LH (shown)
RH

Adjustable Roller RITESCREEN




Part #	Wheel Type
10-410	Steel
10-410P	Nylon
10-410SS	Stainless Steel




Part #	Wheel Type
900-20072	Nylon
900-20072S	Steel

RITESCREEN/METAL **INDUSTRIES**




10-302 **CHRYSLER**





Part #	Wheel Type	
10-367	Nylon	
10-367M Steel		

JIM WALTERS




Part #	Wheel Type
900-9705	Nylon
900-9705S	Steel
900-9705SS Stainless Steel	
YALE-OGRON	






Part # Wheel Type		
900-19216	Nylon	
900-19216M Steel		
Moss		




10-394 **PEACHTREE**




10-394M


PEACHTREE



10-351 **CROSSLY**



900-14766
Top Hung. Use with 10-395
WEATHER-BARR




10-395 Use with 900-14766 **WEATHER-BARR**



900-17614 Adjustment Sleeve for 10-395




900-17615Adjustment Screw for 10-395




Part #	Wheel Type
10-457	Nylon
10-457SS	Stainless Steel


FLORIDA SCREEN




900-9068 PEACHTREE




900-14226 PEACHTREE



10-417 Old Style BALTIMORE THERMAL




10-417NS BALTIMORE THERMAL




Part #	Wheel Type
10-373	Nylon
10-373M	Steel

Maximum Corner Thickness 7/16"

JIM WALTERS




10-399 Maximum Corner Thickness 13/32" ACORN




Part #	Description	Corner Thickness
10-398	Nylon for Steel Doors	15/32"
10-398A	Nylon for Aluminum Doors	7/16"
10-398S	Steel for Steel Doors	15/32"
10-398AS	Steel for Aluminum Doors	7/16"


RITESCREEN




11/32"

JIM WALTERS








1-	1/4"	5/16"


Part #	Wheel Type
10-408	Nylon
10-408M	Steel


Part of 10-402LH/RH **COLUMBIA**







10-317 DARYL







<u>10-443</u> 1" Metal Wheel. Adjustable Vertical Roller 15/64" thru 7/8" **Highest Position** NORCO



Aluminum Bracket w/Nylon Guide CROFT

TRACK AND **ROLLER ASSEMBLY**


NYLON WHEELS

In Order by Wheel Diameter




Part #	Description	
900-15116	for 34" Glass 38-1/2"	
900-15117	for 46" Glass 50"	

Assembly has Four 1-1/8" Steel Adjustable Rollers










Nylon with Axle









Part #	Α	В	С	D
11-112	1-5/64"	1/4"	1/4"	1/4"

Nylon with Post and Screw **AIR CONTROL**

STEEL WHEELS

In Order by Wheel Diameter



Part #	Α	В	С	D
11-120	1-1/4"	1/4"	11/32"	5/16"

Nylon with Ball Bearing Steel Hub



Part #	Α	В	С	D
11-122	1-31/64"	1/4"	11/32"	19/64"

Nylon with Ball Bearing Steel Hub



Part #	Α	В	С	D
11-110	1-11/16"	1/4"	29/64"	13/32"

Nylon with Steel Ball Bearing Hub



Part #	Α	В	С	D
11-130	1"	1/4"	3/8"	5/16"

Steel with Steel Ball Bearing Hub, Nut & Bolt.

11-130X for Roller Only





SLIDING GLASS & SCREEN DOOR KEEPERS




Part # В **11-116** 1-1/4" 1/4" 11/32" 5/16" Steel with Steel Ball Bearing Hub

Nut & Bolt.

11-110X for Roller Offing				
Part #	Α	В	С	D
11-116SS	1-1/4"	1/4"	11/32"	5/16"


Stainless Steel Roller Only






Steel with Steel Ball Bearing Hub **ACORN**






Steel with Steel Ball Bearing Hub В С **11-111SS** | 1-15/32" | 1/4" | 11/32" | 5/16" All Stainless Steel



12-251 Chrome Plated MILLER




Part #	Finish
12-214	Chrome
12-214B	Black


SLIDING GLASS & SCREEN DOOR KEEPERS




12-211 Chrome Plated Narrow



12-205 Chrome Plated CROSSLY



12-216




900-9332






Part #	Finish
12-237	Aluminum
12-237B	Black


Universal Strike Kit




900-69 Mill Finish YALE-OGRON




Metal
WRIGHT PRODUCTS



12-206 Metal RITE SCREEN




12-248 Metal ACORN




12-240 Steel


Steel WRIGHT PRODUCTS




12-212 Mill Finish RITE SCREEN



Part #	"A"
12-207	11/16"
12-226	3/16"
12-255	5/16"
12-230	15/32"
Mill Finish	




<u>12-256</u>




<u>12-287</u>

BAYFORM




12-306 Aluminum




12-268 White Nylon PGT/LAWSON




12-250 Metal



12-249 Chrome Plated



12-232 Metal




12-247 Metal

FLUSH MOUNT HANDLES FOR PATIO DOORS


In Order by Hole Spacing



Part #	Hand	Finish	
13-171	Shown	Aluminum	
13-172	Opposite	Aluminum	
TUCKER			




DARYL



Part #	Finish
13-275	Black
13-275W	White
13-275AB	Antique Brass





<u>13-391</u> Black **ADAMS RITE**



<u>13-175</u> Less Key Lock **MILLER**



<u>13-100</u> Handle Set Less Key Lock Chrome Plated For Optional Pull Handle Use 13-108 CROSSLY




<u>13-107</u> Handle Set with Key Lock Chrome Plated For Optional Pull Handle Use 13-108 CROSSLY

7-1/2"

6-5/8"

7/8"



Black No Longer Available. Use: 13-140B or 13-192B

Fit-All Flush Mount Handle Set with Nite Lock

Both Handle Sets Include: Each of 5 Cam Sizes (S,C,P,X,K), 2 Screws and Keeper

Handle Set without Key Cylinder

• •	
Part #	Finish
13-140	Chrome
13-140B	Black
13-140W	White
13-140BZ Bronze	
Handle Set v	vith Key Cylinder

Handle Set with Key Cylinder	
Part #	Finish
13-140K	Chrome
13-140BK	Black
13-140WK	White

Fit-All Flush Mount Handle Set without Nite Lock

Both Handle Sets Include: Each of 5 Cam Sizes (S,C,P,X,K), 2 Screws and Keeper Handle Set without Key Cylinder

Finish
Chrome
Black
White

Handle Set with Key Cylinder	
Part #	Finish
13-192K	Chrome
13-192BK	Black
13-192WK	White







70

FLUSH MOUNT HANDLES FOR PATIO DOORS

In Order by Hole Spacing



Part #	Finish
13-292	Chrome Plated
13-292W	White
13-292B	Black

With Nite Lock, "C" Cam and Keeper **PAN AM/NU AIRE**



Part #	Finish
900-21019	Black
900-21019C	Chrome
900-21019W	White

With Nite Lock, "S" Cam and Keeper



Part #	Finish
13-433B	Black
13-433W	White

With Keeper and "P" Cam **PGT 2500 SERIES**



Inside Outside Handle Handle

Part #	Finish
13-311	Chrome
13-311W	White
13-311B	Black

Flush mount dummy set


HANDLES FOR PATIO DOORS

In Order by Hole Spacing




Part #	Description
13-178	w/Key Lock
13-178X	No Key Lock

DARYL



13-531W White. 1" Offset. Handle for #900-17543W TM PRODUCTS




Part #	Finish
900-17543	Black
900-17543W	White


TM PRODUCTS



13-191
Black. Used with Lock Bar
16-188 and 16-230
CAPITOL



900-49 Interior Handle Aluminum Finish



 Part #
 Finish

 13-558
 Black

 13-558W
 White

ADAMS RITE



Part #	Finish
13-259	Chrome with Wood Handle
13-259B Black with Wood Handle	
Solid One Piece Bracket	



13-108B Wood with Black Brackets CROSSLY



0.00000	
Part #	Finish
13-105	Chrome
13-105B	Black
13-105W White	
Die Cast	



Part #	Finish
13-109	Chrome with Wood Handle
13-109B	Black with Wood Handle
13-109W	White with Wood Handle

In Order by Hole Spacing




Part #	Finish
13-115	Chrome with Wood Handle
13-115B	Black with Wood Handle



Part #	Finish
13-232	Chrome with Wood Handle
13-232B	Black with Wood Handle

Heavy Duty Brackets CAPITOL





13-190B Wood with Black Brackets Use with 13-100 and 13-107 CAPITOL



900-17542 Wood Handle w/ Chrome Bracket 2 Screws Included **TM PRODUCTS**

HANDLE BRACKETS

HANDLE SCREWS

HANDLE SETS FOR PATIO DOORS

In Order by Style and Hole Spacing



Part #	Finish
16-125	Black
16-123	Chrome

Handle Brackets Sold in Pairs Used with 13-109, 13-115



Part #	Length	Finish
20-005	7/8"	Chrome
20-006	1"	Chrome
20-006B	1"	Black
20-006W	1"	White
20-007	1-1/8"	Chrome

10-32 Chrome Plated Oval Head Screw




Part #	Finish
13-153	Aluminum
13-153B	Black

ADOR HI-LITE




Part #	Description	Finish
900-21409W	No Key	White
900-21409B	No Key	Black
900-21409WK	With Key	White




900-13021

Handle Assembly with Keeper Uses 900-9169 Mortise Lock **PENNCO**




Part #	Finish
13-152	Aluminum
13-152B	Black

Includes Fit-All Keeper Assy., Screws and Black Outside Pull




Finish
Aluminum
Black

Includes Fit-All Keeper Assy., Screws and Black Outside Pull with Key Cylinder




Part #	Finish
13-271	Black
13-271WH	White


In Order by Style and Hole Spacing




13-195W White No Longer Available. Use: 13-271WH



13-250B Black. Surface Mount, Clamp Style



EXTRUDED PULL BLANK EXTERIOR



EXTRUDED PULL
INTERIOR
THUMBTURN

Part #	Finish
13-541	Aluminum Anodized
13-541BZ	Bronze Anodized

Extruded KAWNEER



13-255
Black
PEACHTREE/CITATION



13-106
Original Acorn Metal Handle Set
Base Plate Only: 900-8200
ACORN



Part #	Description
13-188K	w/Key Lock
13-188	No Key Lock
Grav	



Handle Set without Key Cylinder

Part #	Finish
13-106X	Black
13-106WX	White

Handle Set with Key Cylinder

Part #	Finish
13-106KX	Black
13-106WK	White

Both Sets Include Keeper and Two Sets of Screws

ACORN REPLACEMENT



Handle Set with Key Lock

Part #	Finish
13-101	Aluminum w/Brown Handle

Handle Set without Key Lock

Part #	Finish
13-114	Aluminum w/Brown Handle



Handle Set with Plate

Part #	Finish
13-112	Aluminum with Wood Handle

Handle Set without Plate

Part #	Finish
13-112X	Aluminum with Wood Handle
Handle Set with Plate and 16-126 Key	

Part #	Finish
13-113	Aluminum with Wood Handle



Handle Set without Key Cylinder

Part #	Finish
13-154	Black
13-154W	White
13-154-8	Chestnut Bronze
13-154A	Almond

Handle Set with Key Cylinder

Part #	Finish
13-154K	Black
13-154WK	White

Metal with Wood Handle **SASH CONTROLS**

In Order by Style and Hole Spacing



13-452B Black. Set Includes Both Short & Long Latch Bolt. Uses 900-9332 Keeper WELLS




Part #	Finish	Description
13-104	Aluminum	No Key
13-104K	Aluminum	w/Key
13-141	Black	No Key

with 12-240 Keeper



Part #	Finish
13-265BL	Black
13-265	White

No Key SILVERLINE/JORDON




Part #	Finish
13-265BLK	Black
13-265K	White

With Key




Black Finish. All Metal with Wood Handle **ROLLYSON**



Black with Wood Handle. Black Outside Pull TRACO




<u>13-173</u> Gray Finish. 13-194 Outside Pull Only HOWARD



<u>13-160</u> New Style. Aluminum Finish PEACHTREE



900-16317 Black. Includes Keeper and Screws NORANDEX




Part #	Finish
13-245AD	Almond
13-245BP	Brass Plated
13-245BC	Brushed Chrome
13-245W	White
13-245B	Black
13-245BZ	Bronze
13-245AB	Antique Brass

Offset Latch. 2265 Stamped on Back of Plate. Mortise Lock Sold Separately SASH CONTROLS



Part #	Finish
13-245ADK	Almond
13-245BPK	Brass Plated
13-245BCK	Brushed Chrome
13-245WK	White
13-245BK	Black
13-245BZK	Bronze
13-245ABK	Antique Brass

Offset Latch. 2265 Stamped on Back of Plate. Mortise Lock Sold Separately SASH CONTROLS



Part #	Finish
13-291	White
13-291B	Black

White. No Key. Center Latch 2265 Stamped on Back of Plate Mortise Lock Sold Separately SASH CONTROLS

In Order by Style and Hole Spacing



13-291K

White. With Key. Center Latch 2265 Stamped on Back of Plate Mortise Lock Sold Separately SASH CONTROLS



Part #	Finish
13-284DAB	Zinc-Antique Brass
13-284DBC	Zinc-Brushed Chrome
13-284DW	Zinc White

Dummy Set Mortise Lock Sold Separately SASH CONTROLS



Part #	Description
13-295-10K Offset Latch w/Key Lock	
Black	



Part #	Finish
13-423-3	White
13-423-8	Bronze


For Active Door PGT




White. Center or Offset Latch (Alternate Lever Location)



13-518W White. No Key. Pack with Assorted Screws to Fit Doors 1-1/2" to 2" Thick **OMEGA**



13-278X White Molded Polymer






13-296PBKA

Solid brass in a polished lacquered finish with key combination mortise lock, keeper and all necessary screws.

PEACHTREE/PRADO



Part #	Finish	
900-21630	White	
900-21630B Bronze		
AMERICAN WEATHERSEAL		



13-328-46 .750 Lever. Appliance White. Complete with Mortise Lock & Keeper, Lever and Screws



Part #	Finish
13-533B	Black
13-533W White	
LAWSON	



13-508W White SILVERLINE



13-555W
White. Non-Locking Handle Kit
RC ALUMINUM



Part #	Finish
13-473W	White
13-473BZ	Bronze

ESW/GENERAL IMPACT/MILGARD




13-393W White



Part #	Finish
13-430W	White
13-430B	Black

Center Latch. No Key



Part #	Finish
13-384BK	Black
13-384WK	White


With Keeper and Key, Double Cam

	,
Part #	Finish
13-384B	Black
13-384W	White

With Keeper, No Key,Double Cam **TRACO/THREE RIVERS**




Part #	Finish	Description
13-341BKA	Black	w/Key, Mortise Lock & Keeper
13-341WKA	White	w/Key, Mortise Lock & Keeper
13-341W	White	No Key, No Mortise Lock & Keeper
13-341B		No Key, No Mortise Lock & Keeper
13-341BC	Brushed Chrome	No Key, No Mortise Lock & Keeper
13-341WK	White	w/Key, No Mortise Lock & Keeper
Offset Latch		



Part #	Description
13-499WA	Includes Mortise Lock
13-499W	No Mortise Lock

Center Latch. White. 1" Inside Plate Width



Part #	Description	Hand
13-441RHWA	Includes Mortise Lock	RH (shown)
13-441RHW	No Mortise Lock	RH (shown)
13-441LHWA	Includes Mortise Lock	LH
13-441LHW	No Mortise Lock	LH


Offset Latch. White. 1" Inside Plate Width.

SLIDING DOOR INNER GEAR




Part #	Finish
13-489WKA	White
13-489MADKA	Almond

Keyed Handle Set **PGT 5400 SERIES**



13-526W White ROYAL DIVA



Inner Gear for Old Style FUHR Sliding Door. See Page 78 for Old FUHR Handle Set

SLIDING DOOR TRIM SETS




Solid Brass Sliding Door Trim Sets

Active - Thumb Turn w/Key

For 1.7" Door		
Part #	Finish	
13-342AB	Antique Brass	
13-342BC	Brushed Chrome	
13-342BRS	PVD Brass	
13-342CH	Chrome	

For 2.0" Door Part # Finish 13-345AB Antique Brass 13-345B Black 13-345BC Brushed Chrome
13-345AB Antique Brass 13-345B Black 13-345BC Brushed Chrome
13-345B Black 13-345BC Brushed Chrome
13-345BC Brushed Chrome
13-345BRS PVD Brass
13-345CH Chrome
13-3450RBZ Oil Rubbed Bronze
13-345P Pewter
13-345PB Polished Brass
13-345SCH Satin Chrome
13-345SNK PVD Satin Nickel



Active - Thumb Turn No Key

For 1.7" Door		
Part #	Finish	
13-343AB	Antique Brass	
13-343PB Polished Brass		
13-343ORBZ	Oil Rubbed Bronze	
13-343CH	Chrome	
13-343BC	Brushed Chrome	
13-343SCH	Satin Chrome	
13-343P	Pewter	
13-343B	Black	
13-343BRS	PVD Brass	
13-343SNK	PVD Satin Nickel	

Used by Marvin Integrity, Comfort Line, Therma Tru, Kolbe & Kolbe

Passive - No Thumb Turn, No Key

onto mo mamb ram, mo		
For 1.7" Door		
Part #	Finish	
13-344PB	Polished Brass	
13-344ORBZ	Oil Rubbed Bronze	
13-344CH	Chrome	
13-344BC	Brushed Chrome	
13-344SCH	Satin Chrome	
13-344P	Pewter	
13-344AB	Antique Brass	
13-344AD	Almond	
13-344B	Black	
13-344W	White	
13-344BRS	PVD Brass	
13-344SNK	PVD Satin Nickel	

Zinc Die Cast Sliding <u>Door Trim Sets</u>

Active - Thumb Turn w/Key

For 1.7" Door		
Part # Finish		
13-346B	Black	
13-346W	White	

Active (Shown) - Thumb Turn No Key

For 1.7" Door	
Part #	Finish
13-347B	Black
13-347W	White

Passive - No Thumb Turn, No Key

For 1.7" Door		
Part #	Finish	
13-348B	Black	
13-348W	White	

OLD STYLE FUHR SLIDING DOOR QUESTIONNAIRE

Account Number

This form is for an Old FUHR **Sliding** Door Multi-Point System.


NOTE: There are only a few systems available to replace the old FUHR Sliding Door Multi-Point Locks. Please fill out the questionnaire and a sales representative will contact you with part numbers and availability.

Со	ontact: Phone Number	
	BACKSET: What is the distance from the edge of the door back to the center of the keyway or thumbturn?	
	□ 1-1/8" (28mm) □ 1-3/8" (35mm)	
2.	HANDLE HEIGHT FROM CENTER OF HANDLE SHAFT TO BOTTOM EDGE OF DOOR: (36" Standard)	
3.	FACE PLATE WIDTH (runs down edge of door): 5/8" (16mm - Flat Rail System) 1-1/64" (26mm - U-Rail System)	
4.	DOOR PANEL HEIGHT:	
5.	IS YOUR DOOR MANUAL OR AUTOMATIC: ☐ Manual ☐ Automatic	
Ва	ised on the above information, please review the following :	



Customer Name:

392 Back Plate with 574 Handle Right Hand Shown






*374 Back Plate with 574 Handle Right Hand Shown


Active with Cylinder				
F71 Polished Brass		F41 Brushed Chrome	F79 Oil Rub Brass	
392/574	850-8763255	850-8763287	850-8763303	
Inactive with Thumb-turn				
392/574 850-8763259 850-8763291		850-8763299		
Dummy Sets				
392/574 850-8764451 850-8773199 850-8764483		850-8764483		

FAX THIS QUESTIONNAIRE TO: 610-534-3202 or 305-557-5239 (Florida)

NEW STYLE HOPPE HLS9000 SLIDING DOOR HARDWARE

NOTE: The New Style Hoppe Sliding Door Handle Sets take an American Pizette with a key cylinder and tailpiece.





850-2061421 Thumbturn Shaft Coupling




Crescent Knob

<u>850-8779431</u> Cylinder Knob Set Screw

Part Number	Finish	
850-2739116	F77-R Resista Brass	
850-8780983	F73 Antique Brass	
850-8780963	F41-R Brushed Chrome	
850-2739183	F49-R Polished Chrome	
850-8780991	F9010 White	
850-2739108	F9714 Matte Black	
850-2739175	F44-R Antique Nickel	
850-8780951	F01 Silver	
850-2739204	F8709 Rustic Umber	


Individual cylinder knobs do not come with cylinder set screw.

OUTSIDE HANDLE PULLS FOR PATIO DOORS





White

13-427W



Part #	Description	
900-8281 Black Plastic		
900-8281M	Black Metal	
900-8281MW White Metal		
Without Cylinder hole		










Die Cast. No Cylinder Hole

Part #	Finish
13-147	Aluminum
13-147W	White

Flush Mount Pull








Part #	Finish
13-530B-E	Black
13-530W-E	White
Exterior Handle.	


PGT



Part #	Finish
13-530B-I	Black
13-530W-I	White


Dummy Interior Handle. Includes Actuator.

PGT




Part #	Finish
16-712BZ	Bronze
16-712SN	Satin Nickel
16-712W	White

Interior Recessed Handle with Thumbturn.




Part #	Finish
16-618BZ	Bronze
16-618SV	Silver
16-618W	White

Latch Assembly PGT



Part #	Finish
16-714BZ	Bronze
16-714B	Black
16-714W	White


Exterior Flush Plate Handle. PGT




Part #	Finish
16-713BZ	Bronze
16-713SN	Satin Nickel
16-713W	White


Interior Recessed Handle Dummy. PGT


HANDLES FOR PATIO SCREEN DOORS




<u>14-60</u>














Part #	Finish
750-1997194	Stone
750-1997306	White




Part #	Finish
750-1997195	Stone
750-1997307	White






Part #	Finish
16-485B	Black
16-485W	White

Nylon Keeper




Part #	Finish
16-484B	Black
16-484W	White


Nylon Outside Handle




Part #	Finish
16-486B	Black
16-486W	White

Nylon Inside Handle







Nylon Latch Handles




<u>14-61</u> Handle Assembly with Latch **WALTERS**




900-17710 Spring Loaded Black Plastic **RITE SCREEN/METAL INDUSTRIES**




Black With Keeper and Screws RITE SCREEN




HANDLES FOR PATIO SCREEN DOORS




COLUMBIA




14-94 Black Nylon




<u>14-96</u> Handle Set. Black JIM WALTERS




<u>16-148</u> Black Plastic. Inside




<u>16-149</u> Black Plastic. Outside




14-63 Handle Assembly JIM WALTERS




14-62 **ACORN**




14-103 Black




14-155A Includes Keeper **BAYFORM**




900-10783 Black with Spring **CROSSLY**




Plastic Flip Bolt Lever. Beige PEACHTREE



Patio Screen Latch Assembly Includes 12-308 Keeper **PEACHTREE**




Screen Door Lock. Black RITE SCREEN




Recessed Patio Door Screen Handle. Black FLORIDA SCREEN REGAL SERIES

LATCH ASSEMBLY




Part #	Finish
14-147W	White
14-147DT	Desert Tan






Part #	Finish
14-151BR	Brown
14-151B	Black






12-308 Black Plastic **PEACHTREE**



900-21646 Beige **PEACHTREE**




Part #	Description	
1/1-5/19	Latch Assembly w/	
14-343	Latch Assembly w/ Spring & 12-256 Keeper	
14-54	Latch Assembly Only	

LATCH ASSEMBLY

PATIO DOOR SCREW HOLE COVERS




ACORN




<u>14-55</u> Latch Assembly



<u>16-335</u> Large Cover Black




<u>16-336</u> Small Cover Black




Part #	Finish
16-826BZ	Bronze
16-826W	White

PGT


SCREEN DOOR GUIDES




Part #	Finish	
16-825BZ	Bronze	
16-825W	White	
16-825TN	Tan	
PGT		




<u>15-50</u> **TUCKER**




<u>15-58</u> Nylon DARYL




<u>16-61</u> Black **ANDERSON**





CROSSLY/LUMIDOR








LAWSON/CROWN



















51/64" 1-11/16" <u>15-66</u> Nylon ALCAN

SCREEN DOOR GUIDES




15-65 Nylon BELLYIEW




900-15649 TM PRODUCTS

1-1/32" 900-84 Bottom Guide TUCKER




ROLLER ASSEMBLY

HEAD SPACER




900-78 Bottom Guide TUCKER




ACORN


15-51 Bottom Guide CROSSLY



900-5987 Nylon Sliding Roller Housing. Used with 900-10015 Roller



900-10015 Nylon Roller. Used with 900-5987 Housing




900-7236 Screen Head Spacer. Nylon

BUG FLAPS

FIXED PANEL BRACKET

PATIO DOOR BUMPER




Part #	Length
16-243	50 ft.
16-243M	250 ft.

Can Be Torn Away in 3/16" Increments. Black




Part #	Length
16-244	50 ft.
16-244M	250 ft.

Can Be Torn Away in 1/8" Increments




Part #	Length
16-245	50 ft.



<u>16-621</u>


PGT



Part #	Finish
16-227B	Black
16-227W	White

Rubber
ANTI-LIFT


PATIO DOOR BUMPER




900-19153 Clear Plastic




Part #	Α	В	Finish	
16-105	3/8"	15/16"	Gray	
16-107	7/32"	3/4"	White	
Rubber				



16-579 Aluminum MILLER




16-620W White PGT




16-715TN Tan PGT

ANTI-RATTLE GUIDES




Part #	Finish	Description	
15-88	Black	for Steel Doors	
15-89	White	for Aluminum Doors	

Anti-Rattle Guides



900-7228 Nylon




900-7225 Nylon


SECURITY LOCK

16-192


Sold in Pairs



- Installs quickly without special tools.
- 3-M special adhesive bonds to glass like a weld
- Provides positive locking protection.
- Secures both sections firmly.
- Unbreakable GE Lexan.
- Crystal-clear transparency.




Glass Door Installation:
Position both Security Locks within
12 inches of top and bottom on outer
door flush against inner frame.



Sash Window Installation: Position one Security Lock flush in lower corner of top window.

SECURITY LATCH



NARROW FOR EXTRA TIGHT CORNERS

Where moldings and jams are narrow and mounting space is limited; 3/4" shackle width.

Part #	Finish	"A"
16-185	Nickel	1-1/8"
16-185B	Black	1-1/8"
16-185BR	Brass	1-1/8"
16-185W	White	1-1/8"

STANDARD FOR MOST CORNER APPLICATIONS

Where ample mounting space is provided; 1-1/4" shackle width.

Part #	Finish	"A"
16-186	Nickel	1-7/16"
16-186B	Black	1-7/16"
16-186BR	Brass	1-7/16"
16-186W	White	1-7/16"

WIDE FOR OFFSET MOUNTING


Where reaches require wider shackle to bridge wide gaps between jams and moldings to wall; 2" shackle width.


Part #	Finish	"A"
16-187	Nickel	2-1/8"
16-187B	Black	2-1/8"
16-187BR	Brass	2-1/8"
16-187W	White	2-1/8"

"A" Dimension equals exact center to center measurement


- Simple to install
- Very easy to use
- · Attractive finishes
- Prevents accidental locking
- Can be used on windows too
- Assures snug closure of door
- All mounting hardware included
- Reversible (Works left to right or right to left)
- · Latch serves as convenient handle for door
- Makes handy latch for all regular swinging doors
- · Mounts anywhere along frame for easy accessibility
- Presently being used by the hospitality industry nationwide
- Sturdily constructed (Handle made from 9/32" steel rod stock)

SECURITY HARDWARE & PATIO DOOR LOCKS










Part #	Finish
16-225C	Chrome
16-225PB	Brass
Door Guard	




<u>50-682</u>


SECURITY HARDWARE & PATIO DOOR LOCKS




<u>50-636</u>



Part #	Finish
900-17508	Black
900-17508A	Aluminum




900-10574 Snap-on Vent Lock




-	
Part #	Finish
900-9718W	White
900-9718	Black

Heavy Duty Die Cast. 1-1/4" Hole Center. Includes 2 Keeper, 2 Ferrules and Installation Screws



Part #	Finish
16-177	Aluminum
16-177B	Black





Double Bolt Security Lock

The CAL Double-Bolt Lock works by securing the door to the frame at 2 security points and preventing any movement of the door. With its double locking action the CAL Double-Bolt Lock makes it virtually impossible to remove the door by lifting it off its track.


The CAL double bolt lock can be used as a secondary or primary locking system on glass sliding doors. The lock can be mounted above the OEM lock to be out of children's reach or below the OEM lock to be with in children's reach. The lock can also replace the OEM lock with the addition of the OEM Replacement cavity.

CAL SECURITY ENTERPRISES




A	
Part Number	Finish
16-753	White
16-753B	Black

Interlocking Latch
CAL SECURITY
ENTERPRISES




Part #	Finish
16-209-1	Bronze
16-209-3	White


Secondary Patio Lock Screws Sold Separately




Part #	Finish
12-264-1	Bronze
12-264-3	White




Part #	Finish
12-266-1	Bronze
12-266-3	White
12-266-9	Beige




Wingless Patio Lock Screws Sold Separately



Part #	Finish
12-265-1	Bronze
12-265-3	White



16-682 Mill Finish w/2 Keys Pin Length 3/4"




900-8734 Aluminum




16-687 Security Lock. Aluminum



750-1997192 Two Panel Screen Door Lock Stone




16-406 Aluminum Flip Lock




16-183 Fixed Panel Clip

PATIO DOOR BOLT




Part #	Finish
16-695W	White
16-695B	Black


Patio Door Bolts with Key TRACO/EMTEK



Part #	Description
16-100	for 1" Door
900-21366 for 1-1/4" Door	
Key Cylinder Lock	




16-126 Key Cylinder




KEY CYLINDERS


16-133 Key Cylinder Lock



16-103 Key Cylinder for 1-1/8" Door




900-11179 Key Cam **PEACHTREE**




1-9/16"

16-324




Part #	Finish
16-617SV	Silver
16-617BZ	Bronze

Lock Housing and Key PGT




	•
Part #	Finish
16-323	Aluminum
16-323BL	Black
16-323BP	Brass Plated
16-323BR	Brown
16-323W	White
Lock Housing and Key	




16-499PB Polished Brass Schlage Keyway

MORTISE LOCKS




•	
Part #	Α
16-170	45°
16-170-90	90°


Square Face




Round	Face
-------	------



16-173 Square Face




16-174 Round Face




Description
Steel
Stainless Steel

Round Face




16-490 Single Point Slider Lock




Part #	Description
16-397SS	Stainless Steel
16-397	Clear Chromate



16-404A Bracket Trim Plate and Lock. 45°




750-1997156




<u>16-142</u> Used for Surface Mounted Patio Door Handle


MORTISE LOCKS




900-7305 Flush Button. Front Surface Mounted Steel Hook **PEACHTREE**




<u>16-673</u> Raised Button. Front Surface Mounted Steel Hook **PEACHTREE**




900-18867 Diagonal Hub. Aluminum Finish Use: 900-14560 for Keeper TRACO







16-443 Mortise Lock and Plate





16-441-45 Pocket Trim Plate with 16-175. Brass Plated




Part #	Finish
16-363-45	Brass Plated
16-363-45SS	Stainless Steel












16-542 Milgard Classic Series




16-544W 2pt Mortise Lock & Strike. White **VANGUARD**




<u> 16-333</u>
PEACHTREE








16-460 2-Point Patio Door Lock




Part #	Finish
16-452	Steel
16-452SS	Stainless Steel
2pt Lock with Faceplate	
GEMINI/ PGT	

MORTISE LOCKS




Part #	Finish
16-453	Steel
16-453SS	Stainless Steel

Two Point Mortise Lock w/ Short Face Plate. Center Latch Thumbturn




Part #	Finish
16-455	Steel
16-455SS Stainless Steel	
Offset Latch Thumbturn	




Part #	Finish
16-574	Steel
16-574SS	Stainless Steel

Dual Hook Mortise Lock




Part #	Finish	
16-454	Steel	
16-454SS	Stainless Steel	
Center Latch Thumbturn		



Part #	Finish
16-456	Steel
16-456SS Stainless Stee	
Offeet Latch Thumbturn	


Offset Latch Thumbturn

KEEPERS




4 .—	
Part #	Finish
16-680	Steel
16-680SS	Stainless Steel

No Trimplate **GEMINI I & II**




Part #	Finish	
16-680FK	Steel	
16-680FKSS Stainless Stee		
Flat Keeper		


GEMINI I & II




With Trimplate




<u>16-444</u> Trimplate




900-17354P Pocket Trimplate. Zinc Dichromate




900-8856 Die Cast Keeper for 900-9169




900-14560 **TRACO**



12-299W White




Part #	Finish
12-290W	White
12-290AD	Almond




900-69 Die Cast YALE OGRON


KEEPERS




12-286W White, Four Slot




12-294 Yellow Chromate Plated



900-17355 Die Cast **PEACHTREE**




12-271




Part #	Finish
12-272	Steel
12-272SS	Stainless Steel

Flat. For 13-247 & 13-248 Patio Door Handles




10001	
Part #	Finish
12-319	Dichromate
12-319SS	Stainless

13/64" x 11/16" Elongated Holes




Part #	Finish
12-329STW	Satin White
12-329TN	Tan


Strike Plate. Used with 16-542 MILGARD



900-22553SS Surface Keeper. Stainless Steel




12-330 Strike Plate Screen Cover. Plated. Used with 16-542 **MILGARD**




900-61 w/ Nut & Nylon Washer Patio Door Keeper DARYL

LATCHES




900-10458K ACORN




Part #	Finish
16-619BR	Bronze
16-619W	White

Door Turn for French Doors. PGT



Part #	Finish
16-702B	Black
16-702BZ	Bronze
16-702SV	Silver
16-702W	White

Thumbturn Kit **PGT**



16-623BZ Secondary Thumb Latch. Bronze



750-1278303 Stone





No Longer Available. Use: 750-2573611




Part #	Finish
750-2573611	Stone
750-2573609	White





Part #	Finish
750-0924602	Stone
750-2579551	White





Part #	Finish	Tailpiece Length
900-11040	Black	.810
900-11040W	White	.810
900-11040-8	Chestnut Bronze	.810
900-11040SV	Silver	.810
900-11040A	Black	.530
900-11040WA	White	.530
900-11040B	Black	.660
900-11040WB	White	.660
900-11040C	Black	.960
900-11040WC	White	.960
900-11040D	Black	1.02
900-11040WD	White	1.02

Turn Lever with Tailpiece

LATCHES


15/16'

16-373 Patio Door Latch. Die Cast **ACORN**

.035 Gauge

750-1997305 Stone

CORNER BRACKETS



<u>16-116-2</u> Screen Corner Bracket Assembly with Screw. 2 per Pack


10-301544	VVIIILE
16-361PBZ	Bronze
Nvlon Mi	ter Corner

Part #

Use on Door 991M-999


Finish

LOCK BARS



<u>16-188</u> Lock Bar Without Key **CAPITOL**

REPAIR TRACKS




16-230 4-7/8" Lock Bar CAPITOL

Stainless Steel

16-251


Replacement Track Cover. 8' Lengths. Sold in multiples of 5 only. Heavy duty. Recommended for tracks that are too corroded to use 16-115. Repairman's "first choice" in door replacement track.



Part #	Length	Minimum Order
16-115	8ft.	(10 8ft. Lengths)
16-115-6	6ft.	(10 6ft. Lengths)
16-115-12*	12ft.	Any Quantity

Replace bent or broken door


tracks with stainless steel replacement tracks. Easy to use. Snaps into place over old broken track. *Only Available for Pickup & Company Truck Delivery in our Florida Warehouse.



Part #	Length	Minimum Order	
16-115BS	8ft.	(5 8ft. Lengths)	


Replace bent or broken door tracks with stainless steel replacement tracks.

Easy to use. Snaps into place over old broken track.



Part #	Length	Finish
16-217-6	6ft.	Anodized
16-217-8	8ft.	Anodized

Glass Door Track Extrusions 1/16" Thick x 15/16" Wide



Part #	Length	Finish
16-219-6	6ft.	Anodized
16-219-8	8ft.	Anodized


Screen Door Track Extrusions 1/16" Thick x 15/16" Wide.

CHARLEY-BAR SLIDING GLASS DOOR LOCK









Mailing TUBE - 50 per carton sold in carton qty only

Part #	Size	Finish			
16-108T	48"	Mill			
16-108TB	48"	Bronze			
16-108TW	48"	White			

Carded - 10 per carton sold in carton qty only

		-
Part #	Size	Finish
16-108C	48"	Mill
16-108CB	48"	Bronze
16-108CW	48"	White

Charley Bar Hardware Pack includes plastic saddle, rubber cap, four #8 1/2" sheet metal screws and metal angle bracket

Poly Bagged - 50 per Box

Part #	Size	Finish
16-108P	48"	Mill

BULK - 25 per carton

· · · · · · · · · · · · · · · · · · ·						
Part #	Size	Finish				
16-108	48"	Mill				
16-108B	48"	Bronze				
16-108W	48"	White				
16-108-60	60"	Mill				

- Key hangs neatly out of your way when not in use
- · Comes with all necessary hardware and instructions
- · Available in three finishes
- · Anodized Aluminum construction allows it to be cut to fit any
- · New security feature: Improved black plastic saddle now takes a key so that the bar cannot be raised from the outside by wires or other devices
- · New saddle keeps small children from opening the door from the inside




500-334

Charley Bar Spinning Display Rack

This **NEW** Charley Bar Safety Lock Display, part number #500-334, contains 30 assorted Charley Bar Safety Locks in Mill, White and Bronze finishes on a spinning floor rack display with a merchandising sign. The display comes complete with peg hooks and there is minor assembly required. The display can be placed in a hardware aisle, near registers, and/or in the patio door aisle for cross selling. They can be cut to fit any patio door 48" or less. The retail package includes easy installation instructions on the back.

ENTRANCE DOOR CLOSERS



FEATURES


- · Surface mounted interior and exterior
- Size 3 is used on 3 ft. wide interior door or 2-1/2 ft. wide exterior door
- Size 4 is used on 4 ft. wide interior door or 3 ft. wide exterior door
- Non-handed
- · Permanent lubricating hydraulic fluid
- · Easy, smooth action
- · Housing made of non-corroding aluminum
- Narrow design is perfect for aluminum, glass, wood and other modern doors

Part #	Size	Α	В	С	D	Finish
18-70	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Aluminum (Silver)
18-72	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Bronze (Gold)
18-74	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Duranodic (Dk. Brown)
18-68	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Aluminum (Silver)
18-69	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Bronze (Gold)
18-73	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Duranodic (Dk. Brown)

Dimensions for Closers with Backcheck Feature

Part #	Size	Α	В	С	D	Finish
18-70BC	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Aluminum (Silver)
18-68BC	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Aluminum (Silver)

POWER ADJUSTABLE CLOSER WITH BACK CHECK OR DELAYED ACTION




Opening	Dim. "A"
To 120°	7-3/32"
120° - 180°	3-15/16"

Part #	Finish
18-88	Aluminum (Silver)


ANSI GRADE 1 A - 156.4 STANDARDS **APPLICABLE**

DOOR STOPS AND BUMPERS




Parallel Bracket


Part #	Finish
900-12356	Brass
Floor Type Door Stop	



Part #	Finish
19-144	Brass
Solid Stop Bumper Assembly	




Part #	Finish
19-157	Brass
19-157DC Dull Chrome	
Solid Stop Bu	imper Assembly




Part #	Finish
19-284SN	Satin Nickel
19-284	Brass Plated
19-284ORBZ	Oil Rubbed Bronze





Part #	Finish	Α
19-143	Brass	3-3/4"
19-143SN	Satin Nickel	3-3/4"
19-143CH Chrome 3-3/4		3-3/4"
19-143-4 Brass 4-3/4'		4-3/4"
Door Cton Dumner Assembly		

Door Stop Bumper Assembly




Part #	Finish
19-142	Brass
19-142A	Aluminum
19-142CH	Chrome
19-142W	White
19-142SN	Satin Nickel

Hinge Pin Door Stop



Part #	Finish
19-359	Bright Brass
19-359ORBZ	Oil Rubbed
13-3330KBZ	Bronze

Hinge Pin Door Stop



Part #	Finish	Α
19-204	Brass	3"
19-204C	Chrome	3"
19-360CH	Chrome	3-3/4"
19-360	Brass	3-3/4"
19-360SNK	Satin Nickel	3-3/4"

Heavy Duty Door Stop Bumper Flexible



Part #	Color
19-145	White
Hinge Pin Door Ston Rumper	

Only. Fits 19-142, 19-142A, 19-142CH, 19-142W



Part #	Color
19-146	White

Door Stop Bumper Only. For 9/32" OD Door Stop

DOOR STOPS AND BUMPERS



Part #	Finish	
19-133	Brass	
19-132	Aluminum	

4" Drop Down Door Stop

Part #	Finish	
19-136	Brass	
19-137	Aluminum	

5" Drop Down Door Stop Solid Cast Brass



Part #	Color	
19-187	Black	

Rubber Tip Replacement Only. For Drop Down Door Stops. Fits 19-132, 19-133, 19-136, 19-137



Part #	Finish	
19-135	Brass	
19-138	Aluminum	
19-135PB	Bright Brass	


19-135T Screw type tip only. Black



DOOR SILENCER



	Part #	Color	
19-361CH Chrome Plated			
2-1/2" Diameter Solid Brass Wal Door Stop. Concave Face			
	1		



Adhesive PVC Wall Bumper



Part #	Finish	
19-140	Stainless Brushed	
19-140BZ	Dark Bronze	
19-140AB	Antique Brass	
19-140B	Brass	

Screw mount, 2-1/2" diameter with gray vinyl bumper, concealed screw mount. Concave face to fit interior lock button. Furnished with anchor and screw




Part #	Finish
19-141	Satin Aluminum
19-141BC	Brushed Chrome

Zinc Die Cast, Low Profile Door Stop. 1-3/4" Base, 1" Height, 1/8" Clearance.




Part #	Color
19-139W	White
19-139	Gray

Adhesive backed, 1-7/8" diameter, gray rubber, peel-off label, pressure sensitive backed.



Part #	Color
19-134	Gray

WALL PROTECTORS



Made of high impact material that can be painted or papered. Use to repair larger areas of wall damage. Foam adhesive on back absorbs shock. 1/4" Total thickness. Washable.


3" Diameter

Part #	Color	
19-181	White	
19-181OW	Off White	

5" Diameter


o Diameter		
Part #	Color	
19-182	White	

DOOR LOCK CHANNELS



Part Number	Backset	Door Thickness
19-160-4	2-3/8"	1-3/8"

2-1/8" Bores. Large Single Hole. Brass Plated Aluminum. Overall Dimension 4" x 9"



Part Number	Backset	Door Thickness
19-174-4	2-3/8"	1-3/8"

2-1/8" Bores. Small Single Hole. Brass Plated Aluminum. Overall Dimension 4" x 4-1/2"

DOOR VIEWER

DOOR KNOCKER



900-12213

Polished Brass. Name plate card. Cast knocker with polished brass finish. Surface mount application Space for door viewer.

Viewer sold separately

CHAIN LOCK


900-7490

Heavy Duty Brass Plated Steel Door Chain with Solid Brass Keeper



900-8108


Brass Plated Stamped Steel Door Chain





19-149

160° Angle Plastic Lens 1/2" Installation Hole. Fits doors 1-1/8" to 2-1/4" thick. Solid Brass



900-12562

160° angle plastic lens fits doors 1-3/8" to 2-1/4" thick 1/2" installation hole, wide angle. See who is on the other side before you open the door. Solid brass construction



Part #	Color	Angle	
19-215	Polished Brass	180°	
9-215CP	Bright Chrome	180°	
19-184	Polished Brass	200°	

Solid Brass. 9/16" Bore, Fits 1-3/8" to 2-1/4" Thick Doors



MORTISE LOCKS

DEADLATCH



Specify RH or LH (LH Shown)

DEADBOLT



HOOKBOLT



Non Handed


SPECIFICATIONS

- Function: Deadbolt, Hookbolt, Deadlatch
- Backset: 31/32", 1-1/8", 1-1/2"
- Face Plate: 1"W x 6-7/8" L Aluminum
- Case Dimensions: 7/8"W x 6"L x Depth specific to backset
- Latchbolt: Deadbolt 5/8"W x 2-7/8" L x 1-3/8" throw
- Hookbolt 5/8"W x 1-3/8" L x 13/16" throw
- Deadlatch 1/2"W x 1.0" L x 1/2" throw
- Deadlatches: Zinc alloy latchbolt with Delrin plastic insert, auxiliary bolt zinc die cast, deadlocks latchbolt and prevents manipulation

Part #	Hand	Function	Lock Backset	Case Depth
19-411LH	LH	Deadlatch	31/32"	1-5/8"
19-411RH	RH	Deadlatch	31/32"	1-5/8"
19-401LH	LH	Deadlatch	1-1/8"	1-25/32"
19-401RH	RH	Deadlatch	1-1/8"	1-25/32"
19-435	Non- Handed	Deadbolt	31/32"	1-5/8"
19-403	Non- Handed	Deadbolt	1-1/8"	1-25/32"
19-436	Non- Handed	Hookbolt	31/32"	1-5/8"
19-402	Non- Handed	Hookbolt	1-1/8"	1-25/32"
19-405	Non- Handed	Hookbolt	1-1/2"	2-1/4"

FACEPLATES

APPLICABLE DOOR STILES




Non Handed






Radius with Weather-strip




Faceplates for Mortise Lock with Deadbolt

racepiates for Mortise Lock with Deadboit			
Part #	Part # Door Stile		
19-432	Flat	Aluminum	
19-432DBZ	Flat	Bronze	
19-420	LH Bevel	Aluminum	
19-420DBZ	LH Bevel	Bronze	
19-421	RH Bevel	Aluminum	
19-421DBZ	RH Bevel	Bronze	
19-416	Radius	Aluminum	
19-416DBZ	Radius	Bronze	
19-423	Radius w/Weatherstrip	Aluminum	
19-423DBZ	Radius w/Weatherstrip	Bronze	



Faceplates for Mortise Lock with Hookbolt

racepiates for Mortise Lock with Hookbolt			
Part # Door Stile		Finish	
19-433	Flat	Aluminum	
19-433DBZ	Flat	Bronze	
19-418	LH Bevel	Aluminum	
19-418DBZ	LH Bevel	Bronze	
19-419	RH Bevel	Aluminum	
19-419DBZ	RH Bevel	Bronze	
19-417	Radius	Aluminum	
19-417DBZ	Radius	Bronze	
19-422	Radius w/Weatherstrip	Aluminum	
19-422DBZ	Radius w/Weatherstrip	Bronze	



Faceplates for Mortise Lock with Deadlatch

19-434DBZ Flat Bronze 19-413 LH Bevel Aluminur 19-413DBZ LH Bevel Bronze 19-414 RH Bevel Aluminur 19-414DBZ RH Bevel Bronze 19-412 Radius Aluminur 19-412DBZ Radius Bronze 19-415 Radius w/Weather-strip Aluminur			
19-434DBZ Flat Bronze 19-413 LH Bevel Aluminur 19-413DBZ LH Bevel Bronze 19-414 RH Bevel Aluminur 19-414DBZ RH Bevel Bronze 19-412 Radius Aluminur 19-412DBZ Radius Bronze 19-415 Radius w/Weather-strip Aluminur	Part #	Door Stile	Finish
19-413 LH Bevel Aluminum 19-413DBZ LH Bevel Bronze 19-414 RH Bevel Aluminum 19-414DBZ RH Bevel Bronze 19-412 Radius Aluminum 19-412DBZ Radius Bronze 19-415 Radius w/Weather-strip Aluminum	19-434	Flat	Aluminum
19-413DBZ LH Bevel Bronze 19-414 RH Bevel Aluminur 19-414DBZ RH Bevel Bronze 19-412 Radius Aluminur 19-412DBZ Radius Bronze 19-415 Radius w/Weather-strip Aluminur	19-434DBZ	Flat	Bronze
19-414 RH Bevel Aluminum 19-414DBZ RH Bevel Bronze 19-412 Radius Aluminum 19-412DBZ Radius Bronze 19-415 Radius w/Weather-strip Aluminum	19-413	LH Bevel	Aluminum
19-414DBZ RH Bevel Bronze 19-412 Radius Aluminur 19-412DBZ Radius Bronze 19-415 Radius w/Weather-strip Aluminur	19-413DBZ	LH Bevel	Bronze
19-412 Radius Aluminum 19-412DBZ Radius Bronze 19-415 Radius w/Weather-strip Aluminum	19-414	RH Bevel	Aluminum
19-412DBZ Radius Bronze 19-415 Radius w/Weather-strip Aluminum	19-414DBZ	RH Bevel	Bronze
19-415 Radius w/Weather-strip Aluminum	19-412	Radius	Aluminum
	19-412DBZ	Radius	Bronze
40 44EDDZ Dadi a AMarthanatic Dana	19-415	Radius w/Weather-strip	Aluminum
19-415UBZ Radius W/Weather-strip Bronze	19-415DBZ	Radius w/Weather-strip	Bronze

PUSH/PULL PADDLE



Part #

19-431

19-431BZ

Finish

Aluminum

Bronze


For use with 19-401 and 19-411 deadlatch or any other brand of narrow stile mortise deadlatch. Paddle is four way reversible, select application required by referring to chart below. Handing can be reversed on cam plug by removing C- clip and flipping the cam over and reinstalling C- clip.

UNIVERSAL - 4 WAY REVERSIBLE

Туре	Operation	Use
PULL - LH	PULL TOLEFT	Outside of left hand reverse door or inside of right hand
PUSH - LH	PUSH TO LEFT \	Outside of left hand door or inside of right hand reverse
PULL - RH	PULL TO RIGHT	Outside of right hand reverse door or inside of left hand
PUSH - RH	PUSH TO RIGHT	Outside of right hand door or inside of left hand reverse

SPECIFICATIONS

- Paddle: Extruded aluminum
- · Housing: Zinc alloy, black hard coat finish
- · Operating assembly: Steel mechanism
- Hand: Non-handed, cam plug included Reversible
- Standard package: Paddle arm, operating housing, binder posts, cam plug, self adhesive decals and mounting hardware




LEVER HANDLE



Part #	Finish
19-428	Aluminum
19-428BZ	Bronze

For use with 19-401 and 19-411 deadlatch or any other brand of narrow stile mortise deadlatch. Lever is reversible. Handing can be reversed on cam plug by removing C- clip and flipping the cam over and reinstalling C- clip. Cam plug is secured to lever by 2 hardened steel pins. Cam plug locks into deadlatch by use of set screw in deadlatch.




SPECIFICATIONS

- Lever: Aluminum alloy cast
- Escutcheon: Aluminum 1-3/8" x 4", heavy duty spring mechanism prevents sagging of lever handle
- Spindle: Wrought steel, 1/4" square hardened heat treated
- Hand: Non-handed easily reversible
- Operation: Turning lever downward will activate deadlatch
- Standard package: Cam plug included, all mounting screws, templates and installation instructions

For Installation and reversing instructions, go to http://www.strybuc.com/public/Installation_guides/19-428-Installation-Guide.pdf

STRIKES



Both strikes are for use with 19-401 and 19-411 deadlatch or any other brand of narrow stile mortise deadlatch. Order double strike when converting a narrow stile lock to a deadlatch, to cover elongated slot in aluminum frame.



Single Strike



Double Strike

CYLINDERS/TRIM RINGS/ COLLARS

Mortise Cylinder

mortise dynnaer				
Part #	Description	Finish	Material	
19-573	Key Cylinder (Keyed Alike in Pairs)	Aluminum	Zinc	
19-573BZ	Key Cylinder (Keyed Alike in Pairs)	Bronze	Zinc	
19-410	Key Cylinder (Keyed Different)	Aluminum	Zinc	
19-410BZ	Key Cylinder (Keyed Different)	Bronze	Zinc	
19-755	Key Cylinder (Keyed Different)	Aluminum	Brass	
19-755BZ	Key Cylinder (Keyed Different)	Bronze	Brass	
19-572	Key Cylinder (Keyed Alike)	Aluminum	Zinc	
19-572BZ	Key Cylinder (Keyed Alike)	Bronze	Zinc	
19-409	Thumbturn Cylinder	Aluminum	Zinc	
19-409BZ	Thumbturn Cylinder	Bronze	Zinc	
19-408	Dummy Cylinder	Aluminum	Zinc	
19-408BZ	Dummy Cylinder	Bronze	Zinc	

Rim Cylinders

Part #	Description	Finish	Material
19-568	Keyed Rim Cylinder	Aluminum	Brass
19-568BZ	Keyed Rim Cylinder	Bronze	Brass

Part #	Description	Finish
19-565	Extruded Trim Ring 3/16" (Solid)	Aluminum
19-565BZ	Extruded Trim Ring 3/16" (Solid)	Bronze
19-566	Extruded Trim Ring 3/16" (Hollow)	Aluminum
19-566BZ	Extruded Trim Ring 3/16" (Hollow)	Bronze
19-567	Cylinder Guard Anti-Wrench Collar	Aluminum
19-567BZ	Cylinder Guard Anti-Wrench Collar	Bronze



Keyed Mortise Cylinder





Thumbturn Mortise Cylinder



Dummy Mortise Cylinder

SPECIFICATIONS

- Type: Mortise or Rim
- Finish: Zinc or Brass Mortise, Brass Rim
- Key cylinders 5 pin Schlage "C" keyway
- Mortise cylinders are 1-5/32" diameter, 1" length Cam - MS A/R type, except DUM
- Rim cylinder, flat cut to size tail piece Keyed different packed with collar ring, mounting plate, 2 screws
- Key options

Keyed different Keyed alike Keyed alike in pairs



Keyed Rim Cylinder



Extruded Trim Ring (Solid)




Stamped Trim Ring (Hollow)



Cylinder Guard Anti-Wrench Collar

FLUSH BOLT




Mortise flush bolt for use on all commercial Storefront and architectural aluminum and glass narrow stile door. Made for easy installation, replaces most brands of Storefront flush bolt.

SPECIFICATIONS


- · Spring loaded lever action
- Rod extension- 7/8" throw
- Backset 3/4"
- 5/8" adjustment on rod length
- Face plate dimensions 15/16" x 4-1/2" with 5/32" radius corner
- Square 1/2" nylon tip with beveled corners to prevent binding
- · Supplied with nylon keeper and fasteners

Part #	Α	Rod Length	Finish
19-426	1/8"	10"	Aluminum
19-426BZ	1/8"	10"	Bronze
19-427	1/4"	10"	Aluminum
19-427BZ	1/4"	10"	Bronze
19-569	1/8"	16"	Aluminum
19-569BZ	1/8"	16"	Bronze




Part #	Description	
56-144W	Set	
56-142W	Flush Bolt	
56-143	SS Rod	






3/4" OFFSET PIVOT




Offset Pivots are used for both flush face frame installation and recessed door applications. Pivots replace most major door manufacturers. Suitable for aluminum doors weighing up to 125 pounds. These pivots are engineered and designed for durability, style and are easy to install. To order pivot: For LHRB door order RH pivot. For RHRB door order LH pivot.

Left Hand Outswing (LH)




Right Hand Outswing (RH)



SPECIFICATIONS

- 3/4" offset pivots for aluminum doors and frames
- · Weather resistant
- Aluminum case construction
- Vertical adjustment 1/8"
- Full race ball bearing and design, provides smooth operation on bottom pivot door portion
- · No sag, entire weight of doors rests on floor mounted pivot portion
- · Completely tamper proof, yet easily removable, replaceable in unlocked position

ARCH/VISTAWALL/TUBELITE/ARCADIA STYLE



Left Hand Shown

Part #	Application	Hand	Finish
19-259LH	1/8" Recessed Door	LH	Aluminum
19-259RH	1/8" Recessed Door	RH	Aluminum
19-259LHBZ	9-259LHBZ 1/8" Recessed Door LH Bro		Bronze
19-259RHBZ	19-259RHBZ 1/8" Recessed Door RH Bro		Bronze
19-736LH	19-736LH For Flush Face Frame LH Alum		Aluminum
19-736RH	9-736RH For Flush Face Frame RH Alum		Aluminum
19-736LHBZ For Flush Face Frame LH Bron		Bronze	
19-736RHBZ	For Flush Face Frame	RH	Bronze

Includes Screws

PITCO/PPG STYLE



Right Hand Shown

Part #	Application	Hand	Finish
19-734LH	3/32" Recessed Door	LH	Aluminum
19-734RH	3/32" Recessed Door	RH	Aluminum
19-734LHBZ	3/32" Recessed Door	LH	Bronze
19-734RHBZ	3/32" Recessed Door	RH	Bronze

Includes Screws

AMARLITE/REBCO STYLE



Right Hand Shown

Part #	Application	Hand	Finish
19-255LH	1/8" Recessed Door	LH	Aluminum
19-255RH	55RH 1/8" Recessed Door RH Alumin		Aluminum
19-255LHBZ	9-255LHBZ 1/8" Recessed Door LH Bro		Bronze
19-255RHBZ	1/8" Recessed Door	RH	Bronze


Includes Screws

3/4" OFFSET PIVOT



Part #	Application	Hand	Finish
19-406LH	1/8" Recessed Door	LH	Aluminum
19-406RH	1/8" Recessed Door	RH	Aluminum
19-406LHBZ 1/8" Recessed Door LH Bron		Bronze	
19-406RHBZ	1/8" Recessed Door	RH	Bronze


Includes Screws



Part #	Application	Hand	Finish
19-735LH	1/8" Recessed Door	LH	Aluminum
19-735RH	1/8" Recessed Door RH Alui		Aluminum
19-735LHBZ	SLHBZ 1/8" Recessed Door LH Broad		Bronze
19-735RHBZ	1/8" Recessed Door	RH	Bronze

Includes Screws

KAWNEER STYLE






Part #	Application	Description	Hand	Finish
19-424T	1/8" Recessed Door	Тор	-	Aluminum
19-424TBZ	1/8" Recessed Door	Тор	-	Bronze
19-424LH	1/8" Recessed Door	Bottom	LH	Aluminum
19-424RH	1/8" Recessed Door	Bottom	RH	Aluminum
19-424LHBZ	1/8" Recessed Door	Bottom	LH	Bronze
19-424RHBZ	1/8" Recessed Door	Bottom	RH	Bronze

Includes Screws

KAWNEER/BESAM STYLE



Non-Handed

Non-Handed

Part #	Application	Hand	Finish
19-737	1/8" Recessed Door	Non-Handed	Aluminum
19-737BZ	1/8" Recessed Door Non-Handed Br		Bronze
19-258	For Flush Face Frame Non-Handed A		Aluminum
19-258BZ	For Flush Face Frame	Non-Handed	Bronze

Includes Screws

OFFSET ALUMINUM PIVOT

INTERMEDIATE ALUMINUM PIVOT




	1-5/16" P
Part #	Finish
19-407	Bronze
19-407AL	Aluminum
Nonlla	ndad

Non-Handed

KAWNEER

ADJUSTABLE DOOR PIVOT SET





0 @



Part Number	Finish	Hand
19-1096	Clear	Shown
19-1096BZ	Bronze	Shown
19-1097	Clear	Opposite
19-1097BZ	Bronze	Opposite

REGENT/ TUBELITE

COMMERCIAL DOOR/STOREFRONT HARDWARE

STAINLESS STEEL BUTT HINGES

SPECIFICATIONS

- 4-1/2" x 4"
- Square Corner
- · Ball Bearing
- Non Removable Pin
- Button Tip
- Packed & Sold in Sets of 3

Part #	Finish
8-474SSBN	Brushed Nickel
8-474SS	Brushed Chrome

Per Set of 3

Part #	Finish
19-574	Aluminum
19-574BZ	Bronze


DELUXE HINGE KIT


- **KIT CONTAINS** • (2) Roto Pin Hinges
- (12) One-Way Screws
- (4) Cover strips
- (1) Allen Wrench for vertical adjustment
- (2) 1/8" shims for Flush Door Application
- (1) Instruction Sheet

Deluxe Hinge Kits are the ideal choice for multiple application door solutions, when existing hardware fails. A quick and easy fix for any compromised opening.

SPECIFICATIONS


- · For commercial doors up to 500 lbs.
- Non handed full surface applications
- Made from high-tensile aluminum
- · Self-lubricating pin rotates on anti-friction bearings
- · Hinges securely fastened with tamper proof screws
- · Vertical adjustment screw
- Weather resistant
- · Doors easily serviced without removal of hinge pin, lift off
- Packed and sold in pairs





Part #	Finish	Hand
56-141RH	Mill	Shown
56-141LH	Mill	Opposite
56-141RHW	White	Shown
56-141LHW	White	Opposite
56-141RHBZ	Bronze	Shown
56-141LHBZ	Bronze	Opposite

TRACO/SECURITY



Part #	Hand
56-145LHW	Shown
56-145RHW	Opposite


White TRACO/SECURITY

CONTINUOUS HINGES

- · Available in full mortise and surface mount
- 6063 T6 Aluminum alloy, with interlocking extrusions
- Non-handed design
- 83" length
- · Standard duty with 16 thrust type self-lubricating concealed bearings per hinge
- 200 lb. max weight capacity
- · High degree of security
- · Anodized aluminum after machining
- · Through bolt and machine screws fixing
- Template hole patterns
- Minimum 5 Hinges Required or Combination

Full Mortise Type






FEATURES

- Full mortise type
- · Flush mount
- · Each hinge leaf has an alignment stop
- 1/4" clearance between door and

Part #	Finish
8-640	Aluminum
8-640BZ	Bronze




FEATURES

- Full mortise type
- 1/16" door offset
- · Door edge guard
- 5/16" clearance between door and frame

Finish
Aluminum
Bronze


Full Surface Type



FEATURES

- · Full surface continuous hinge
- For narrow (limited) frame applications
- Tamper resistant removable door leaf cover
- 1/32" clearance between door and frame

Part #	Finish
8-639	Aluminum
8-639BZ	Bronze




FEATURES

- Full surface continuous hinge
- 1/32" door panel offset
- Tamper resistant removable door leaf cover
- 1/16" clearance between door and frame

Part #	Finish
8-638	Aluminum
8-638BZ	Bronze

COMMERCIAL DOOR/STOREFRONT HARDWARE

DOOR CLOSERS



_ FEATURES


- · Surface mounted interior and exterior
- Size 3 is used on 3 ft. Wide interior door or 2-1/2 ft. Wide exterior door
- Size 4 is used on 4 ft. Wide interior door or 3 ft. Wide exterior door
- Non-handed
- Permanent lubricating hydraulic fluid
- · Easy, smooth action
- · Housing made of non-corroding aluminum
- Narrow design is perfect for aluminum, glass, wood and other modern doors

Part #	Size	Α	В	С	D	Finish
18-70	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Aluminum (Silver)
18-72	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Bronze (Gold)
18-74	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Duranodic (Dk. Brown)
18-68	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Aluminum (Silver)
18-69	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Bronze (Gold)
18-73	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Duranodic (Dk. Brown)

Dimensions for Closers with Backcheck Feature

Part #	Size	Α	В	С	D	Finish
18-70BC	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Aluminum (Silver)
18-68BC	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Aluminum (Silver)

POWER ADJUSTABLE CLOSER WITH BACK CHECK OR DELAYED ACTION



Opening	Dim. "A"
To 120°	7-3/32"
120° - 180°	3-15/16"

Part #	Finish
18-88	Aluminum (Silver)

ANSI GRADE 1 A - 156.4 STANDARDS APPLICABLE

DOOR STOPS





D. 14	Et alab
Part #	Finish
19-135	Brass
19-138	Aluminum
19-135PB	Bright Brass

<u>19-135T</u>


Screw type tip only.
Black



<u>19-267</u>

Heavy Duty Floor Mount Door Stop. Cast Aluminum. 3" Projector with 2-1/8" Base Plate. 3 Hole Surface Mount. Furnished with Screws

DOOR SILENCER






Part #	Finish
19-140	Stainless Brushed
19-140BZ	Dark Bronze
19-140AB	Antique Brass
19-140B	Brass

Screw mount, 2-1/2" diameter with gray vinyl bumper, concealed screw mount. Concave face to fit interior lock button. Furnished with anchor and screw.



Part #	Finish
19-141	Satin Aluminum
19-141BC	Brushed Chrome

Zinc Die Cast, Low Profile Door Stop. 1-3/4" Base, 1" Height, 1/8" Clearance.



Part #	Color
19-139W	White
19-139	Gray

Adhesive backed, 1-7/8" diameter, gray rubber, peel-off label, pressure sensitive backed.

EXIT DEVICES



SURFACE VERTICAL ROD

Our Surface Vertical Rod panic device is the perfect choice for double doors without mullions. Reversible for right or left hand doors, they are ideal for new construction or renovations. Our panics can be used in conjunction with any of our exit device trims.

Grade - ANSI A156.3 Grade 2

Part #	Finish
19-732	Aluminum
19-732BZ	Bronze
19-732SS	Stainless Steel

FIRE RATED (3 HOURS)

Part #	Finish	
19-733	Aluminum	
19-733SS	Stainless Steel	



Night Latch Handle Set

Part #	Finish
19-752	Aluminum

Entry Lever

19-604AL Aluminum

19-604BZ Bronze

Finish

Part #



Dummy Handle Set

Exit Device Trims

Part #	Finish
19-753	Aluminum

Storeroom Lever

Part # Finish

19-619AL Aluminum



Entry Handle Set

Part #	Description
	w/Cylinder
19-1035AL	no Cylinder



Exit Only Plate

Part #	Finish
19-751	Aluminum





Passage Lever

Entry Ball

Part #	Finish
19-618AL	Aluminum

Ziidiy Bali	
Part #	Finish
19-1034AL	Aluminum

FEATURES

- · MATERIAL: Extruded anodized aluminum push bar, stainless steel springs
- · LATCH: Top Pullman type, Bottom bolt assembly
- DOOR HEIGHT: 7' standard

- BACKSET: 2-3/4" on 4-1/2" minimum stile width -if less than 4-1/2" backset becomes half of the exposed stile width
- STRIKE: Top-surface mounted, Bottom-flat mortise CYLINDER NOT INCLUDED or into threshold, vertical/rim application use DBLST double dr. strike
- PROJECTION: 2-1/2" 1-7/8" dogged

- STILE: 4-1/2" minimum
- HANDING: Reversible, non-handed
- DOOR THICKNESS: 1-3/4" standard
- DOOR WIDTH: 36", can be field sized to 30"
- MOUNTING HEIGHT: Recommended installation at 41" from finished floor to center line of push rail.
- FASTENERS: Furnished with sheet metal and
- machine screws
- DOGGING: 1/2 turn hex key



Rim Cylinder

19-568 Aluminum	Part #	Finish
	19-568	Aluminum
19-568BZ Bronze	19-568BZ	Bronze



Pull Trim

Exit Device Trims

Part #	Finish
19-749	Aluminum



Dummy Pull Trim

Part #	Finish
19-750	Aluminum

← 3"→

TOUCH BAR

"Touch bar" style exit devices are suitable for all doors (aluminum, hollow metal, or wood) where there is no projection on the face. Manufactured of extruded anodized aluminum, the touch bar is durable enough for the most demanding applications. Rim cylinder is not included and needs to be ordered separately.

Grade - ANSI A156.3 Grade 2.

Part #	Finish
19-730	Aluminum
19-730BZ	Bronze
19-730SS	Stainless Steel



FIRE RATED (3 HOURS)

Part #	Finish
19-731	Aluminum
19-731BZ	Bronze
19-731SS	Stainless Steel

32-11/16"

Entry Ball

Part #	Finish
19-1034AL	Aluminum



Entry Lever

Part #	Finish
19-604AL	Aluminum



•	
Part #	Finish
19-604AL	Aluminum
	, manning

Rim Cylinder

Part # Finish

19-568 Aluminum

19-568BZ Bronze



Pull Trim

Part # Finish **19-749** Aluminum

Storeroom Lever Part # Finish 19-619AL Aluminum



Dummy Pull Trim

Part # Finish

19-750 Aluminum

Passage Lever

19-618AL A	luminum



Night Latch Handle Set

Part #	Finish
19-752	Aluminum



Dummy Handle Set Part # Finish **19-753** Aluminum



Entry Handle Set Part # Description 19-1038AL w/Cylinder



Exit Only Plate Part # Finish **19-751** Aluminum

19-1035AL no Cylinder Aluminum Finish

100

- MATERIAL: Extruded anodized aluminum push bar, stainless steel springs
- LATCH: Stainless Steel, 3/4" throw 5/8" deadlatch
- BACKSET: 2-3/4" Covers 161 prep, includes latch & Strike filler plates • STRIKE: Surface mounted for 5/8" stop with shim
- PROJECTION: 2-1/2" 1-7/8" dogged
- STILE: 4-1/4" minimum
- HANDING: Reversible, non-handed
- DOOR THICKNESS: 1-3/4" standard
- DOOR WIDTH: 36", can be field sized to 30"
- MOUNTING HEIGHT: Recommended installation at 41" from finished floor to center line of push rail.
- FASTENERS: Furnished with sheet metal and machine screws
- DOGGING: 1/2 turn hex key
- CYLINDER NOT INCLUDED (order separately)



NARROW STILE EXIT DEVICES

CONCEALED VERTICAL ROD

These panic devices blend the utility of a vertical rod application with the appearance of a traditional panic device. It is non-handed and reversible with a contoured cross bar that will fit doors up to 42" wide and can be field sized to accommodate narrow doors.

Grade - ANSI A156.3 Grade 2



Part #	Finish
19-754	Aluminum
19-754BZ	Bronze

• DOOR THICKNESS: 1-3/4" standard

- MOUNTING HEIGHT: 35-11/16" from floor to center line of the bottom latch case mounting
- · FASTENERS: Furnished with sheet metal, machine screws and shoulder mounting studs with set screws
- CYLINDER: Accepts mortise type
- DOGGING: Inside- push up dog pin and rotate with screwdriver, Outside- by key cylinder

Exit Device Trims



Brass Mortise Cylinder

	•
Part #	Finish
19-755	Aluminum
19-755BZ	Bronze

Zinc Mortise Cylinder

	-
Part #	Finish
19-410	Aluminum
19-410BZ	Bronze



Cylinder Mounting Trim

Part #	Finish
19-756	Aluminum

*For exterior key application must order 19-756/19-756BZ. Insert mortise cylinder in mounting trim and secure with locking ring nut, included.

FEATURES

- MATERIAL: Contoured anodized aluminum cross DOOR WIDTH: Up to 42" bar, stainless steel springs
- LATCH CASE: 1-1/4" wide x 7-1/4" long
- DOOR HEIGHT: 7' standard
- · BACKSET: Center template on narrow door stile
- STRIKE: Top-flat mortise, Bottom-flat mortise or directly through threshold
- PROJECTION: 4-3/4"
- STILE: 1-7/8" minimum
- · HANDING: Reversible, non-handed


TOUCH BAR

These "crash bar" style exit devices are suitable for narrow, medium or wide stile aluminum and hollow metal doors. Contoured cross bar that will fit doors up to 42" wide and can be field sized to accommodate narrow doors.

Grade - ANSI A156.3 Grade 2




Part #	Finish	Hand
19-747RH	Aluminum	Right
19-747LH	Aluminum	Left
19-748RHBZ	Bronze	Right
19-748LHBZ	Bronze	Left



*For Left Hand Reverse Door; order RH device *For Right Hand Reverse Door; order LH device

FEATURES

- MATERIAL: Contoured anodized aluminum cross bar, stainless steel springs
- LATCH CASE: 1-1/4" wide x 7-1/4" long with 1/2"
- BACKSET: 1-5/32" from edge of door to center line of device
- STRIKE: Rim mounted roller strike with shim
- PROJECTION: 4-3/4"
- STILE: 1-7/8" minimum
- · HANDING: Handed, please specify RH or LH
- DOOR THICKNESS: 1-3/4" standard



• DOOR WIDTH: Up to 42"

- MOUNTING HEIGHT: Recommended installation at 39-13/32" from floor to center line of latch or strike assemblies
- FASTENERS: Furnished with sheet metal, machine screws and shoulder mounting studs with set screws
- CYLINDER: Accepts rim cylinder only
- . DOGGING: Inside-push up dog pin rotate with screwdriver, Outside-by key cylinder

Exit Device Trims







Exit Only Plate

Part #	Finish
19-751	Aluminum
19-751	Aluminur



Pull Trim

Part #	Finish					
19-749	Aluminum					



Dummy Pull Trim


Part #	Finish		
19-750	Aluminum		

*All trim applications for new door or existing hole less than 1-3/16"

COMMERCIAL DOOR/STOREFRONT HARDWARE

DOOR PULLS





Part #	Α	В	Finish		
19-1103BSS	11" 10" Bru		Brushed Stainless		
19-1103PSS	11"	10"	Polished Stainless		
19-1104BSS	13"	12"	Brushed Stainless		
19-1104PSS	13"	12"	Polished Stainless		

- Offset Back to Back Tempered Glass Mount Commercial
- Material Specifications: Stainless Steel
- Glass Thickness: 3/8" to 3/4"
- Construction: 1" (25mm) Diameter
- Offset: 3"
- Glass Fabrication: 2 X 5/8" diameter holes 10" CTC or 12" CTC

Includes:

- 2 Through bolts for Glass mounting
- 4 Metal Washers 1-1/4" diameter with rubber gaskets



Part #


19-1106BSS

19-1106PSS

19-1107BSS

19-1109PSS

102



Part #	Α	В	Finish		
19-1101BSS	11"	10"	Brushed Stainless		
19-1101PSS	11"	10"	Polished Stainless		
19-1102BSS	13"	12"	Brushed Stainless		
19-1102PSS	13"	12"	Polished Stainless		

• In-line Back to Back Tempered Glass Mount Commercial

• Pull Sizes: 10" or 12"


· Material Specifications: Stainless Steel

- · Application: Heavy Glass Doors
- Glass Thickness: 3/8" to 3/4"
- Construction: 1" (25mm) Diameter
- Glass Fabrication: 2 X 5/8" diameter holes 10" CTC or 12" CTC

Includes:

- 2 Through bolts for Glass mounting
- 4 Metal Washers 1-1/4" diameter with rubber gaskets

Rockwell Glass Mounted Straight Combination Push and Pull Handles



Polished Stainless

Brushed Stainless

Polished Stainless

Rockwell Glass Mount Straight Combination Pulls are for Use with 3/8" to 3/4" (10 - 19 mm) Glass thickness

- Fits 3/8" 3/4" (10 19 mm) Glass
- Diameter: 1" (25mm)
- · Material: Stainless Steel or Brass Tubing
- Glass Fabrication: 3-5/8" (16 mm)
- Diameter Holes: 28" (711 mm CTC)
- ** TEMPERED GLASS Use Only

- 2 Through bolts for Glass mounting
- 4 Metal Washers 1-1/4" diameter with rubber gaskets

Rockwell Dustproof Keeper with Mounting Plate

Part #	Finish		
19-1116AL	Aluminum		
19-1116B	Black		
19-1116BSS	Brushed Stainless		
19-1116PSS	Polished Stainless		

10" x 28"

12" x 28"

12" x 28"



Rockwell Dustproof Keeper with Mounting Plate available in four Finishes in Locking models. Accepts 5/8" (16 mm) Diameter Plunger Bolt

- Fits 5/8" (16 mm) Plunger from these or similar devices
- Function: Locking
- · Material: Stainless Steel

Includes:

- 2 Flat Head Screws
- (Requires a 1" diameter hole drilled 2" into door for installation)

GLASS CLEANER, ADHESIVES, LUBRICANTS AND GUN FOAMS

FOAMING GLASS CLEANER



- · Industrial Strength
- Cleans glass, windows, mirrors, windshields, enamel surfaces, chrome, tile, porcelain and other hard surfaces.
- Sprays in any position (360° Valve)
- · Dissolves dirt, grease, grit and grime
- · Heavy-Duty Foam clings to vertical surfaces
- Non-ammoniated
- · Guaranteed to leave no film "Streak Free"
- · Safe on tinted glass, plastic and mirrors
- · Contains cosmetic-grade alcohol for best performance
- · Superior quality at competitive pricing
- Patent Pending Formulation

59-101 19 oz. Can



	your own S	pray-X priva	te label cans.
	Part #	Can Size	Pallet Contents
Logo Foaming Glass Cleaner	59-101P	19 oz. Can	540 Cans per Pallet (45 Cases,12 cans per case)
Streak Free!			540.4 oz. Cans ner nallet

540 4 oz. Cans per pallet 59-101P4 4 oz. Can (45 Cases, 12 cans per case) 540 19 oz. cans (45 Cases,12 19 oz. & 4 oz 59-101MIXP cans per case) 540 4 oz. cans (45 Cases 12 cans per case)

LUBRICANTS

"L.C. Wax" Alumaslick Aluminum **Lubricant & Liquid Masking**

"L.C. Wax" Alumaslick Aluminum Lubricant & Liquid Masking cleans and lubricates



Part #

59-50

59-50-1

aluminum better than anything. Quick penetration/ release and long lasting lubrication. Cleans corrosion and tarnish, protects from salt corrosion, reduces wear, stops squeaks, bumps, klunks, clinks.

Size

11 oz. Can

1 Gal Can

Alum-A-Lub Lubricating Cleaner

Alum-A-Lub cleaner is the "All Purpose" lubricating cleaner that can be used on all



or squeak. Alum-A-Lub assures ease of operation and a "like new" appearance for metal windows, doors, locks, hinges, cabinets and more. Simply spray and wipe away dirt, grime and gummy residue left by other lubricants. A must for

products that stick

your shop, workroom, home, maintenance department or garage. 12 per case

Part #	Size	
59-5	9.4 oz. Can	
59-5-1	15 oz. Can	


SOUDAL ADHESIVES, GUN FOAMS AND CLEANERS

Silirub N1 is a Premium Grade 100%, Neutral Cure Silicone

- · Permanently flexible
- · Easy to apply
- Excellent adhesion to glass, vinyl, wood, aluminum & many more
- · Low odor
- UV resistant
- No shrinkage
- · AAMA compliant

Applications:

- Building and construction joints
- · Top sealing at glazing jobs
- · Suitable as backbedding compound as well as weather sealant
- · Joints with high movement between different building materials
- · Sealing between treated wood, metal, PVC profiles and glass
- Surfaces:
- · Type: all usual building surfaces
- · State of surface: clean, dry, free of dust and grease
- · Preparation: Prime porous surfaces with Primer, no primer required for non-porous surfaces.



We recommend a preliminary compatibility test, especially on PVD and powder coated materials.

Note: Custom Color Matching Available. Three Case Minimum (12 Per Case). Check with Your Account Manager for Available Colors and Lead Times.



59-132 **Gun Foam**

Soudafoam Door & Window is a minimal expansion, one component, moisture curing PU foam

- 24 oz. Aerosol Can
- Minimal Expansion
- · Easy Application
- · Excellent Adhesion to Almost all Substrates
- · Excellent Thermal and Acoustical Insulation
- No Shrinkage
- · AAMA Compliant



Genius Gun with Foam

Soudafoam Door & Window is a minimal expansion, one component, moisture curing PU foam and gun all in one.

- 20 oz. Aerosol Can
- · Integrated Gun System
- Reusable
- Minimal Expansion
- · Easy Application
- · Excellent Adhesion to Almost all Substrates
- · Excellent Thermal and Acoustical Insulation
- · No Shrinkage



59-136 **Gun & Foam Cleaner**

Soudal Gun & Foam Cleaner Is a solvent cleaner specifically designed for cleaning of uncured PU foam

- 12 oz. aerosol can
- · For Hands and Tools
- · Cleans Uncured Solvent
- · Removes Oil, Adhesive, Etc.



59-135 Cleaning Wipes

Swipex are solvent based cleaning wipes for uncured sealants & adhesives.

- Non-Woven Wipes Impregnated with a Mixture of Solvents, Biodegradable Bon-Ionic Surfactants and Skin **Emollients**
- · Suitable for all Non-Porous Surfaces
- For Hands and Tools
- · Cleans Uncured Solvent
- · Removes Oil, Adhesive, Etc.
- 100 Wipes

TERMS AND CONDITIONS

TERMS Net 30 days.

CREDIT Visa and Master card accepted

MINIMUM \$25.00 Excluding shipping and handling.

PRICING Due to market fluctuations, prices will be subject to change without notice. For current prices,

contact your Account manager or call our toll free number 1-800-352-0800.

ORDERING Our catalog has been designed to make ordering as easy as possible. However, if you are not a 100% sure

> that you have found the part you need - PLEASE SEND A SAMPLE. To help expedite your orders, please use our part numbers and include your account number on all purchase orders. Customers must specify at time of order if back orders should be canceled. Otherwise back orders will be released routinely and not

subject to return.

QUOTATIONS All quotations good for 30 days, unless otherwise specified. If an item is not shown in our catalog,

> PLEASE SEND A SAMPLE with any available information - such as name of manufacturer or brand name of their window or door, the type of window or door; e.g., sliding or casement. It is also important to know what function the part performs. If you are presently using a substitute item for your original part - please send both parts. We may be able to provide the original. The above information will help us reduce

research time for hard to find and obsolete parts.

FINISHING Standard finishes will be provided. Please specify if you require a particular finish.

HANDING Strybuc Industries determines whether an item is left handed or right handed - by viewing it from **INFORMATION** the inside looking out. Items on your right will be right hand - items on your left will be left hand.

SUBSTITUTION In order to satisfy need and provide our customers with the most economical and highest quality

parts, we may replace catalog items with working substitutes from time to time.

CUSTOM MADE We offer machine shop facilities for items no longer available. A deposit may be required SPECIAL ORDER for custom made/special order material. We will not accept any returns or cancellations for

MERCHANDISE custom made parts, therefore a written or faxed Purchase Order is required.

FREIGHT No freight allowance. Shipping and handling charges are added to invoice.

SHIPPING Stock items - within 24 hours upon receipt of order. Non-stock items 3 to 8 weeks or as specified.

FedEx® Delivery Service - Faster delivery options for all packages up to 20lbs. delivered within the Continental U.S.; (1) Economy Two DaySM Service. (2) Standard Overnight® Service for next day delivery. (3) Priority Overnight® Service delivered by 10:30 a.m. the next morning. Ask your Account

Manager for current delivery costs.

DROP SHIP SBI Express - Order Today, Install Tomorrow! A new program to "drop ship" directly to your customers

using any of the above FedEx® Delivery Services

RETURNS No material will be accepted without a Return Goods Authorization number (RGA# must appear

outside of all cartons). Please call Account Manager for RGA#. A 25% Handling/Restocking charge will be assessed to all returns for reasons other than Strybuc errors. All returns must be made within

60 days of invoice date. Custom Made/Special Orders are not subject to return.

CLAIMS It is your responsibility to inspect all shipments for shortages and damages (concealed or otherwise).

> If damage has occurred it is your responsibility to file a claim with the carrier, claims for shortages are to be filed with Strybuc Industries. All claims are to be made within 10 days.

DISCLAIMER Photos and illustrations in this catalog are intended only to give an idea of what a product looks like.

It is to identify that products use, and does not imply that the item is a genuine product of the said

original manufacturer.

Strybuc will never share, sell or rent personal information to anyone. Information submitted to us will only be used for purposes of contacting or emailing you information about upcoming specials, new products, or news

at Strybuc. (You can opt out at any time).

2018 PGI©. No part of this catalog may be reproduced without the express written consent of **COPYRIGHT**

Strybuc Industries.



ACCOUNT NO.

16666

ORDER NO. 100541

SOLD TO

ABC CO. YOUR COMPANY NAME

SHIP TO

XYZ CO.
YOUR CUSTOMER'S NAME

SLSMN	SUPV.	PURCHASE ORDER NO.	н.	SHIP VIA	ORDER DATE	DATE PROCESSED	INVOICE NO.
532	102	Stock		UPS	3/1/99	3/1/99	J

PART NO.	DESCRIPTION	CUSTOMER PART NO.	ORDERED	BACK ORD.	SHIPPED
60-622	23" Channel Balance	YOUR PART NUMBER	25		25
60-507A	G-12 Top Bracket Attached	WILL APPEAR HERE.	25		25
60-501A	Bottom Bracket Attached		25		25

The Purpose of the BLIND DROP SHIP PROGRAM is to allow you to ship an order directly to your customer from our warehouse without letting your customer know the source is Strybuc.

Strybuc is not named anywhere on the packing slip so it appears the order was shipped from you to them. The only time a customer may determine that Strybuc was the original shipper is, if damage occurs - our shipping code is noted.

Even if this occurs, Strybuc does not sell directly to any end user: school, apartment, condo, military base etc.

- Save time from our warehouse to your customer
- Save by reducing double handling
- Eliminate additional delivery cost, whether you deliver or ship

NOTE: BLIND DROP SHIP ORDERS MUST BE \$25.00 MINIMUM INVOICE TO YOU, ONLY ONE LOCATION AND MAY NOT BE COD.

WHOLESALE DISTRIBUTOR AND MANUFACTURER OF WINDOW AND DOOR HARDWARE







































THE ONE STOP SOURCE FOR ALL YOUR WINDOW & DOOR HARDWARE

Over the years Strybuc has bought out the entire product line or some of the obsolete inventory from many companies and can provide or make most of their replacement parts. Contact your account manager for more details.

Philadelphia

2006 Elmwood Avenue - 102C • Sharon Hill, PA 19079-0767

Miami

500 West 84th Street • Hialeah, FL 33014













